



BenQ BH3501 Pantalla plana para señalización digital 88,9 cm (35") LED 1000 cd / m² Negro Android



Marca : BenQ

Código del producto: 9H.F59PG.NA1

Nombre del producto : BH3501

BenQ BH3501. Diseño de producto: Pantalla plana para señalización digital. Diagonal de la pantalla: 88,9 cm (35"), Tecnología de visualización: LED, Resolución de la pantalla: 1920 x 190 Píxeles, Brillo de pantalla: 1000 cd / m². Sistema operativo instalado: Android. Color del producto: Negro



Exhibición		Desempeño	
Diagonal de la pantalla *	88,9 cm (35")	Utilizar con *	Envase de venta
Tecnología de visualización *	LED	Admite pantallas múltiples	✓
Resolución de la pantalla *	1920 x 190 Píxeles	Exhibición en pantalla (OSD)	✓
Brillo de pantalla *	1000 cd / m ²	Número de lenguajes OSD	25
Pantalla táctil *	✗	Idiomas OSD	Árabe, Chino simplificado, Chino tradicional, Checo, Danés, Alemán, Holandés, Inglés, Español, Finés, Francés, Húngaro, Italiano, Japonés, Coreano, Noruego, Polaco, Portugués, Rumano, Ruso, Sueco, Tailandés, Vietnamita
Relación de aspecto nativa	16:1		
Razón de contraste (típica)	3000:1		
Ángulo de visión, horizontal	178°		
Ángulo de visión, vertical	178°		
Área de visualización activa (A x A)	886,6 x 59 mm		
Vida útil de la pantalla	55000 h		
Tipo de LED	E-LED		
Puertos e Interfaces		Control de energía	
Número de puertos HDMI *	1	Consumo energético *	50 W
Cantidad de puertos de entrada HDMI	1	Consumo de energía (inactivo) *	0,5 W
Puerto DVI *	✗	Voltaje de entrada AC	100 - 240 V
Puerto USB *	✓	Frecuencia de entrada AC	50 / 60 Hz
Cantidad de puertos USB	2	Sistema informático	
Ethernet LAN (RJ-45) cantidad de puertos	1		
RS-232	✓		
Audio		Peso y dimensiones	
Altavoces incorporados *	✓		
Número de altavoces incorporados	2	Ancho	905 mm
Potencia estimada RMS	4 W	Profundidad	45,3 mm
		Altura	89,2 mm
		Peso	4 kg
		Empaquetado	
		Peso del paquete	5 kg

Diseño		Contenido del embalaje	
Diseño de producto *	Pantalla plana para señalización digital	Mando a distancia incluido	✓
Orientación	Horizontal/Vertical	Tipo de control remoto	IR
Color del producto *	Negro	Cables incluidos	Corriente alterna, HDMI, RS-232
montaje VESA *	✓	Condiciones ambientales	
Interfaz de panel de montaje	430 x 60 mm	Intervalo de temperatura operativa	0 - 50 °C
Ancho del marco (inferior)	1,51 cm	Intervalo de temperatura de almacenaje	-25 - 60 °C
Ancho del marco (lateral)	9,2 mm	Conexión	
Ancho del marco (superior)	1,51 cm	Ethernet *	✓
		Otras características	
		Manual de usuario	✓
		Guía de configuración rápida	✓



4718755076534

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.