

ASUS ROG CROSSHAIR X870E EXTREME AMD X870E Zócalo AM5 ATX extendida

Marca : ASUS

Código del producto: 90MB1LB0-M0EAY0

Nombre del producto : ROG CROSSHAIR X870E
EXTREME

ASUS ROG CROSSHAIR X870E EXTREME. Fabricante de procesador: AMD, Socket de procesador: Zócalo AM5, Procesador compatible: AMD Ryzen 7000 Series, AMD Ryzen 8000 Series, AMD Ryzen 9000 Series. tipos de memoria compatibles: DDR5-SDRAM, Memoria interna máxima: 256 GB, Tipo de ranuras de memoria: DIMM. Interfaces de disco de almacenamiento soportados: M.2, SATA III, SlimSAS, Tipos de unidades de almacenamiento admitidas: HDD & SSD, Niveles RAID: 0, 1, 5, 10. Tipo de interfaz ethernet: 5 Gigabit Ethernet, 10 Gigabit Ethernet, Estándar Wi-Fi: Wi-Fi 7 (802.11be), Wi-Fi estándares: Wi-Fi 7 (802.11be). Componente para: PC, Factor de forma: ATX extendida, Familia del chipset: AMD



Procesador		Ranuras de expansión	
Fabricante de procesador *	AMD	Ranuras PCI Express x16 (Gen 4.x)	2
Socket de procesador *	Zócalo AM5	Ranuras PCI Express x16 (Gen 5.x)	2
Procesador compatible *	AMD Ryzen 7000 Series, AMD Ryzen 8000 Series, AMD Ryzen 9000 Series	Número de ranuras M.2 (M)	5
Sockets de procesador soportados	Zócalo AM5	Tamaño más grande de llave de la primera M.2	22110
Memoria		Generación más alta de PCI Express de la primera M.2	5.0
tipos de memoria compatibles *	DDR5-SDRAM	Tamaño más grande de llave de la segunda M.2	2280
Número de ranuras de memoria *	4	Generación más alta de PCI Express de la segunda M.2	5.0
Tipo de ranuras de memoria	DIMM	Tamaño más grande de llave de la tercera M.2	22110
Canales de memoria	Doble canal	Generación más alta de PCI Express de la tercera M.2	5.0
Compatibilidad de ECC	ECC y no ECC	Tamaño más grande de llave de la cuarta M.2	22110
Memoria interna máxima *	256 GB	Generación más alta de PCI Express de la cuarta M.2	4.0
Memoria sin buffer	✓	Tamaño más grande de llave de la quinta M.2	22110
Reguladores del almacenaje		Generación más alta de PCI Express de la quinta M.2	4.0
Tipos de unidades de almacenamiento admitidas	HDD & SSD	BIOS	
Interfaces de disco de almacenamiento soportados *	M.2, SATA III, SlimSAS	Tipos de BIOS *	UEFI AMI
Número de unidades de almacenamiento compatibles	10	BIOS, tamaño de memoria	512 MB/s
Compatibilidad con RAID	✓	Empaquetado	
Niveles RAID	0, 1, 5, 10	Ancho del paquete	380 mm
Gráficos		Profundidad del paquete	320 mm
Soporte para proceso paralelo *	No compatible	Altura del paquete	125 mm
Adaptador gráfico incorporado	✗	Peso del paquete	5,66 kg
Interno I/O			
USB 2.0, conectores *	2		

Interno I/O		Peso y dimensiones	
Conectores USB 3.2 Gen 1 (3.1 Gen 1) *	2	Ancho	305 mm
Conectores USB 3.2 Gen 2 (3.1 Gen 2) *	1	Profundidad	277 mm
Conectores USB 3.2 Gen 2x2	1	Contenido del embalaje	
Número de conectores SATA III *	4	Cables incluidos	SATA
Conector de audio en panel frontal	✓	Antena incluida	✓
Conector de panel delantero	✓	Controladores incluidos	✓
Conector de potencia ATX (24 pines)	✓	Otras características	
Conector de ventilador CPU	✓	ROG SupremeFX 7.1 Surround Sound High Definition Audio CODEC ALC4082* - Impedance sense for front and rear headphone outputs - Supports: Jack-detection, Multi-streaming, Front Panel MIC Jack-retasking - High quality 120 dB SNR stereo playback output and 110 dB SNR recording input - Supports up to 32-Bit/384 kHz playback on front panel Audio Features - SupremeFX Shielding Technology - ESS® ES9219 QUAD DAC - LED-illuminated audio jacks - Rear optical S/PDIF out port - Premium audio capacitors * A chassis with an HD audio module in the front panel is required to support 7.1 Surround Sound audio output. ** The LINE OUT port on the rear panel does not support spatial audio. If you wish to use spatial audio, make sure to connect your audio output device to the audio jack on the front panel of your chassis or use a USB interface audio device. Supports up to 5 x M.2 slots and 1 x SlimSAS connector and 4 x SATA 6Gb/s ports* AMD Ryzen™ 9000 & 7000 Series Desktop Processors M.2_1 slot (Key M), type 2242/2260/2280/22110 (supports PCIe 5.0 x4 mode) M.2_2 slot (Key M), type 2242/2260/2280 (supports PCIe 5.0 x4 mode)** M.2_3 slot (Key M), type 2242/2260/2280/22110 (supports PCIe 5.0 x4 mode)** AMD Ryzen™ 8000 Series Desktop Processors M.2_1 slot (Key M), type 2242/2260/2280/22110 (supports PCIe 4.0 x4 mode) M.2_2 slot (Key M), type 2242/2260/2280 (Not supports) M.2_3 slot (Key M), type 2242/2260/2280/22110 (Not supports) AMD X870E Chipset DIMM.2_1 slot (Key M) via ROG Q-DIMM.2, type 2230/2242/2260/2280/22110 (supports PCIe 4.0 x4 mode) DIMM.2_2 slot (Key M) via ROG Q-DIMM.2, type 2230/2242/2260/2280/22110 (supports PCIe 4.0 x4 mode) SlimSAS connector supports PCIe 4.0 x4 mode via an SFF-8654 adapter cable. The cable is purchased separately. 4 x SATA 6Gb/s ports * Specifications vary by CPU types. ** When M.2_2 is enabled, but M.2_3 is not in use, PCIe16_1 will run in x8 mode and PCIe16_2 will be disabled. ** When M.2_3 is enabled, but M.2_2 is not in use, PCIe16_1 will run in x8 mode and PCIe16_2 will run in x4 mode. ** When both M.2_2 and M.2_3 are enabled, PCIe16_1 will run in x8 mode and PCIe16_2 will be disabled.	
Número de conectores a ventilador de chasis	2		
Conector de energía EPS (8-pin)	✓		
Conector eléctrico de 12 V	✓		
Conector para tiras LED RGB	✓		
Panel trasero Puertos de I/O (entrada/salida)			
Cantidad de puertos tipo A USB 3.2 Gen 2 (3.1 Gen 2) *	8		
Cantidad de puertos tipo C USB 3.2 Gen 2 (3.1 Gen 2) *	2		
Número de puertos USB4 Gen 3x2	2		
Ethernet LAN (RJ-45) cantidad de puertos *	2		
Puerto de ratón PS/2	1		
Número de puertos HDMI *	1		
Puerto de salida S/PDIF	✓		
Conector para antena WiFi-AP	1		
Conexión		Características especiales	
Ethernet	✓		
Tipo de interfaz ethernet	5 Gigabit Ethernet, 10 Gigabit Ethernet		
Wifi *	✓		
Estándar Wi-Fi	Wi-Fi 7 (802.11be)		
Wi-Fi estándares	Wi-Fi 7 (802.11be)		
Bluetooth	✓		
Versión de Bluetooth	5.4		
Características			
Chipset *	AMD X870E		
Chip de sonido	Realtek ALC4082		
Canales de salida de audio *	7.1 canales		
Color del producto	Negro		
Componente para *	PC		
Factor de forma *	ATX extendida		
Familia del chipset *	AMD		
Sistema operativo Windows soportado	Windows 11		

Otras características	
Otras características	4 x DIMM slots, max. 256GB, DDR5 Supports up to 8200+MT/s(OC) with Ryzen™ 9000 Series Processors, 9000+MT/s(OC) with Ryzen™ 8000 Series Processors, 8000+MT/s(OC) with Ryzen™ 7000 Series Processors, ECC and Non-ECC, Un-buffered DIMM* Dual Channel Memory Architecture Supports AMD Extended Profiles for Overclocking (EXPO™) ASUS Enhanced Memory Profile (AEMP) NitroPath DRAM Technology *Supported memory types, data rate (speed), and number of DRAM modules vary depending on the CPU and memory configuration, for more information please refer to CPU/Memory Support list under theSupport tab of product information site or visit https://www.asus.com/support/download-center/. * Non-ECC, un-buffered DDR5 memory supports On-Die ECC function.
Producción gráfica	1 x HDMI™ port** 2 x USB4® (40Gbps) ports support USB Type-C® display outputs*** * Graphics specifications may vary between CPU types. Please refer to AMD CPU specifications. ** Supports 4K@60Hz as specified in HDMI 2.1. *** Supports max. 4K@60Hz as specified in DisplayPort 1.4a **** VGA resolution support depends on processors' or graphic cards' resolution.



4711387984963



0197105984967



197105984967

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.