

MPN: FO-LCLCOM3D-010

LC-LC UPC OM3 Duplex MM Fiber Cable 10M

When engineering a high speed and bandwidth heavy network over long distances, there is no doubt that a fiber optic cable network is the most efficient and cost-effective choice.

The ProXtend fiber optic patch cable range supports full duplex singlemode and multimode communication through cables with a transparent glass core, that are coated in a LSZH jacket and able to withstand temperatures from -20 up to 70 degrees Celsius.



Especificaciones

Features	Color producto	Aqua colour	
	Conector 1	LC	
	Conector 1 género	Male	
	Conector 2	LC	
	Conector 2 género	Male	
	Diámetro del núcleo	50 µm	
	Diámetro del revestimiento	125 µm	
	Estructura modo fibra	Multi-mode	
	Full duplex	Yes	
	Género del conector	Male	
	Longitud del cable	10 m	
	Material cubierta	Low smoke zero halogen (LSZH)	
	Pérdida de devolución	55 dB	
	Pérdida de inserción	0,3 dB	
	Plug and play	Yes	
	Tipo de fibra óptica	OM3	
	Tipo de pulido de conector	UPC	
	Velocidad de transferencia de datos	2 Gbit/s	
	Operational conditions	Temperatura de funcionamiento (T-T)	-20 - 70 °C
	Packaging data	Cantidad por pack	1 pieza(s)
Technical details	Certificados de sostenibilidad	RoHS	
	Compliance certificates	RoHS	
Vendor information	Brand Name	ProXtend	
	Warranty	30 Año/s	

Weight & dimensions

Díámetro del cable	2 mm
Radio de curvatura	5 cm

Otras imágenes

