



Acer X1827 Proyector de alcance estándar 4000 lúmenes ANSI DLP UHD 4K (3840x2160) Blanco

Marca : Acer

Código del producto: MR.JWK11.00P

Nombre del producto : X1827

3840 x 2160 4K UHD, 4000 lm, 16:9, 240 Hz, 240 W, HDMI, USB, S/PDIF, VGA, 113.7x313x240mm, 3.10 kg

Acer X1827. Brillo de proyector: 4000 lúmenes ANSI, Tecnología de proyección: DLP, Resolución original del proyector: UHD 4K (3840x2160). Duración de la fuente luminosa: 5000 h, Vida útil de la fuente luminosa (modo económico): 10000 h, Potencia de la lámpara: 240 W. Enfoque: Auto. Señal analógica: NTSC, PAL, SECAM. Nivel de ruido: 26 dB



Proyector		Puertos e Interfaces	
Relaciones de aspecto compatibles	4:3, 16:9	Puerto de salida S/PDIF	✓
Brillo de proyector *	4000 lúmenes ANSI	Número de puertos HDMI *	2
Tecnología de proyección *	DLP	Características	
Resolución original del proyector *	UHD 4K (3840x2160)	Nivel de ruido *	26 dB
Razón de contraste (típica) *	10000:1	Multimedia	
Relación de aspecto nativa *	16:9	Altavoces incorporados *	✓
Número de colores	1,07 billones de colores	Potencia estimada RMS	10 W
Intervalo de escaneado horizontal	24 - 240 kHz	Diseño	
Intervalo de escaneado vertical	15 - 135 Hz	Posicionamiento de mercado *	Portátil
Corrección trapezoidal, horizontal	-30 - 30°	Tipo de producto *	Proyector de alcance estándar
Corrección vertical de keystone (trapezoide)	-30 - 30°	Color del producto *	Blanco
Fuente luminosa		Ubicación	Pared
Duración de la fuente luminosa *	5000 h	Control de energía	
Vida útil de la fuente luminosa (modo económico)	10000 h	Fuente de energía *	Corriente alterna
Potencia de la lámpara	240 W	Consumo energético *	310 W
Cantidad de lámparas	1 lámpara(s)	Consumo de energía (inactivo) *	0,5 W
Sistema de lentes		Voltaje de entrada AC	120 - 230 V
Enfoque *	Auto	Voltaje de salida de adaptador AC	100 - 240 V
Vídeo		Software	
Señal analógica *	NTSC, PAL, SECAM	Sistema operativo Windows soportado	✓
Full HD *	✓	Compatible con Mac	✓
Puertos e Interfaces		Sistema operativo MAC soportado	✓
Versión HDMI	2.0	Peso y dimensiones	
Cantidad de puertos USB 2.0	1	Ancho	313 mm
Entrada de audio (L,R) *	1	Profundidad	240 mm
Salida de audio (L,R)	1	Altura	113,7 mm
Cantidad de puertos VGA (D-Sub) *	1	Peso *	3,1 kg

Contenido del embalaje	
Mando a distancia incluido *	✓
Pilas incluidas	✓
Cables incluidos	Corriente alterna
Funda de transporte	✓
Manual de usuario	✓



4711121577826

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.