



## TP-Link Omada MC212CS-2 convertidor de medio 1000 Mbit/s 1550 nm Monomodo Negro

Marca : TP-Link

Familia de productos: Omada Código del producto: MC212CS-2

Nombre del producto : MC212CS-2



TP-Link Omada MC212CS-2. Rango máximo de transferencia de datos: 1000 Mbit/s, Estándares de red: IEEE 802.3, IEEE 802.3ab, IEEE 802.3i, IEEE 802.3u, IEEE 802.3x, IEEE 802.3z, Tipo de interfaz ethernet: Gigabit Ethernet. Distancia de transferencia máxima: 2000 m, Longitud de onda: 1550 nm, Estructura de modo de fibra: Monomodo. Indicadores LED: Actividad, Enlace, Poder, Color del producto: Negro. Conector fibra óptica: SC/UPC, Tecnología de conectividad: Alámbrico. Voltaje de entrada: 9 V, Corriente de entrada: 0.6 A

<b>Conexión</b>		<b>Puertos e Interfaces</b>	
Rango máximo de transferencia de datos *	1000 Mbit/s	Ethernet LAN (RJ-45) cantidad de puertos	1
Estándares de red	IEEE 802.3, IEEE 802.3ab, IEEE 802.3i, IEEE 802.3u, IEEE 802.3x, IEEE 802.3z	Puertos de canal de fibra	1
Tipo de interfaz ethernet	Gigabit Ethernet	Conector fibra óptica *	SC/UPC
Ethernet LAN, velocidad de transferencia de datos	10,100,1000 Mbit/s	<b>Control de energía</b>	
Auto MDI / MDI-X	✓	Voltaje de entrada	9 V
Auto-negociación	✓	Corriente de entrada	0.6 A
Sistema de dúplex	Completo, Semi (dúplex)	<b>Peso y dimensiones</b>	
<b>Desempeño</b>		Ancho	94,5 mm
Distancia de transferencia máxima *	2000 m	Profundidad	73 mm
Longitud de onda *	1550 nm	Altura	27 mm
Multiplexado por división en longitudes de onda (WDM)	✓	<b>Condiciones ambientales</b>	
Estructura de modo de fibra	Monomodo	Intervalo de temperatura operativa	-5 - 50 °C
<b>Características</b>		Intervalo de temperatura de almacenaje	-40 - 70 °C
Interno *	✗	Intervalo de humedad relativa para funcionamiento	10 - 90%
Indicadores LED	Actividad, Enlace, Poder	Intervalo de humedad relativa durante almacenaje	5 - 90%
Color del producto	Negro	<b>Contenido del embalaje</b>	
<b>Puertos e Interfaces</b>		Adaptador AC incluido	✓
Tecnología de conectividad	Alámbrico	Guía de instalación rápida	✓



1210002601115

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.