



## AISENS USB-C Dock 9 En 1, USB-C a 2xHDMI, 1xRJ45, 2xUSB-A USB3.0, 1xUSB-A USB2.0, 1xUSB-C PD, 1xSD, 1xMicro SD, Gris, 15cm

**Marca :** AISENS

**Código del producto:** ASUC-9P018-GR

**Nombre del producto :** USB-C Dock 9 En 1, USB-C a 2xHDMI, 1xRJ45, 2xUSB-A USB3.0, 1xUSB-A USB2.0, 1xUSB-C PD, 1xSD, 1xMicro SD, Gris, 15cm

USB-C Dock 9 En 1, USB-C a 2xHDMI, 1xRJ45, 2xUSB-A USB3.0, 1xUSB-A USB2.0, 1xUSB-C PD, 1xSD, 1xMicro SD, Gris, 15cm

AISENS USB-C Dock 9 En 1, USB-C a 2xHDMI, 1xRJ45, 2xUSB-A USB3.0, 1xUSB-A USB2.0, 1xUSB-C PD, 1xSD, 1xMicro SD, Gris, 15cm:

**AISENS - USB-C Dock 9 En 1, USB-C a 2xHDMI, 1xRJ45, 2xUSB-A USB3.0, 1xUSB-A USB2.0, 1xUSB-C PD, 1xSD, 1xMicro SD, Gris, 15cm**

Conversor USB-C a 2xHDMI, 1xRJ45, 2xUSB-A USB3.0, 1xUSB-A USB2.0, 1xUSB-C PD 100W, 1xLector de tarjeta SD, 1xLector de tarjeta MICRO SD



| Puertos e Interfaces                                   |                                                                         | Control de energía                  |                                                                                                                                                                                |
|--------------------------------------------------------|-------------------------------------------------------------------------|-------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Tecnología de conectividad *                           | Alámbrico                                                               | Alimentación                        | USB                                                                                                                                                                            |
| Interfaz de host *                                     | USB 3.2 Gen 1 (3.1 Gen 1) Type-C                                        | Conector eléctrico                  | USB Tipo C                                                                                                                                                                     |
| Cantidad de puertos USB 2.0 *                          | 1                                                                       | Tipo de enchufe                     | Sin enchufe                                                                                                                                                                    |
| Cantidad de puertos tipo A USB 3.2 Gen 1 (3.1 Gen 1) * | 2                                                                       | Longitud del cable USB              | 0,15 m                                                                                                                                                                         |
| Cantidad de puertos tipo C USB 3.2 Gen 1 (3.1 Gen 1)   | 1                                                                       | <b>Software</b>                     |                                                                                                                                                                                |
| Suministro de potencia USB                             | ✓                                                                       | Sistema operativo Windows soportado | Windows 10, Windows 11                                                                                                                                                         |
| Entrega de energía USB (USB Power Delivery) de hasta   | 100 W                                                                   | Sistema operativo MAC soportado     | Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.7.5 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks |
| Número de puertos HDMI *                               | 2                                                                       |                                     |                                                                                                                                                                                |
| Micrófono, jack de entrada *                           | ✗                                                                       | Sistema operativo Linux soportado   |                                                                                                                                                                                |
| HDCP                                                   | ✓                                                                       |                                     |                                                                                                                                                                                |
| Conexión                                               |                                                                         | Peso y dimensiones                  |                                                                                                                                                                                |
| Ethernet *                                             | ✓                                                                       | Ancho                               | 48 mm                                                                                                                                                                          |
| Ethernet LAN (RJ-45) cantidad de puertos               | 1                                                                       | Profundidad                         | 108 mm                                                                                                                                                                         |
| Ethernet LAN, velocidad de transferencia de datos      | 10,100,1000 Mbit/s                                                      | Altura                              | 15 mm                                                                                                                                                                          |
| Estándares de red                                      | IEEE 802.3, IEEE 802.3ab, IEEE 802.3az, IEEE 802.3u, IEEE 802.3x        | <b>Empaquetado</b>                  |                                                                                                                                                                                |
| Desempeño                                              |                                                                         | Cantidad por paquete                | 1 pieza(s)                                                                                                                                                                     |
| Tarjeta de lectura integrada *                         | ✓                                                                       | Ancho del paquete                   | 173 mm                                                                                                                                                                         |
| Tarjetas de memoria compatibles                        | MMC, MicroSD (TransFlash), MicroSDHC, MicroSDXC, RS-MMC, SD, SDHC, SDXC | Profundidad del paquete             | 103 mm                                                                                                                                                                         |
| Velocidad de transferencia de datos                    | 5 Gbit/s                                                                | Altura del paquete                  | 20 mm                                                                                                                                                                          |
| Tipo HD                                                | 4K Ultra HD                                                             | Peso del paquete                    | 120 g                                                                                                                                                                          |
| Resolución (máxima digital)                            | 3840 x 2160 Pixeles                                                     | <b>Contenido del embalaje</b>       |                                                                                                                                                                                |
|                                                        |                                                                         | Manual de usuario                   | ✓                                                                                                                                                                              |
|                                                        |                                                                         | Contenido del paquete               | 1 x USB-C Dock 9 en 1 1 x Manual de Usuario Multi-idioma                                                                                                                       |

| Desempeño                         |       | Detalles técnicos           |             |
|-----------------------------------|-------|-----------------------------|-------------|
| Número de pantallas soportadas    | 2     | Volumen del paquete         | 356,38 cm³  |
| Máxima velocidad de actualización | 60 Hz | Volumen de caja             | 20383 cm³   |
| Color del producto *              | Gris  | Certificados de conformidad | CE, RoHS    |
| Indicadores LED                   | ✓     | Datos logísticos            |             |
| Conectar y usar (Plug and Play)   | ✓     | Cantidad por caja           | 40 pieza(s) |
|                                   |       | Ancho de la caja principal  | 220 mm      |
|                                   |       | Longitud de la caja         | 425 mm      |
|                                   |       | Alto de la caja principal   | 218 mm      |
|                                   |       | Peso del envase completo    | 4,8 kg      |
|                                   |       | Otras características       |             |
|                                   |       | Circuito integrado          | RTL8153     |



8435739901724

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.