

IP55 WALL TYPE CABINETS



IP55 OUTDOOR WALL TYPE CABINET

Provides solution for outdoor uses as wall type cabinets.



HINGED ROOF SYSTEM

It presents mechanically lockable by 2 wing screws inside the hinged roof system enabling easy intervention to the fan modules from the top

VENTILATION

With the aid of the metal protected filtering system at the right and left of the cabinet, it enables passive ventilation and discharging of the hot air through the louvers on the roof.

IP55 OUTDOOR WALL TYPE CABINET

SAFETY

By means of 3 point handled locking system, it provides protection against dust, water and external impacts.



19" STRUCTURE

To 1 set of 19", 2 device installation rails, all types of 19" devices and equipments may be attached.

TIGHTNESS


By means of gaskets on the roof and on the door, it is impermeable to dust and water.

INTENSE CABLE INLET

Thanks to the a PG48 IP cable gland, 2 PG21 IP cable glands and 3, 20 mm diameter PVC blind bungs at the bottom of the cabinet it enables intense cable inlets from the bottom.

WALL MOUNT

By means of connection flaps, it can easily be mounted onto the wall.



OPTION FOR ACTIVE VENTILATION

In case of need, 1 or 2 different ventilation modules may be attached optionally.


STANDARDS AND COMPLIANCES
ISO9001:2008 Quality Management System
IEC 297-1, 19" mounting standard
IEC 297-2, Overall cabinet dimensions
TS EN 61587-1 Standard.
Environment Friendly
100% recyclable
  

IP55 600 x 450 WALL TYPE CABINET

CONSTRUCTION DRAWINGS

WIDTH W: 600mm

DEPTH D: 450mm



IP55 600 x 600 WALL TYPE CABINET

CONSTRUCTION DRAWINGS

WIDTH W: 600mm

DEPTH D: 600mm

