



Hiditec SKY Torre Transparente, Blanco

Marca : Hiditec

Código del producto: CHA010057

Nombre del producto : SKY

Hiditec SKY. Factor de forma: Torre, Tipo: PC, Color del producto: Transparente, Blanco. Factores de forma de la fuente de alimentación compatibles: ATX. Diámetro de ventiladores secundarios soportados: 120 mm, Diámetro de ventiladores traseros soportados: 120 mm, Diámetro de ventiladores inferiores secundarios soportados: 120 mm. Ancho: 420 mm, Profundidad: 285 mm, Altura: 400 mm



Diseño		Puertos e Interfaces	
Material	SECC, Vidrio templado	Cantidad de puertos USB 2.0 *	1
Factor de forma *	Torre	Cantidad de puertos tipo A USB 3.2 Gen 1 (3.1 Gen 1) *	1
Tipo *	PC	Número de puertos USB Tipo C	1
Color del producto *	Transparente, Blanco	Enfriamiento	
Formas de factor de tarjeta madre soportadas *	ATX, micro ATX, ITX	Número de ventiladores laterales soportados (max.)	3
Número de puertos 3.5" *	1	Diámetro de ventiladores secundarios soportados	120 mm
Número de bahías 2.5"	2	Número de ventiladores posteriores soportados	1
Número de ranuras de expansión	9	Diámetro de ventiladores traseros soportados	120 mm
Ventana lateral	✓	Número de ventiladores inferiores soportados (max.)	3
Adecuado para	Juego	Diámetro de ventiladores inferiores secundarios soportados	120 mm
Iluminación	✓	Capacidad de enfriamiento líquido	✓
Iluminación de color	Multi	Tamaños compatibles con el radiador lateral	120,240 mm
Panel(es) de vidrio templado	✓	Tamaños compatibles con el ventilador del radiador inferior	120,240,360 mm
Filtro anti-polvo	✓	Tamaños compatibles con el radiador trasero	120 mm
Gestión de cables	✓	Detalles técnicos	
Botón de encendido/apagado	✓	Certificados de conformidad	CE, Comisión Federal de Comunicaciones (FCC) de Estados Unidos, RoHS
Indicadores LED	✓	Peso y dimensiones	
Altura máxima de la CPU más fresco	17,5 cm	Ancho	420 mm
Máxima longitud de la tarjeta de gráficos	40 cm		
Fuente de alimentación			
Fuente de alimentación incluida *	✗		
Factores de forma de la fuente de alimentación compatibles	ATX		
Puertos e Interfaces			
Entrada de audio	✓		

Puertos e Interfaces		Peso y dimensiones	
Salida de audio	✓	Profundidad	285 mm
		Altura	400 mm
		Peso	6,3 kg



8436545693810

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.