





# B-TECH AUDIO VIDEO MOUNTS

SAFE • SOLID • SECURE

2016 (v.2) PRODUCT CATALOGUE

## AUDIO VISUAL MOUNTING SOLUTIONS





# WELCOME TO THE LATEST EDITION OF THE B-TECH CATALOGUE

As B-Tech approaches its 45th anniversary (we were founded in 1972), we find ourselves releasing an updated 2016 product catalogue. The success of our extensive System X range, designed by our experienced team of experts in the mounting industry, has been extremely high. The feedback we have received from you, our customers, has been exceptionally positive and this has led to extra solutions being developed, designed and launched as we strive to pass the toughest exams out there - the approval of the customer.

B-Tech is without peers as we lead the way when it comes to providing quality premier AV Mounting Solutions. Chief amongst these new releases are pop-out mounts for System X, which build on the technology used on our successful BT8310 video wall mount, as well solutions for larger screens. B-Tech also has some clever mounts for the large touch and interactive screens that are becoming more and more popular, plus some tailor-made mounts that Look Good for ultra-stretch screens as well as menu-board mounting solutions for QSR applications.



Despite being the unfancied outsiders, it has been rewarding to receive some industry recognition too. Following on the heels of the success of the BT8310, the System X range was a finalist in the InAVation awards in 2016.


Throughout the past 9 months, System X has been launched around the world, starting off in the UK and then followed throughout Europe (including our largest ever booth at ISE), the Middle East (as seen at InfoComm Dubai) and Asia-Pacific (seen here at KOBA and at InfoComm China). In addition, our showrooms across Europe have been renovated and we now offer full demonstration and training facilities at our operations in Brussels, Barcelona, Berlin and Dubai as well as a brand new centre at our head office in the UK.

Our whole professional range is completely modular and interchangeable. The ceiling mounts and poles of System 2 can be used to mount the System X rails, the Mountlogic flat screen mounts can be used on the System X rails, and the Pro-Install range of trolleys and stands are being updated to include System X technology.

For this updated catalogue, we are also pleased to launch a range of indoor kiosks for digital signage, some impressive projector stacks for projection mapping, an extended range of premium AV furniture and an improved consumer range under the Ventry sub-brand that includes television mounts, speaker mounts and accessories. For the more custom / bespoke solution, a comprehensive modular system is also available, allowing you to pick and choose what components are required - all backed-up by a new online configuration tool that does all the hard work for you.

Our mottos of Safe, Solid, Secure and Better by Design have never been truer. Please visit our website at [www.btechavmounts.com](http://www.btechavmounts.com) or follow us on Social Media to be kept up to date with all the latest developments with B-Tech around the globe. B-Tech will also be participating in industry events around the world, such as ISE and InfoComm.

**Matthew Bennett**  
CEO - B-Tech International Group



**B-TECH INTERNATIONAL LTD. DAVENTRY, NORTHANTS, UK**



**B-TECH INTERNATIONAL LTD. DAVENTRY, NORTHANTS, UK**



# THE B-TECH INTERNATIONAL GROUP

## SALES, SHOWROOM & TRAINING FACILITIES WORLDWIDE



### INTERNATIONAL HEAD OFFICE


UK  
 B-TECH INTERNATIONAL LTD  
 TEL: +44 (0)1327 300787  
 EMAIL: INFO@BTECHAVMOUNTS.CO.UK

### EUROPE

BELGIUM  
 B-TECH PRO-AV BVBA  
 TEL: +32 (0)2 720 9271  
 EMAIL: INFO@BTECHPROAV.COM

GERMANY  
 B-TECH DEUTSCHLAND GMBH  
 TEL: +49 (0)3322 4291712  
 EMAIL: INFO@BTECHDEUTSCHLAND.DE

SPAIN  
 B-TECH INTERNATIONAL (IBERIA) SL  
 TEL: +34 93 640 24 79  
 EMAIL: INFO@BTECHIBERIA.COM



### MENA & SAARC

DUBAI  
 B-TECH AUDIO VISUAL  
 ACCESSORIES TRADING LLC  
 TEL: (+971) 4 3574855  
 EMAIL: SALES@BTECHAVMOUNTS.AE

### APAC

CHINA  
 NINGBO B-TECH INTERNATIONAL  
 TRADING CO. LTD  
 TEL: (+86) 574 8810 3861  
 EMAIL: INFO@BTECHASIA.COM

VIETNAM  
 B-TECH INTERNATIONAL  
 DESIGN AND MANUFACTURING (VIETNAM) LTD  
 TEL: +84 (0)46 2870 500  
 EMAIL: INFO@BTECHAVMOUNTS.VN

### ASEAN

SINGAPORE  
 B-TECH AV MOUNTS PTE LTD  
 TEL: (+65) 6841 2988  
 EMAIL: INFO@BTECHAVMOUNTS.COM.SG

The B-Tech International Group is a collection of sales, showroom and training facilities that are located around the globe. Our headquarters in Daventry, UK acts as the ever beating heart of our enterprise, where all our products are designed and engineered. B-Tech's main subsidiaries, shown on the map above, allow B-Tech to extend its worldwide presence into competitive and rapidly-evolving territories.

## B-Tech Showrooms



**B-TECH PRO-AV BRUSSELS, BELGIUM**



**B-TECH INTERNATIONAL IBERIA BARCELONA, SPAIN**



For More Information Visit [www.btechavmounts.com](http://www.btechavmounts.com)

**B-TECH AV MOUNTS**

The B-Tech website ([www.btechavmounts.com](http://www.btechavmounts.com)) is an online portal into all things B-Tech. Here you can view our full product range and stay up to date with all of our latest company news as well as details of new product launches and upcoming trade shows. A large variety of media and product information is available to view and download, such as product specification sheets, which provide all of the important technical details about each product in a 'printer friendly' two page PDF format. Also available are high resolution product images, assembly manuals and technical drawings as well as a range of product overview and installation guide videos. Our press room contains all of our published press releases and case studies; in-depth reviews about B-Tech installations around the globe.




**VIEW NOW!**  
**PRO & CONSUMER PRODUCT RANGES**  
**PRODUCT CONFIGURATION TOOLS**  
**B-TECH PRODUCT NEWS**  
**B-TECH COMPANY NEWS**  
**AND MUCH MORE**

**SCAN HERE TO VISIT THE  
 B-TECH WEBSITE OR VISIT  
 WWW.BTECHAVMOUNTS.COM**



Find us at...



**WEBSITE** [WWW.BTECHAVMOUNTS.COM](http://WWW.BTECHAVMOUNTS.COM)



**TWITTER** [@BTECHAVMOUNTS](https://twitter.com/BTECHAVMOUNTS)



# B-TECH TRADE SHOWS & EXHIBITIONS

## KEY INDUSTRY EVENTS AND EXHIBITIONS AROUND THE GLOBE

B-Tech can be found throughout the year at a large variety of different events and trade shows across the globe, including large scale industry exhibitions such as ISE and infoComm as well as dedicated customer trade shows.



**Integrated Systems Europe**

INTEGRATED SYSTEMS EUROPE  
AMSTERDAM, FEBRUARY 2016

RETAIL DIGITAL SIGNAGE EXPO  
LONDON, MARCH 2016

**RETAIL DIGITAL SIGNAGE EXPO**



TECHNOLOGY **showcase** North

MIDWICH TECH SHOWCASE NORTH  
SURREY, APRIL 2016



INFOCOMM MEA  
DUBAI, OCTOBER 2015



MIDDLE EAST & AFRICA  
2015





B-TECH AV MOUNTS™

## PRODUCT INFO ICONS



Recommended Maximum Screen Size



Max VESA® Size



Weight Limit



Tilt Range



Swivel Range



360° Screen Rotation



Post Installation Screen Alignment



Projector Roll



Projector Swivel



Compatible with B-Tech Accessory Collars



Compatible with B-Tech Heavy Duty Accessory Collars



Black



Piano Black



Silver



White



Chrome



Zinc



Clear Glass

# CONTENTS

## B-TECH PROFESSIONAL

Our professional section contains an extensive collection of mounting solutions for use in both commercial and residential applications. For a selection of mounts and accessories designed for use in the home, please see the consumer section.

Page 8-35	System X Video Wall & Menu Boards
Page 36-37	Digital Signage Mounting
Page 38 - 49	Video Wall Mounting
Page 50 - 53	VESA® Flat Screen Wall Mounts
Page 54 - 55	Universal Flat Screen Wall Mounts
Page 56	Specialist Mounts
Page 57	VESA® Pattern Adaptors
Page 60 - 69	AV Trolleys & Floor Stands
Page 70 - 71	Floor Stand Mounting System
Page 72 - 73	AV Accessory Shelves
Page 74 - 79	Flat Screen Ceiling Mounts
Page 80 - 81, 98 - 99	Projector Mounts
Page 82 - 83	Desk Mounts
Page 84 - 97	Ø50mm Pole Mounting System
Page 100 - 101	Bespoke Design Service
Page 102	Media Player Mounts

## B-TECH CONSUMER

Our consumer section contains a selection of mounts and accessories ideal for use in the home. For a more extensive selection designed for use in both commercial and residential applications, please see the professional section.

Page 104 - 107	Flat Screen Wall Mounts
Page 108	AV Furniture
Page 109 - 111	Speaker Mounting
Page 112	Consumer Cables & Accessories
Page 103, 113	AV Controls & Interconnects



Original Products Designed and Engineered in the UK to GS/TUV Safety Standards



For More Information Visit [www.btechavmounts.com](http://www.btechavmounts.com)

## OFF-THE-SHELF KITS

System X is a range of premium mounting solutions designed for video walls, digital signage and menu boards. The mounting system is based around Aluminium support columns and mounting rails which are lightweight yet incredibly strong and fit together in a variety of different configurations to form different mounting solutions with a premium, high-end aesthetic quality. Designed primarily for multi-screen installations, the range is ideal for many different types of installation thanks to a choice of interface arms and is universally compatible with all video wall screens. The range is also compatible with the System 2 collar and pole system and when used together creates one of the most versatile and comprehensive ranges available on the market today.

Forming the basis of the range, the off-the-shelf kits shown here cater for the most common mounting requirements. For video walls, the universal design of the range allows a single part code to be used for a wide range of different screens. For example, the BT8371 Mobile Video Wall Stand comes in a 2x2 package which allows ALL video wall screens from 46" to 60" to be mounted in a 2x2 configuration - so there's no need to waste time researching screen models and sizes before ordering.

Menu board solutions (BT8330 and BT8332), must be ordered according to your requirements. This process is incredibly easy using the System X online configuration tool - simply enter a few details and a suitable kit will be collated from our stock of components.

For specific details about each kit, please refer to the relevant pages shown below.



AVAILABLE IN OFF-THE-SHELF KITS SUCH AS THE 10 MODELS SHOWN HERE.

- 1 FREESTANDING**  
 VIDEO WALL STAND  
 PAGE. 16
- 2 MOBILE**  
 VIDEO WALL TROLLEY  
 PAGE. 18
- 3 BOLT DOWN**  
 VIDEO WALL STAND  
 PAGE. 20
- 4 WALL MOUNTED**  
 MENU BOARD MOUNTING SYSTEM  
 PAGE. 24
- 5 CEILING MOUNTED**  
 MENU BOARD MOUNTING SYSTEM  
 PAGE. 26



# PREMIUM MOUNTING SOLUTIONS

## FOR VIDEO WALLS, MENU BOARDS AND DIGITAL SIGNAGE



ALL KITS SHOWN ARE AVAILABLE IN HUNDREDS OF CONFIGURATIONS SUCH AS 2X1, 2X2, 3X2, 3X3, 4X3, 5X1 ETC. PLEASE VISIT OUR ONLINE CONFIGURATION TOOL TO SPECIFY YOUR REQUIRED MOUNTING SOLUTION. SEE PAGE 12 FOR FULL DETAILS OF THIS PROCESS.

ALSO AVAILABLE IN **COMPONENT FORM**, SEE NEXT PAGE FOR MORE INFO...

**6 WALL MOUNTED**

VIDEO WALL MOUNTING SYSTEM  
PAGE. 30

**7 POP-OUT**

VIDEO WALL MOUNTING SYSTEM  
PAGE. 32

**8 CEILING MOUNTED**

VIDEO WALL MOUNTING SYSTEM  
PAGE. 34

**9 ULTRA STRETCH**

SIGNAGE MOUNT - LANDSCAPE  
PAGE. 36

**10 ULTRA STRETCH**

SIGNAGE MOUNT - PORTRAIT  
PAGE. 36



## INDIVIDUAL COMPONENTS

The System X Range is made up of a highly comprehensive collection of components and it is from these individual parts that the off-the-shelf kits are made. These versatile components can also be ordered individually to create bespoke video wall, menu board and other multi-screen mounting solutions according to your requirements.

Since System X's original launch, additional components have been introduced - significantly increasing the number of ways the system can be used and, when integrated with B-Tech's other professional ranges (such as System 2 ceiling mounts and poles) the possibilities are almost endless!

Ordering components instead of kits has two main benefits; complex mounting solutions can be created for configurations which aren't catered for by the standard packages and, quantities of different components can be held in stock, allowing you to quickly fulfil customer orders no matter what their requirement may be.

There are a variety of different types of components available; fixed, freestanding or mobile bases, vertical support columns, horizontal mounting rails and a variety of different screen interface arms ranging from fixed to pop-out. Installations can even be accessorised with a variety of other equipment such as AV shelves, media players or smaller flat screens.

*\*Please note the VESA pattern information shown here refers to the vertical VESA dimension only. System X interface arms come in pairs and can be spaced as desired in order to suit the required horizontal VESA dimension.*



OVER 20 SYSTEM X COMPONENTS COMBINE TO CREATE 1000'S OF MOUNTING

### BT8370 & BT8371-2X2

COMPONENTS FOR THE BT8370 & BT8371-2X2 UNIVERSAL VIDEO WALL STANDS FOR SCREENS FROM 46" - 60"

BT8370 and BT8371-2x2 are made from the following System X components

**SYSTEM X - COMPONENT QTY CHART**

COMPONENT REF	COLORS AVAILABLE	BT8370-2X2	BT8371-2X2
BT8390-070		-	-
BT8390-100		-	-
BT8390-175		-	-
BT8390-200		2	2
BT8390-400		-	-
BT8390-VESA400MAF		4	4
BT8390-3PK		4	4

### VIEW OUR SYSTEM X COMPONENT GUIDES

Our System X Component Guide sheets demonstrate how individual components can be combined to create System X installations. These guides also serve as a reference for the quantities of each component needed to create the off-the-shelf System X kits shown on page 8-9. These guides are available to view on our website, and can be found at [www.btechavmounts.com/product-range/products/system-x-component-guides](http://www.btechavmounts.com/product-range/products/system-x-component-guides) or by scanning the QR code here.

# PREMIUM MOUNTING SOLUTIONS

## FOR VIDEO WALLS, MENU BOARDS AND DIGITAL SIGNAGE



SOLUTIONS. FOR SPECIFIC PRODUCT DETAILS VISIT [WWW.BTECHAVMOUNTS.COM](http://WWW.BTECHAVMOUNTS.COM)

### **R** RAILS

FOR ALL SYSTEM X SOLUTIONS  
0.5M, 0.7M, 1.5M, 1.75M OR 2M LENGTH

### **C** COLUMNS

FOR SYSTEM X TROLLEYS & STANDS  
0.6M, 1.8M OR 2.4M LENGTH

### **A** ACCESSORIES

FOR ALL SYSTEM X SOLUTIONS  
CABLE MANAGEMENT, SCREEN SPACER

### **I** INTERFACE ARMS

FOR ALL SYSTEM X SOLUTIONS  
VESA 200-1200, FIXED, TILT, MICRO-ADJUST & POP-OUT\*

### **B** BASES

FOR SYSTEM X TROLLEYS & STANDS  
FREESTANDING, MOBILE, BOLT-DOWN

### **F** FIXING KITS

FOR ALL SYSTEM X SOLUTIONS  
FIX RAILS TO COLUMNS OR WALLS





## Configurator for Freestanding, Mobile or Bolt Down Video Walls (BT8370 / BT8371 / BT8372)

### Configurator for Freestanding, Mobile or Bolt Down Video Walls (BT8370 / BT8371 / BT8372)

**WALL OR POLE MOUNTED**

**FREESTANDING, MOBILE OR BOLT DOWN**

Freestanding

Mobile

Bolt Down

Screen size:  Interface function:

Screens per row:  Number of Rows:

Leg height:  Leg colour:

Landscape

Portrait

1

Our online configuration tool is designed to specify System X mounting solutions, whether that be for a specific configuration of an off-the-shelf package or for something more bespoke.

Configurations can be specified in just a few simple clicks - start by choosing between freestanding, mobile, bolt down, wall or ceiling mounted options. Then, enter details about your screen size and the quantity to be installed, the orientation, the type of interface arm function required (e.g pop-out) as well as pole length/leg height (where applicable).

Once complete, fill out your contact details and we'll get in touch and give you a quote for your requested configuration.

## Configurator for Wall and Pole Mounted Video Walls and Menu Boards (BT8330 / BT8332 / BT8340 / BT8341 / BT8342)

**WALL OR POLE MOUNTED**

**FREESTANDING, MOBILE OR BOLT DOWN**

Wall mounted

Ceiling mounted

Screen size:  Interface function:

Screens per row:  Number of Rows:

Pole Length:

Landscape

Portrait

2

TRY THE CONFIGURATOR NOW



Visit [www.btechavmounts.com/systemx-configurator](http://www.btechavmounts.com/systemx-configurator) or scan the QR code to begin creating your configuration.



**NOW AVAILABLE TO HOST ON YOUR OWN WEBSITE. RECEIVE QUOTE REQUESTS FROM YOUR CUSTOMERS DIRECTLY INTO YOUR OWN INBOX. PLEASE ASK FOR MORE DETAILS.**

# ONLINE CONFIGURATION TOOL

## CREATE A MOUNTING SOLUTION IN JUST A FEW CLICKS

### 1 FREESTANDING, MOBILE & BOLT DOWN

VIDEO WALL STANDS

OFF-THE SHELF KITS ON PAGES. 14-21

#### A BT8370

UNIVERSAL VIDEO WALL STAND

PAGE. 16

#### B BT8371

UNIVERSAL MOBILE VIDEO WALL STAND

PAGE. 18

#### C BT8372

UNIVERSAL BOLT DOWN VIDEO WALL STAND

PAGE. 20




## CREATE THESE VIDEO WALL & MENU BOARD SOLUTIONS

### 2 WALL OR CEILING MOUNTED

VIDEO WALLS AND MENU BOARDS

OFF-THE SHELF KITS ON PAGES. 22-33



#### BT8330 D

UNIVERSAL MENU BOARD MOUNTING SYSTEM

PAGE. 24

#### BT8332 E

UNIVERSAL CEILING MOUNTED MENU BOARD SYSTEM

PAGE. 26

#### BT8340 F

UNIVERSAL VIDEO WALL MOUNTING SYSTEM

PAGE. 30

#### BT8341 G

UNIVERSAL POP-OUT VIDEO WALL MOUNTING SYSTEM

PAGE. 32

#### BT8342 H

UNIVERSAL CEILING MOUNTED VIDEO WALL MOUNTING SYSTEM

PAGE. 34



For More Information Visit [www.btechavmounts.com](http://www.btechavmounts.com)

B-TECH PROFESSIONAL




# USING THE CONFIGURATION TOOL FOR VIDEO WALL STANDS

## BT8370, BT8371 AND BT8372

Follow the steps below to create System X Video Wall stands using the online configuration tool.  
Choose from freestanding, mobile or bolt-down versions.


**STEP:1** Select Freestanding, Mobile or Bolt Down

**STEP:2** Select specs from drop down boxes



Freestanding

Mobile



Bolt Down



Screen size	Please select ▼
Screens per row	Please select ▼
Leg height	Please select ▼
Interface function	Please select ▼
Number of Rows	Please select ▼
Leg colour	Please select ▼

**STEP:3** Select desired orientation


**STEP:4** Click configure to generate your solution



Landscape



Portrait



**STEP:5** Request a quote and let us sort the rest!



## CHOOSE A STYLE TO SUIT YOUR NEEDS: FREESTANDING, MOBILE OR BOLT DOWN




System X video wall stands are available with a variety of different base options; BT8370 for freestanding, BT8371 for mobile and BT8372 for a fixed position, bolt down option.

All versions can be ordered in the same number of different configurations, with thousands of different possibilities. Some examples of which can be seen below.

For a single column of screens, it is possible to use an individual System X column when using a bolt down base (BT8372 version), for freestanding and mobile versions, two System X columns are needed.

## CREATE ANY OF THESE EXAMPLE CONFIGURATIONS (AND MUCH MORE)



Please visit [www.btechavmounts.com/systemx-configurator-stand-mobile](http://www.btechavmounts.com/systemx-configurator-stand-mobile) to configure your solution

BT8370

Freestanding



**BT8370 is available in a 2x2 off-the-shelf kit which is universally compatible for all 2x2 Video Walls**  
For other configurations please use the [online configuration tool](#)


- Universal design for all video wall screens from 46" (117cm) up to 60" (152cm) / 50kg (per screen)
- Fits screens with VESA® and non-VESA fixings from 200 x 200mm up to 600 x 400mm
- Tool-less micro-adjustments at 8 points for seamless display alignment
- Integrated cable management
- Adjustable levelling feet
- Collar compatible accessories such as shelves can be fitted directly to the extrusion
- Includes re-usable screen position spacer to aid installation
- Safety screws to help prevent unauthorised removal of the screen
- Vertical columns available in Black or Silver
- Horizontal rails available in Silver
- Base and interface arms available in Black

### 2x2 off-the-shelf kit

**BT8370-2x2** for all screens 46" - 60"



### Optional Extras (Available Separately)



**BT8390-CMC Cable Management Clips** hold cables in place to keep installations neat and tidy



**BT8390-VESA400MAP Pop-Out Interface Arms** allow for easier access to the rear of screen for maintenance



**BT8380-FBFK Floor Base Fixing Kit** can be used to fix the BT8370 in position, providing extra stability and added security



**BT7032 Accessory Shelves** can be bolted straight onto System X Support Columns and Mounting Rails

## BT8370

## Freestanding



**BT8370 is available in 3x3 off-the-shelf kits which are universally compatible for all 3x3 Video Walls**  
For other configurations please use the online configuration tool

- Universal design for all video wall screens from 46" (117cm) up to 60" (152cm) / 50kg (per screen)
- Available in 2 separate kits dependent on screen size: one for screens from 46" to 55" and a wider version for 60" screens
- Fits screens with VESA® and non-VESA fixings from 200 x 200mm up to 600 x 400mm
- Tool-less micro-adjustments at 8 points for seamless display alignment
- Integrated cable management
- Adjustable levelling feet
- Collar compatible accessories such as shelves can be fitted directly to the extrusion
- Includes re-usable screen position spacer to aid installation
- Safety screws to help prevent unauthorised removal of the screen
- Vertical columns available in Black or Silver
- Horizontal rails available in Silver
- Base and interface arms available in Black

### 3x3 off-the shelf kits

**BT8370-3x3** for all screens 46" - 55"

**BT8370-3x3-60** for all screens 55" - 60"



## CREATE YOUR MOUNTING SYSTEM ONLINE

## Alternative Kits



**CREATE YOUR BT8370 MOUNTING SOLUTION USING OUR ONLINE CONFIGURATION TOOL**

There are over 2000 different configurations of BT8370 available! Visit our online configuration tool to specify setups, with different options such as screen size, number of screens, number of rows, leg height and orientation. Please see the configuration tool on **pages 14 - 15** for more info.



BT8371

Mobile



**BT8371 is available in a 2x2 off-the-shelf kit which is universally compatible for all 2x2 Video Walls**  
For other configurations please use the online configuration tool

- Universal design for all video wall screens from 46" (117cm) up to 60" (152cm) / 50kg (per screen)
- Fits screens with VESA® and non-VESA fixings from 200 x 200mm up to 600 x 400mm
- Tool-less micro-adjustments at 8 points for seamless display alignment
- Integrated cable management
- Includes non-marking 4" locking/braked castors and alternative levelling feet
- Collar compatible accessories such as shelves can be fitted directly to the extrusion
- Includes re-usable screen position spacer to aid installation
- Safety screws to help prevent unauthorised removal of the screen
- Vertical columns available in Black or Silver
- Horizontal rails available in Silver
- Base and interface arms available in Black

## 2x2 off-the-shelf kit

BT8371-2x2

for all screens 46" - 60"



## Optional Extras (Available Separately)



**BT8390-CMC Cable Management Clips** hold cables in place to keep installations neat and tidy



**BT8390-VESA400MAP Pop-Out Interface Arms** allow for easier access to the rear of screen for maintenance



**BT7880 and BT7860 Apple TV® Mounts** can be used to mount an Apple TV to System X Support Columns and Mounting Rails



**BT7032 Accessory Shelves** can be bolted straight onto System X Support Columns and Mounting Rails

BT8371

Mobile



**BT8371 is available in 3x3 off-the-shelf kits which are universally compatible for 3x3 Video Walls**  
For other configurations please use the online configuration tool

- Universal design for all video wall screens from 46" (117cm) up to 60" (152cm) / 50kg (per screen)
- Available in 2 separate kits dependent on screen size: one for screens from 46" to 55" and a wider version for 60" screens
- Fits screens with VESA® and non-VESA fixings from 200 x 200mm up to 600 x 400mm
- Tool-less micro-adjustments at 8 points for seamless display alignment
- Integrated cable management
- Includes non-marking 4" locking/braked castors and alternative levelling feet
- Collar compatible accessories such as shelves can be fitted directly to the extrusion
- Includes re-usable screen position spacer to aid installation
- Safety screws to help prevent unauthorised removal of the screen
- Vertical columns available in Black or Silver
- Horizontal rails available in Silver
- Base and interface arms available in Black

### 3x3 off-the shelf kits

BT8371-3x3 for all screens 46" - 55"

BT8371-3x3-60 for all screens 55" - 60"

VESA  
600  
x  
400

60"  
152cm

50kg  
Per Screen

← →

Verticals

Horizontals

Base



## CREATE YOUR MOUNTING SYSTEM ONLINE



CREATE YOUR BT8371 MOUNTING SOLUTION USING OUR ONLINE CONFIGURATION TOOL

There are over 2000 different configurations of BT8371 available! Visit our online configuration tool to specify setups, with different options such as screen size, number of screens, number of rows, leg height and orientation. Please see the configuration tool on **pages 14 - 15** for more info.



### Alternative Kits

BT8372

Bolt Down

NEW  
PRODUCT



**BT8372 is available in a 2x2 off-the-shelf kit which is universally compatible for all 2x2 Video Walls**  
For other configurations please use the [online configuration tool](#)

- Universal design for all video wall screens from 46" (117cm) up to 60" (152cm) / 50kg (per screen)
- Fits screens with VESA® and non-VESA fixings from 200 x 200mm up to 600 x 400mm
- Tool-less micro-adjustments at 8 points for seamless display alignment
- Integrated cable management
- Small footprint for an un-obtrusive installation into confined areas
- Collar compatible accessories such as shelves can be fitted directly to the extrusion
- Includes re-usable screen position spacer to aid installation
- Safety screws to help prevent unauthorised removal of the screen
- Vertical columns available in Black or Silver
- Horizontal rails available in Silver
- Base and interface arms available in Black

## 2x2 off-the-shelf kit

BT8372-2x2

for all screens 46" - 60"

VESA  
600  
x  
400

60"  
152cm

50kg

← →

○ ○ ○ ○

○ ○ ○ ○

○ ○ ○ ○


Per Screen

Verticals

Horizontals

Base

## Optional Extras (Available Separately)



**BT8390-CMC Cable Management Clips** hold cables in place to keep installations neat and tidy



**BT8390-VESA400MAP Pop-Out Interface Arms** allow for easier access to the rear of screen for maintenance



**BT7880 and BT7860 Apple TV® Mounts** can be used to mount an Apple TV to System X Support Columns and Mounting Rails



**BT7032 Accessory Shelves** can be bolted straight onto System X Support Columns and Mounting Rails

BT8372

Bolt Down



**BT8372 is available in 3x3 off-the-shelf kits which are universally compatible for 3x3 Video Walls**  
For other configurations please use the online configuration tool

- Universal design for all video wall screens from 46" (117cm) up to 60" (152cm) / 50kg (per screen)
- Available in 2 separate kits dependent on screen size: one for screens from 46" to 55" and a wider version for 60" screens
- Fits screens with VESA® and non-VESA fixings from 200 x 200mm up to 600 x 400mm
- Tool-less micro-adjustments at 8 points for seamless display alignment
- Integrated cable management
- Small footprint for an un-obtrusive installation into confined areas
- Collar compatible accessories such as shelves can be fitted directly to the extrusion
- Includes re-usable screen position spacer to aid installation
- Safety screws to help prevent unauthorised removal of the screen
- Vertical columns available in Black or Silver
- Horizontal rails available in Silver
- Base and interface arms available in Black

### 3x3 off-the shelf kits

**BT8372-3x3** for all screens 46" - 55"

**BT8372-3x3-60** for all screens 55" - 60"



## CREATE YOUR MOUNTING SYSTEM ONLINE

### Alternative Kits



CREATE YOUR BT8372 MOUNTING SOLUTION USING OUR ONLINE CONFIGURATION TOOL

There are over 2000 different configurations of BT8372 available! Visit our online configuration tool to specify setups, with different options such as screen size, number of screens, number of rows, leg height and orientation. Please see the configuration tool on **pages 14 - 15** for more info.





# USING THE CONFIGURATION TOOL FOR **MENU BOARD** MOUNTING

## BT8330 AND BT8332

Follow the steps below to create System X menu board mounting solutions using the online configuration tool. Choose from wall mounted or ceiling mounted options.

**STEP:1**


Select Wall or Ceiling Mounted

**STEP:2**

Select specs from drop down boxes



Ceiling Mounted



Wall Mounted



Screen size

Screens per row

Pole Length

Interface function

Number of Rows

**STEP:3**

Select desired orientation

**STEP:4**


Click configure to generate your solution



Landscape



Portrait




**STEP:5**

Request a quote and let us sort the rest!



## CHOOSE A STYLE TO SUIT YOUR NEEDS: WALL OR CEILING MOUNTED



System X menu board mounts are available for wall mounting (BT8330) or for ceiling mounting (BT8332).

Both versions can be ordered in the same number of different configurations and a variety of different interface arms available means there are thousands of different possibilities. Some examples of which can be seen below.

## CREATE ANY OF THESE EXAMPLE CONFIGURATIONS (AND MUCH MORE)

1x 4 (BT8332)  
Landscape (Fixed)



1x 2 (BT8332)  
Landscape (Fixed)



1x 6 (BT8330)  
Portrait (Tilting)



1x 6 (BT8332)  
Portrait (Tilt)



1x 2 (BT8330)  
Portrait (Tilting)



1x 3 (BT8330)  
Landscape (Tilting)



1x 6 (BT8330)  
Landscape (Fixed)



Please visit [www.btechavmounts.com/systemx-configurator-wall-ceiling](http://www.btechavmounts.com/systemx-configurator-wall-ceiling) to configure your solution

## BT8330



### System X™ Universal Menu Board Mounting System


The BT8330 is a wall mounted, modular mounting system designed for menu board installations of any length. As part of the System X Range, the BT8330 can be used in thousands of different configurations and must be ordered according to your requirements. This process is made easy using B-Tech's online configuration tool - simply enter a few details (such as number of screens and their size) and the configurator will select all of the components needed and create a single part code with which to place your order.

- Modular menu board mounting system designed for all sized screens up to 50kg (per screen)
- Fits screens with VESA® and non-VESA fixings from 75 x 75mm up to 800 x 400mm
- Can be used in a variety of configurations
- Suitable for landscape or portrait mounting
- Multiple rail lengths available (rails can be also be joined)
- Choice of different interface arms:
  - VESA 200\* fixed
  - VESA 200\* tilt
  - VESA 400\* fixed
  - VESA 400\* tilt
  - VESA 400\* with micro-adjustment
  - VESA 400\* pop-out with micro-adjustment
- All arms feature levelling screws to adjust the screen height
- Tilt arms feature up to +20° tilt
- Micro-adjustment and pop-out arms feature tool-less micro-adjustment at 8 points for seamless display alignment
- Safety screws help prevent unauthorised removal of screens
- Compatible with System 2 poles and collars for ceiling mounted installs (*see BT8332 on page 26*)



### Optional Extras (Available Separately)

\*Please note the VESA specification refers to the vertical dimension only, arms can be spaced apart as wide as necessary.



**BT8390-CMC Cable Management Clips** hold cables in place to keep installations neat and tidy



**BT8390-EXT Extension Kit** securely joins rails together to increase the length of menu board installations



**BT7880 and BT7860 Apple TV® Mounts** can be used to mount an Apple TV to System X Support Columns and Mounting Rails



**Choice of different interface arms** to suit your exact need, choose from; fixed, tilt, micro-adjustment and pop-out

## MOUNT IN LANDSCAPE OR PORTRAIT CONFIGURATIONS



Mount screens in either landscape or portrait orientation - use the online configuration tool to specify your solution.



## A CHOICE OF WALL FIXING KITS FOR A CLOSE TO WALL INSTALL OR INCREASED DEPTH FOR A LARGER TILT RANGE



As standard the BT8330 comes with a wall fixing kit with a low profile (BT8390-WFK1) for a close to the wall installation. For tilting installations in a portrait orientation or screens over 50", a deeper wall fixing kit (BT8390-WFK2) is available and allows the maximum tilt range of up to +20°.



## MOUNT SMALLER SCREENS ON SYSTEM X RAILS USING B-TECH VESA® WALL MOUNTS



Other B-Tech mounting solutions such as our small professional flat screen VESA mounts (see page 52) are compatible with System X and fit directly onto the mounting rails and support columns. This allows custom installations using smaller screens to be configured as per your requirements. Please note this option is not available as part of the online configuration tool, please contact us to discuss your requirements.



## CREATE YOUR MOUNTING SYSTEM ONLINE

Create Your Solution




CREATE YOUR BT8330 MOUNTING SOLUTION USING OUR ONLINE CONFIGURATION TOOL

There are over 2000 different configurations of BT8330 available! Visit our online configuration tool to specify setups, with different options such as screen size, number of screens and orientation. Please see the configuration tool on **pages 22 - 23** for more info.



## BT8332



### System X™ Universal Ceiling Mounted Menu Board Mounting System


The BT8332 is a ceiling mounted, modular mounting system designed for menu board installations of any length. As part of the System X Range, the BT8332 can be used in thousands of different configurations and must be ordered according to your requirements. This process is made easy using B-Tech's online configuration tool - simply enter a few details (such as number of screens and their size) and the configurator will select all of the components needed and create a single part code with which to place your order.

- Modular menu board mounting system designed for all sized screens up to 50kg (per screen)
- Fits screens with VESA® and non-VESA fixings from 75 x 75mm up to 800 x 400mm
- Can be used in a variety of configurations
- Suitable for landscape or portrait mounting
- Multiple rail lengths available (rails can be also be joined)
- Choice of different interface arms:
  - VESA 200\* fixed
  - VESA 200\* tilt
  - VESA 400\* fixed
  - VESA 400\* tilt
  - VESA 400\* with micro-adjustment
- All arms feature levelling screws to adjust the screen height
- Tilt arms feature up to +20° tilt
- Micro-adjustment arms feature tool-less micro-adjustment at 8 points for seamless display alignment
- Safety screws help prevent unauthorised removal of screens
- Wall mounting option also available (*see BT8330 on page 24*)



*\*Please note the VESA specification refers to the vertical dimension only, arms can be spaced apart as wide as necessary.*

### Optional Extras (Available Separately)



**BT8390-CMC Cable Management Clips** hold cables in place to keep installations neat and tidy



**BT8390-EXT Extension Kit** securely joins rails together to increase the length of menu board installations



**BT7808 Wall / Ceiling Mount with Tilt** allows pole mounted installs on angled ceilings, *see page 92 for more information*



**BT7510 and BT7511 VESA® Wall Mounts** fit directly onto System X rails and can be used to mount media players or small screens

## MOUNT IN LANDSCAPE OR PORTRAIT CONFIGURATIONS

Mount screens in either landscape or portrait orientation - use the online configuration tool to specify your solution.



## CREATE BACK-TO-BACK INSTALLATIONS

Back-to-back ceiling mounted configurations are also possible and can be installed using just a single set of ceiling mounts, poles and collars. Please note this option is not available as part of the online configuration tool, please contact us to discuss your requirements.



## MOUNT SMALLER SCREENS ON SYSTEM X RAILS USING B-TECH VESA® WALL MOUNTS

Other B-Tech mounting solutions such as our small professional flat screen VESA mounts (see page 52) are compatible with System X and fit directly onto the mounting rails and support columns. This allows custom installations using smaller screens to be configured as per your requirements. Please note this option is not available as part of the online configuration tool, please contact us to discuss your requirements.



## CREATE YOUR MOUNTING SYSTEM ONLINE

Create Your Solution



CREATE YOUR BT8332 MOUNTING SOLUTION USING OUR ONLINE CONFIGURATION TOOL

There are over 2000 different configurations of BT8332 available! Visit our online configuration tool to specify setups, with different options such as screen size, number of screens, pole length and orientation. Please see the configuration tool on **pages 22 - 23** for more info.






# USING THE CONFIGURATION TOOL FOR VIDEO WALL MOUNTING


## BT8340, BT8341 AND BT8342

Follow the steps below to create System X video wall mounting solutions using the online configuration tool. Choose from wall mounted or ceiling mounted options.

### STEP:1 Select Wall or Ceiling Mounted



Wall Mounted



Ceiling Mounted

### STEP:2 Select specs from drop down boxes

Screen size


Screens per row

Pole Length

Interface function

Number of Rows

### STEP:3 Select desired orientation



Landscape



Portrait


### STEP:4 Click configure to generate your solution



### STEP:5 Request a quote and let us sort the rest!



## CHOOSE A STYLE TO SUIT YOUR NEEDS: WALL OR CEILING MOUNTED



System X video wall mounts are available as a standard wall mounting solution (BT8340), a pop-out wall mounting solution (BT8341) or as a ceiling mounted solution (BT8342).

All versions can be ordered in the same number of different configurations and with a variety of interface arms available there are thousands of possibilities. Some examples of which can be seen below.

## CREATE ANY OF THESE EXAMPLE CONFIGURATIONS (AND MUCH MORE)



Please visit [www.btechavmounts.com/systemx-configurator-wall-ceiling](http://www.btechavmounts.com/systemx-configurator-wall-ceiling) to configure your solution

## BT8340



### System X™ Universal Video Wall Mounting System

The BT8340 is a wall mounted, modular mounting system designed for video wall installations of any size. As part of the System X Range, the BT8340 can be used in thousands of different configurations and must be ordered according to your requirements. This process is made easy using B-Tech's online configuration tool - simply enter a few details (such as number of screens and their size) and the configurator will select all of the components needed and create a single part code with which to place your order.

- Modular mounting system designed for all sized screens up to 50kg (per screen)
- Fits screens with VESA® and non-VESA fixings from 75 x 75mm up to 800 x 400mm
- Can be used in an endless variety of configurations - 2x2, 3x2, 3x3, 4x3, 5x5, 6x6 etc.
- Suitable for landscape or portrait mounting
- Multiple rail lengths available (rails can also be joined)
- Choice of different interface arms:
  - VESA 200\* fixed
  - VESA 400\* fixed
  - VESA 400\* with micro-adjustment (*recommended*)
- All arms feature levelling screws to adjust the screen height
- Micro-adjustment arms feature tool-less micro-adjustment at 8 points for seamless display alignment
- Compatible with System 2 poles and collars for ceiling mounted installs (*see BT8342 on page 34*)



### Optional Extras (Available Separately)

\*Please note the VESA specification refers to the vertical dimension only, arms can be spaced apart as wide as necessary.




**BT8390-CMC Cable Management Clips** hold cables in place to keep installations neat and tidy



**BT8390-EXT Extension Kit** securely joins rails together to increase the length of menu board installations



**BT8390-VESA400MAP** pop-out interface arms are also available for easier installation and maintenance. See **BT8341** on page 32.



**Compatible with System 2 poles and ceiling mounts** for ceiling mounted installations. See **BT8342** on page 34.

## MOUNT IN LANDSCAPE OR PORTRAIT CONFIGURATIONS

Mount screens in either landscape or portrait orientation - use the online configuration tool to specify your solution.



## ADD A TOUCH OF FLAIR TO YOUR VIDEO WALLS WITH STAGGERED INSTALLATIONS

Using rails to mount video walls makes it quick and easy to create visually impressive staggered installations or other more complex screen patterns if desired.



## TOOL-LESS 8 POINT MICRO-ADJUSTMENT FOR A SEAMLESS ALIGNMENT OF SCREENS.

8 point micro-adjustment allows screens to have their height, depth and lateral position adjusted to ensure video wall screens are seamlessly aligned every time.



## CREATE YOUR MOUNTING SYSTEM ONLINE

Create Your Solution




CREATE YOUR BT8340 MOUNTING SOLUTION USING OUR ONLINE CONFIGURATION TOOL

There are over 2000 different configurations of BT8340 available! Visit our online configuration tool to specify setups, with different options such as screen size, number of screens, number of rows and orientation. Please see the configuration tool on **pages 28 - 29** for more info.



BT8341



## System X™ Universal Pop-In, Pop-Out Video Wall Mounting System


The BT8341 is a wall mounted, modular mounting system for video wall installations of any size and features brand new System X pop-out interface arms which aid installation and allow access to the rear of screens for servicing and maintenance. As part of the System X Range, the BT8341 can be used in thousands of different configurations and must be ordered according to your requirements. This process is made easy using B-Tech's online configuration tool - simply enter a few details (such as number of screens and their size) and the configurator will select all of the components needed and create a single part code with which to place your order.

- Modular mounting system designed for all sized screens up to 50kg (per screen)
- Fits screens with VESA® and non VESA fixings from 200 x 200mm up to 800 x 400mm
- Can be used in an endless variety of configurations - 2x2, 3x2, 3x3, 4x3, 5x5, 6x6 etc.
- Suitable for landscape or portrait mounting
- Multiple rail lengths available (rails can also be joined)
- Features pop-in, pop-out function to allow access to the rear of screens for servicing and maintenance
- Tool-less micro-adjustments at 8 points for seamless display alignment
- Interface arms feature levelling screws to adjust the screen height
- Pop-out arms feature locking screw to prevent accidental pop-out of screens
- Safety screws help prevent unauthorised removal of screens
- Non pop-out version available (*see BT8340 on page 30*)



## Optional Extras (Available Separately)

*\*Please note the VESA specification refers to the vertical dimension only, arms can be spaced apart as wide as necessary.*



**BT8390-CMC Cable Management Clips** hold cables in place to keep installations neat and tidy



**BT8390-EXT Extension Kit** securely joins rails together to increase the length of menu board installations



**BT8390-VESA400MAF** interface arms are also available for installations which do not require pop-out. See **BT8340** on page 30.



**Compatible with System 2 poles and ceiling mounts** for floor-to-ceiling installations. Contact us for details.

## MOUNT IN LANDSCAPE OR PORTRAIT CONFIGURATIONS

PORTRAIT MOUNTED INSTALLS

Mount screens in either landscape or portrait orientation - use the online configuration tool to specify your solution.



## ADD A TOUCH OF FLAIR TO YOUR VIDEO WALLS WITH STAGGERED INSTALLATIONS

STAGGERED VIDEO WALLS

Using rails to mount video walls makes it quick and easy to create visually impressive staggered installations or other more complex screen patterns if desired.



## TOOL-LESS 8 POINT MICRO-ADJUSTMENT FOR A SEAMLESS ALIGNMENT OF SCREENS.

8-POINT MICRO-ADJUSTMENT

8 point micro-adjustment allows screens to have their height, depth and lateral position adjusted to ensure video wall screens are seamlessly aligned every time.



## CREATE YOUR MOUNTING SYSTEM ONLINE

Create Your Solution



CREATE YOUR BT8341 MOUNTING SOLUTION USING OUR ONLINE CONFIGURATION TOOL

There are over 2000 different configurations of BT8341 available! Visit our online configuration tool to specify setups, with different options such as screen size, number of screens, number of rows and orientation. Please see the configuration tool on **pages 28 - 29** for more info.



## BT8342

NEW  
PRODUCT



### System X™ Universal Ceiling Mounted Video Wall Mounting System

The BT8342 is a ceiling mounted, modular mounting system designed for video walls of any size. As part of the System X Range, the BT8342 can be used in thousands of different configurations and must be ordered according to your requirements. This process is made easy using B-Tech's online configuration tool - simply enter a few details (such as number of screens and their size) and the configurator will select all of the components needed and create a single part code with which to place your order.

- Modular mounting system designed for all sized screens up to 50kg (per screen)
- Fits screens with VESA® and non-VESA fixings from 75 x 75mm up to 800 x 400mm
- Can be used in an endless variety of configurations - 2x2, 3x2, 3x3, 4x3, 5x3, 6x3 etc.
- Suitable for landscape or portrait mounting
- Multiple rail lengths available (rails can also be joined)
- Choice of different interface arms:
  - VESA 200\* fixed
  - VESA 400\* fixed
  - VESA 400\* with micro-adjustment (*recommended*)
- All arms feature levelling screws to adjust the screen height
- Micro-adjustment arms feature tool-less micro-adjustment at 8 points for seamless display alignment
- Safety screws help prevent unauthorised removal of screens
- Compatible with System 2 poles and collars for floor-to-ceiling mounted installs, please ask for details
- Wall mounting option also available (*see BT8340*)



\*Please note the VESA specification refers to the vertical dimension only, arms can be spaced apart as wide as necessary.

### Optional Extras (Available Separately)



**BT8390-CMC Cable Management Clips** hold cables in place to keep installations neat and tidy



**BT8390-EXT Extension Kit** securely joins rails together to increase the length of menu board installations



**BT7808 Wall / Ceiling Mount with Tilt** allows pole mounted installs on angled ceilings, *see page 92 for more information*



**BT7510 and BT7511 VESA® Wall Mounts** fit directly onto System X rails and can be used to mount media players or small screens

## MOUNT IN LANDSCAPE OR PORTRAIT CONFIGURATIONS

Mount screens in either landscape or portrait orientation - use the online configuration tool to specify your solution.



## CREATE BACK-TO-BACK INSTALLATIONS

Back-to-back ceiling mounted configurations are also possible and can be installed using just a single set of ceiling mounts, poles and collars. Please note this option is not available as part of the online configuration tool, please contact us to discuss your requirements.



## TOOL-LESS 8 POINT MICRO-ADJUSTMENT FOR A SEAMLESS ALIGNMENT OF SCREENS.

8 point micro-adjustment allows screens to have their height, depth and lateral position adjusted to ensure video wall screens are seamless aligned every time.



## CREATE YOUR MOUNTING SYSTEM ONLINE

Create Your Solution



CREATE YOUR BT8342 MOUNTING SOLUTION USING OUR ONLINE CONFIGURATION TOOL

There are over 2000 different configurations of BT8342 available! Visit our online configuration tool to specify setups, with different options such as screen size, number of screens, number of rows, pole length and orientation. Please see the configuration tool on **pages 28 - 29** for more info.



## BT9905

### Landscape Mounting

#### System X™ Ultra-Stretch Signage Mount - Landscape

NEW PRODUCT



- Designed for ultra-stretch digital signage screens, such as the LG 86BH5C 86", 58:9 Ultra-Stretch Signage Display
- Max Load: up to 50kg
- Mounts screen just 45mm from wall whilst still allowing easy access to connectors
- Ideal for landscape mounting
- Arms feature levelling screws to adjust the screen height
- Pole mounted version for ceiling and floor mounting is available on request
- Safety screws help prevent unauthorised removal of screens
- High end aesthetic quality with stylish end caps for a neat and tidy install
- All mounting hardware included



## BT9906

### Portrait Mounting

#### System X™ Ultra-Stretch Signage Mount - Portrait

NEW PRODUCT



- Designed for ultra-stretch digital signage screens, such as the LG 86BH5C 86", 58:9 Ultra-Stretch Signage Display
- Max Load: up to 50kg
- Mounts screen just 65mm from wall whilst still allowing easy access to connectors
- Ideal for portrait mounting
- Arms feature levelling screws to adjust the screen height
- Pole mounted version for ceiling and floor mounting is available on request
- Safety screws help prevent unauthorised removal of screens
- High end aesthetic quality with stylish end caps for a neat and tidy install
- All mounting hardware included



## BT8390-VESA800F

### Extra-Large Screens

## BT8390-VESA1200F

#### Extra-Large System X Interface Arms for XL Screens

NEW PRODUCTS

- These new interface arms for System X allow the latest generation of XL screens to be mounted in portrait or landscape orientation
- Fits VESA® mounting patterns from 200mm up to 800mm / 1200mm\*
- **BT8390-VESA800F** can be used on a single mounting rail or across a double rail if preferred and the **BT8390-VESA1200F** **MUST** be mounted across two rails
- Simple 'hook-on' installation with all mounting hardware included
- Mounting Rails (**BT8390**) and wall fixing kits (**BT8390-WFK2** / **BT8390-WFK3**) must be ordered separately



\*Refers to the vertical dimension only, arms can be spaced apart as wide as necessary.

## BT8390-VESA800F

## BT8390-VESA1200F



On 1x Rail On 2x Rails



## BT8321

### Portrait Mounting

#### System X™ Portrait Signage Mount

NEW PRODUCT



- Designed for screens larger than 40"
- Max Load: 70kg
- Fits VESA® fixings up to 600 x 400mm
- Can also be fitted in landscape orientation
- Arms feature levelling screws to adjust the screen height
- Pole mounted version for ceiling and floor mounting is available on request
- Safety screws help prevent unauthorised removal of screens
- High-end aesthetic quality with stylish end caps for a neat and tidy install
- All mounting hardware included



Single Pole Double Poles

BT7000

NEW PRODUCT

Single



### Single Screen Portrait Digital Signage Kiosk

- Designed to mount screens from 27" and larger
- Max load: 50kg
- Fits screens with VESA® fixings from 200 x 200mm up to 600 x 400mm
- Suitable for mounting screens in portrait configuration
- 8mm thick heavy duty steel base provides stability
- Can be freestanding or bolted to the floor
- Lockable top panel prevents unauthorised removal of the screen
- Removable front and rear panels for installation and maintenance
- Vented top and rear panels allow airflow to and from the device
- Includes internal storage area in lower section for media players and devices
- Stylish, gloss finish covers for high-end aesthetic quality
- Integrated cable management
- All mounting hardware included
- For indoor use only
- Available with your company logo if required
- Available in Black or White



BT7001

NEW PRODUCT

Back-to-Back




### Back-to-Back Portrait Digital Signage Kiosk

- Designed to mount screens from 27" and larger in a back-to-back configuration
- Max load: 50kg per screen
- Fits screens with VESA® fixings from 200 x 200mm up to 600 x 400mm
- 8mm thick heavy duty steel base provides stability
- Can be freestanding or bolted to the floor
- Lockable top panel prevents unauthorised removal of the screen
- Removable front and rear panels for installation and maintenance
- Vented top panel allows airflow to and from the device
- Includes internal storage area in lower section for media players and devices
- Stylish, gloss finish covers for high-end aesthetic quality
- Integrated cable management
- All mounting hardware included
- For indoor use only
- Available with your company logo if required
- Available in Black or White



BT8350

Video Wall Mount



Example 3x3 screen configuration



## Premium Freestanding Video Wall Mount for use in multiple configurations

- Designed for narrow bezel monitors of 46", 55" and 60" up to 50kg per monitor
- Modular floor mount for multiple floor display configurations
- Unlimited amount of vertical columns and up to 7 horizontal rows - order to your exact requirements
- Suitable for landscape or portrait screen mounting
- Tool-less micro-adjustments at 8 points for seamless display alignment
- Quick and easy assembly and disassembly
- Captive wingnuts and screws used to secure structure - no loose bolts!
- Strong Iron structure, painted with Epoxy powder
- Reinforced frame for repeated assembly
- Monitors can be mounted to the center of the mount or, to avoid trip hazards, towards the front of the mount with use of added ballast support
- Accessories such as Hanging Frame and Braked Castors available separately - **see page 44**

### ORDER TO YOUR EXACT REQUIREMENTS


- Choose the screen size
- Choose number of columns
- Choose number of rows
- Choose the floor height



Choice of floor height options



Adjustable height levelling feet



Tool-less micro-adjustments



Captive wingnuts and screws - no loose bolts!

## BT8350

## Installation Video Guide

With an estimated build time of just 20 minutes to complete a 3 x 3 video wall, putting together your frame couldn't be easier.

To show how easy it is to set up the BT8350 we have created a short 6 minute video demonstrating the ease of installing the most popular video wall configuration - 3 x 3.

Visit [www.btechavmounts.com/BT8350](http://www.btechavmounts.com/BT8350) to watch the demonstration video under the 'Video' tab at the bottom of the page.




Scan here to view the installation video



## Maximum Configurations


For **landscape** configurations:



Install unlimited vertical columns and horizontal rows up to 7 monitors (dependent on screen size)

\*You may also select from various floor heights for your Video Wall Mount

For **portrait** configurations:



## How to Choose Your Freestanding Video Wall Mount



1. Select your monitor size: 46", 55", 60"
2. Decide on landscape or portrait monitor mounting.
3. Decide on amount of vertical columns and horizontal rows.
4. Visit our online configurator for your mounting solution:

[www.btechavmounts.com/bt8350-configurator](http://www.btechavmounts.com/bt8350-configurator)

If you have a requirement which is not covered by the options above or by the configurator please speak to your B-Tech Sales Manger as the BT8350 is a custom mounting solution which can be tailored to your requirement.

Or scan below to try now




**BT8350 & BT8351**

**Multiple configurations**

The **BT8350 and BT8351** are modular solutions which can be used in multiple mounting configurations, making them ideal for temporary or rental video wall applications.

For example, purchasing a 4x4 screen configuration as shown here will allow you to mount screens in all of the different configurations shown below.

**BUY A 4x4 FREESTANDING VIDEO WALL MOUNT**



**USE IT FOR ANY OF THESE CONFIGURATIONS**



3x4



3x2



3x1




2x6



1x6



4x3



3x3



2x3



1x3



4x3



3x3



2x3



1x3



2x7



1x7



4x2



3x2



2x1



1x1



4x1



3x1



2x1



1x1

There are several options which must be specified whilst ordering to ensure the BT8350 and BT8351 are configured to your specific requirements. These include: screen size, desired number of horizontal rows and vertical columns and finally, the height from the floor.

Please visit [www.btechavmounts.com/BT8350](http://www.btechavmounts.com/BT8350) and [www.btechavmounts.com/BT8351](http://www.btechavmounts.com/BT8351) or contact us to specify your exact requirements and we will advise you on your ideal solution.

BT8351

Pop-Out Video Wall Mount



Example 3x3 screen configuration

## Pop-In, Pop-Out Free Standing Video Wall Mount for use in multiple configurations

- Designed for narrow bezel monitors of 46", 55" and 60" up to 50kg per monitor
- Modular floor mount for multiple floor display configurations
- Unlimited amount of vertical columns and up to 7 horizontal rows - order to your exact requirements
- Suitable for landscape or portrait screen mounting
- Tool-less micro-adjustments at 8 points for seamless display alignment
- Quick and easy assembly and disassembly
- Captive wingnuts and screws used to secure structure - no loose bolts!
- Strong Iron structure, painted with Epoxy powder
- Reinforced frame for repeated assembly
- Monitors can be mounted to the centre of the mount or, to avoid trip hazards, towards the front of the mount with use of added ballast support
- Accessories such as Braked Castors and Floor Fixing Kit available separately - **see page 44**

### ORDER TO YOUR EXACT REQUIREMENTS

- Choose the screen size
- Choose number of columns
- Choose number of rows
- Choose the floor height



per screen



Choice of floor height options



Tool-less micro-adjustments




Pop-In, Pop out for easy access



Captive wingnuts and screws - no loose bolts!

BT8352

Curved Video Wall Mount



Example 3x3 screen configuration



Example 5x7 screen configuration

## Freestanding Curved Video Wall Mount

- Designed for narrow bezel monitors of 46", 55" and 60" up to 50kg per monitor
- Modular design is quick and easy to install - perfect for temporary or rental video wall applications
- Can be ordered for use in landscape or portrait orientation
- Tool-less micro-adjustments at 8 points for seamless display alignment
- Integrated Fast-fit Connectors mean no loose fixings
- Captive, fast-fit nuts and screws make assembly and disassembly quick and easy
- Strong, reinforced modular structure is coated in Epoxy powder which is both stylish and durable, perfect for repeated assembly
- Quick and simple assembly/disassembly with self stacking frames for easy transportation
- Adjustable curve up to 30° per column
- Maximum structure limits  
Columns: Unlimited  
Rows: 7 with 46" screens in landscape  
6 with 55" screens in landscape  
5 with 60" screens in landscape  
3 with 46", 55", 60" screens in portrait
- Accessories such as Braked Castors and Floor Fixing Kit available separately - **see page 44**



Choice of floor height options



Tool-less micro-adjustments



Captive wingnuts and screws - no loose bolts!



Curve adjustment of up to 30° per column

BT8352

Multiple configurations

The BT8352 is a modular solution which can be used in multiple mounting configurations, making it ideal for temporary or rental video wall applications.

For example, purchasing a 4x4 screen configuration as shown here will allow you to mount screens in all of the different configurations shown below.

### BUY A 4x4 CURVED VIDEO WALL MOUNT



### USE IT FOR ANY OF THESE CONFIGURATIONS



3x5

2x5

2x4



4x4



3x4



3x3



2x3



2x2



4x3



4x2



3x2



4x1



3x1



2x1

### OR... GO LARGER AND CREATE TRULY SPECTACULAR INSTALLATIONS!

30° curve adjustment per column means a BT8352 kit using 7 columns can be assembled in a complete 180° semi-circle configuration.



Please visit [www.btechavmounts.com/BT8352](http://www.btechavmounts.com/BT8352) or contact us to specify your exact requirements and we will advise you on your ideal solution.

## BT8350, BT8351 & BT8352

Customise Your Free Standing Video Wall Mount



The **BT8350**, **BT8351** and **BT8352** all come with optional mounting accessories. These accessories are compatible with specific products, please consult the compatibility table opposite where a breakdown is provided.

### BT8350-HFA

### Hanging Frame

#### Hanging Frame

With our hanging frame the BT8350 can be suspended from a secure ceiling. The frame attaches to the top and rear of the BT8350 and can hold up to 5 screens per column, with a maximum weight of 350kg per column.



### BT8350-CW

### Castors

#### Braked Castors

The BT8350, BT8351 & BT8352 all come with height adjustable levelling feet as standard but we also offer options to fit castors as an alternative if there is a requirement for the video wall to be mobile once assembled. Several options are available depending on your requirement and must be specified at the time of ordering, please speak to your Area Sales Manager for more information.




Braked castors feature swivel in all directions.

### BT8350-FBFK

### Floor Base Fixing Kit

#### Floor Base Fixing Kit

For a totally secure installation our floor base fixing kit allows your Freestanding Video Wall to be bolted down to a concrete floor, preventing the frame from being moved. Using the floor base fixing kit will also allow you to build taller video walls without the need to add ballast to support the floor base. Each kit comes with 4 brackets per base.



## BT8350, BT8351 & BT8352

## Aesthetic Covers

The **BT8350**, **BT8351** and **BT8352** are all available to order with an optional covering to hide unsightly fixings and give a highly polished, flush video wall. Be it curved, fixed or pop-in/pop-out configurations these covers really complete the product and add to its already aesthetically pleasing quality.

### BT8350



### BT8351



### BT8352



## ACCESSORY COMPATIBILITY

Use the table below to easily distinguish accessories that are compatible with each video wall mount



**BT8350**



**BT8351**



**BT8352**

PRODUCT	BT8350-HFA	BT8350-CW	BT8350-FBFK	COVERS
BT8350	✓	✓	✓	✓
BT8351	—	✓	✓	✓
BT8352	—	✓	✓	✓

BT8310

Video Wall Mount

UPDATED  
PRODUCT




Example 3x3 Landscape

## Professional Video Wall Mount with Quick Lock Push System

- Dramatically shorten installation times by reducing the need for measuring and complicated calculations with the use of screen specific spacers and 8 point micro-adjustments for perfectly aligned screens every time
- Designed for video wall screens up to 75kg
- Modular mount for unlimited wall display configurations
- Fits screens with VESA® mounting patterns from 200 x 200mm up to 600 x 400mm
- Screen model-specific wall plate spacers are available and dramatically shorten install times by eliminating guesswork and on-site installation calculations
- Suitable for landscape or portrait screen mounting
- Ideal solution for mounting video walls or single screens into recessed walls
- Tool-less micro-adjustments at 8 points for seamless display alignment - **see page 48 for details**
- Displays click securely into place against the wall with spring-loaded mechanism
- Push to open / push to close system provides quick and easy service access
- Integrated cable management
- Safety screws to help prevent unauthorised removal of the screen
- Locking kit (**BT8310-LK**) to prevent accidental pop-out of mount is also available (separately)
- Please note the recommended minimum screen size which can be mounted is 42" with a minimum screen height of 542mm when mounted in a landscape configuration or 557mm when mounted in a portrait configuration

ADAPTORS FOR  
600 X 400  
FIXINGS INCLUDED  
AS STANDARD



\*Please note the total dimension excludes the BT7564 interface adaptor. Allow an increase of 20mm to the total depth when the adaptors are used.



Vertical  
pole  
mounted

Horizontal  
pole  
mounted



Scan here  
to view the  
installation video



Registered Design Number: 002284372-0001




Modular mount allows video wall assembly in an unlimited number of configurations



Push to open / push to close system provides quick and easy service access



Tool-less micro-adjustment at 8 points for seamless display alignment



Align screens perfectly using the easy to use thumb wheels

### BT8310-SP


### Spacer Kits

#### Custom Wall Plate Spacers for BT8310 and BT8311 Video Wall Mounts

- Eliminate tedious alignment calculations and guess work
- Spacers available for all video wall screen brands such as LG, Samsung, Sharp, Philips, NEC, and Panasonic
- Only one spacer kit is required per install and can be re-used for multiple installations
- See table below to find out which spacer is required for your installation



Wall plate spacers are available for the **BT8310** and **BT8311** that eliminate tedious alignment calculations, meaning less time is wasted through measuring and 'guesswork'. These spacers are available to order separately and are screen specific for all popular brands. **To find out which spacer kit is needed for a specific screen please see the table below.**



Mounting with Spacers - Landscape



If your screen is not listed in the table below please go to [www.btechavmounts.com/BT8310](http://www.btechavmounts.com/BT8310) or scan the QR code above to view the most up to date list.



Mounting with Spacers - Portrait

## Accessories - VESA Adaptors and Spacers for BT8310 and BT8311

*This list reflects the latest video wall screens available on the market (at the time of printing), for a complete list, including older models, please see [www.btechavmounts.com/BT8310](http://www.btechavmounts.com/BT8310)*

Screen Brand	Model	Screen Size	Spacer Available	Adaptor Requirement
LG	55LV35A-5B	55" (1215 x 686mm)	BT8310-SP551/N	Use Included BT7564 Adaptor
LG	55LV75A	55" (1215 x 686mm)	BT8310-SP551/N	Use Included BT7564 Adaptor
LG	55LV77A	55" (1215 x 686mm)	BT8310-SP551/N	Use Included BT7564 Adaptor
LG	47WV50	47" (1045 x 590mm)	BT8310-SP471/N	Use Included BT7564 Adaptor
LG	47LV35A-5B	47" (1047 x 592mm)	BT8310-SP471/N	N/A
NEC	X464UNV	46" (1024 x 579mm)	BT8310-SP461/N	N/A
NEC	X464UN-2	46" (1024 x 579mm)	BT8310-SP461/N	N/A
NEC	X464UNV-2	46" (1024 x 579mm)	BT8310-SP461/N	N/A
NEC	X464UNS	46" (1022 x 576mm)	BT8310-SP464/N	N/A
NEC	X554UN	55" (1215 x 686mm)	BT8310-SP551/N	N/A
NEC	X554UNV-2	55" (1215 x 686mm)	BT8310-SP551/N	N/A
NEC	X554UNV	55" (1213 x 684)	BT8310-SP551/N	N/A
NEC	X554UNS	55" (1213 x 684)	BT8310-SP551/N	N/A
NEC	X555UNS	55" 1213 X 684	BT8310-SP551/N	N/A
NEC	X555UNV	55" 1213 X 684	BT8310-SP551/N	N/A
PANASONIC	TH-55LFV	55" (1215 x 686mm)	BT8310-SP551/N	N/A
PANASONIC	TH-47LFV	47" (1047 x 592mm)	BT8310-SP471/N	N/A
PANASONIC	TH-55LFV-70	55" (1213 x 684)	BT8310-SP551/N	N/A
PHILIPS	BDL4677	46" (1024 x 579mm)	BT8310-SP461/N	N/A
PHILIPS	BDL4678XL	46" (1023 X 578mm)	BT8310-SP461/N	N/A
PHILIPS	BDL4777XL	47" (1045 x 590mm)	BT8310-SP471/N	N/A
PHILIPS	BDL588XL	55" (1213 x 684)	BT8310-SP551/N	N/A
SAMSUNG	UD46D	46" (1022 x 577mm)	BT8310-SP464/N	Use Included BT7564 Adaptor
SAMSUNG	UD46C	46" (1024 x 578mm)	BT8310-SP461/N	Use Included BT7564 Adaptor
SAMSUNG	UD46C	46" (1024 x 578mm)	BT8310-SP461/N	Use Included BT7564 Adaptor
SAMSUNG	UE46D	46" (1031 X 585mm)	BT8310-SP462/N	N/A
SAMSUNG	UD55C	55" (1215 x 686mm)	BT8310-SP551/N	Use Included BT7564 Adaptor
SAMSUNG	UD55D	55" (1215 x 686mm)	BT8310-SP551/N	Use Included BT7564 Adaptor
SAMSUNG	UE55D	55" (1222 x 693mm)	BT8310-SP552/N	N/A
SHARP	PN-V602	60" (1336 x 755mm)	BT8310-SP601/N	N/A

BT8311

Video Wall Mount





Example 2 x 2 Landscape

## Professional Video Wall Mount

- Dramatically shorten installation times by reducing the need for measuring and complicated calculations with the use of screen specific spacers and 8 point micro-adjustments for perfectly aligned screens every time
- Designed for video wall screens up to 75kg
- Fits screens with VESA® mounting patterns from 200 x 200mm up to 400 x 400mm
- VESA® adaptor kit included for mounting patterns of 600 x 400mm
- Tool-less micro-adjustments at 8 points for seamless display alignment - *see below*
- Modular mount for unlimited wall display configurations
- To allow access to the micro-adjustment in video wall configurations with more than 2 rows, it is recommended that the BT8311 be used in conjunction with BT8310 pop-in, pop-out video wall mount - See opposite page for more information
- Screen model-specific wall plate spacers are available and dramatically shorten install times by eliminating guesswork and on-site installation calculations - See previous page
- Suitable for landscape or portrait screen mounting
- Integrated cable management
- Safety screws to help prevent unauthorised removal of the screen
- Please note the recommended minimum screen size which can be mounted is 42" with a minimum screen height of 542mm when mounted in a landscape configuration and 571mm when mounted in a portrait configuration



## 8 Point tool-less micro-adjustments for seamless display alignment



- 1: Independently adjust the depth of each corner of the screen by up to 14mm
- 2: 12mm vertical adjustment to raise or lower screen position
- 3: Laterally adjust and lock the screen into position

## BT8310 & BT8311

## Example Installations

### Applications

In addition to wall mounting, the BT8310 & BT8311 are collar compatible, making possible an endless amount of pole mounted configurations which utilise either horizontal or vertically mounted poles.




### Using BT8311 together with the BT8310


In order to access all of the adjustment options when wall mounted in configurations with 3 or more rows, it is recommended that the BT8311 is used together with the BT8310. It is recommended that these mounts should be used in alternating rows to ensure easy access during installation and throughout any future servicing of the screens.



**2 x 2 Installation** (No BT8310 required)



**3 x 3 Installation** (3 BT8310s recommended)



**2 x 5 Installation** (4 BT8310s recommended)

# B-TECH PROFESSIONAL FLAT SCREEN MOUNTS

B-Tech flat screen mounts not only offer all the great features below, they are also supplied with a comprehensive hardware kit so you don't have to buy any other fixings or hardware to mount your screen. With both VESA® compliant and universal flat screen mounts in the range, B-Tech flat screen mounts provide solutions for installations of screens from 15" to over 100".



## OWLS™ - On Wall Levelling System

The OWLS™ feature on B-Tech mounts allows the wall mounting plate to be levelled after it's attached to the wall. This means that if the mount is not quite level then you don't have to re-drill your wall.



## CLIPLOGIC™ Cable Management

Many B-Tech mounts feature integrated cable management. On B-Tech wall arms, B-Tech also supply **CLIPLOGIC™** cable management clips for quick and stylish cable management.



## Pin-Hex Security

For added security and safety, B-Tech provides Pin-Hex Security Screws and Keys as standard across the range of professional flat screen mounts. These simple security screws are an added deterrent to anyone considering removing the screen without the correct tool.



## Easy 1-2-3 Step Installation

B-Tech mounts are supplied pre-assembled for a quick and easy installation every time. It's no surprise we are chosen time and time again by professional installers.



## Curved Screen Compatible

Our professional mounts are all compatible for use with the latest generation of curved screen TVs using VESA® mounting patterns



## Compatible with System 2™ and System X™

Many of the mounts featured in this catalogue feature our standard 'collar mounting pattern' which means they are compatible with System 2 Accessory Collars for pole mounting or can be fitted directly onto System X support columns or mounting rails.



## BT7510

### Fixed - Small



#### Ultra-Slim Flat Screen Wall Mount

- Designed for screens up to 23" (58cm) / 20kg
- Fits screens with VESA® mounting patterns: 50 x 50, 75 x 75 and 100 x 100mm
- Low profile design mounts screen only 15mm from wall



Registered Design Number: 001713280-0003

## BT7511

### Tilt - Small



#### Flat Screen Wall Mount with Tilt

- Designed for screens up to 23" (58cm) / 20kg
- Fits screens with VESA® mounting patterns: 75 x 75 and 100 x 100mm
- Easy tilt adjustment: +17°/-10°
- Distance from wall: 55mm



Registered Design Number: 001713280-0004

## BT7518

### Tilt and Swivel - Small



#### Flat Screen Wall Mount with Tilt and Swivel

- Designed for screens up to 23" (58cm) / 20kg
- Fits VESA® mounting patterns: 75 x 75 and 100 x 100mm
- Features +17°/-10° tilt and 50° swivel (180° when pole mounted)
- 360° rotation for easy screen levelling and allows screen to be mounted in landscape or portrait style
- Distance from wall: 93mm



Registered Design Number: 001713280-0009

## BT7512

### Single Arm - Small



#### Single Arm Flat Screen Wall Mount with Tilt and Swivel

- Designed for screens up to 23" (58cm) / 15kg
- Fits screens with VESA® mounting patterns: 75 x 75 and 100 x 100mm
- Easy tilt adjustment: +17°/-10°
- Distance from wall: **Min:** 75mm - **Max:** 280mm
- 360° rotation for easy screen levelling and allows screen to be mounted in landscape or portrait style



Registered Design Number: 001713280-0005

## BT7513

### Double Arm - Small



#### Double Arm Flat Screen Wall Mount with Tilt and Swivel

- Designed for screens up to 23" (58cm) / 15kg
- Fits screens with VESA® mounting patterns: 75 x 75 and 100 x 100mm
- Easy tilt adjustment: +17°/-10°
- Distance from wall: **Min:** 95mm - **Max:** 467mm
- 360° rotation for easy screen levelling and allows screen to be mounted in landscape or portrait style



Registered Design Number: 001713280-0006



## Optional Extra



### BT7542 - VESA Adaptor Arms

Converts VESA® 100 to VESA 200 Fixings, for more information [see page 57](#)

## BT7521

### Fixed - Medium



#### Ultra-Slim Flat Screen Wall Mount

- Designed for screens up to 32" (81cm) / 25kg
- Fits screens with VESA® mounting patterns 75 x 75 up to 200 x 100mm
- Low profile design mounts screen only 15mm from wall



Registered Design Number: 001713280-0010

## BT7532

### Fixed - Medium



#### Ultra-Slim Flat Screen Wall Mount

- Designed for screens up to 42" (107cm) / 40kg
- Fits screens with VESA® mounting patterns 75 x 75 up to 200 x 200mm
- Low profile design mounts screen only 15mm from wall



Registered Design Number: 001713280-0013

## BT7522

### Tilt - Medium



#### Flat Screen Wall Mount with Tilt

- Designed for screens up to 32" (81cm) / 25kg
- Fits screens with VESA® mounting patterns 75 x 75 up to 200 x 100mm
- Easy tilt adjustment: +/-15° when wall mounted (+/-40° when pole mounted)
- Distance from wall: 45mm



Registered Design Number: 001713280-0012

## BT7523

### Tilt - Medium



#### Flat Screen Wall Mount with Tilt

- Designed for screens up to 42" (107cm) / 25kg
- Fits screens with VESA® mounting patterns 75 x 75 up to 200 x 200mm
- Easy tilt adjustment: +/-15° when wall mounted (+/-40° when pole mounted)
- Distance from wall: 52mm



Registered Design Number: 001713280-0012, 001713280-0017

## BT7524

### Tilt and Swivel - Medium



#### Flat Screen Wall Mount with Tilt and Swivel

- Designed for screens up to 32" (81cm) / 20kg
- Fits VESA® mounting patterns: 75 x 75 up to 200 x 100mm
- Features +17°/-10° tilt and 50° swivel (180° when pole mounted)
- 360° rotation for easy screen levelling and allows screen to be mounted in landscape or portrait style
- Distance from wall: 100mm



Registered Design Number: 001713280-0009, 001713280-0017

## BT7514 (Short Arm)

### Tilt and Swivel - Medium



#### Flat Screen Wall Mount with Tilt and Swivel

- Designed for screens up to 42" (107cm) / 25kg
- Fits screens with VESA® mounting patterns 75 x 75 up to 200 x 200mm
- Features +/-40° tilt and 50° swivel (180° when pole mounted)
- Distance from wall: 95mm



Registered Design Number: 001713280-0007

## Pro Flat Screen Mount Features



**CLIPLOGIC™ Cable Management.** On B-Tech wall arms, B-Tech supply CLIPLOGIC cable management clips for quick and stylish cable management.



**OWLS™ (On Wall Levelling System).** This feature found on B-Tech professional flat screen mounts allows the wall mounting plate to be levelled after it's attached to the wall.



**Pin-Hex Security.** For added security and safety, Pin-Hex Security Screws and Keys are standard across the B-Tech Range of Professional flat screen mounts.

## BT7514

### Single Arm - Medium

#### Single Arm Flat Screen Wall Mount with Tilt and Swivel



- Designed for screens up to 42" (107cm) / 25kg
- Fits screens with VESA® mounting patterns 75 x 75 up to 200 x 200mm
- Easy tilt adjustment: +/-40°
- Distance from wall: **Min:** 95mm - **Max:** 336mm
- Alternative short arm included (see previous page)




Registered Design Number: 001713280-0007

## BT7534

### Single Arm - Medium / Large

#### Single Arm Flat Screen Wall Mount with Tilt and Swivel



- Designed for screens up to 50" (127cm) / 40kg
- Fits screens with VESA® mounting pattern 75 x 75 up to 400 x 400mm
- Easy tilt adjustment: +/-15°
- Distance from wall: **Min:** 136mm - **Max:** 382mm
- Alternative short arm included



Registered Design Number: 001713280-0014

## BT7515

### Double Arm - Medium

#### Double Arm Flat Screen Wall Mount with Tilt and Swivel



- Designed for screens up to 42" (107cm) / 25kg
- Fits screens with VESA® mounting patterns 75 x 75 up to 200 x 200mm
- Easy tilt adjustment: +/-40°
- Distance from wall: **Min:** 95mm - **Max:** 525mm




Registered Design Number: 001713280-0008



## BT7535

### Double Arm - Medium / Large

#### Double Arm Flat Screen Wall Mount with Tilt and Swivel



- Designed for screens up to 50" (127cm) / 40kg
- Fits screens with VESA® mounting patterns 75 x 75 up to 400 x 400mm
- Easy tilt adjustment: +/-15°
- Distance from wall: **Min:** 163mm - **Max:** 571mm



Registered Design Number: 001713280-0015




## Pro Flat Screen Mount Features



**Easy 1-2-3 Step Installation.** B-Tech mounts are supplied pre-assembled for a quick and easy installation every time.

## Space Saving Design

Flat screen wall arms have been designed to save space. When the screen is in use, you can adjust your screen to the perfect viewing position. When you've finished watching, simply push the screen back against the wall and the **CLIPLOGIC™** cable clips will ensure your cables stay tidy.



Example Installation  
Aerial View



## BT8200-PRO

Fixed - Medium



### Ultra-Slim Universal Flat Screen Wall Mount

- Designed for screens up to 45" (114cm) / 35kg
- Fits screens with mounting patterns up to **H: 240mm x V: 200mm** including screens using VESA® fixings up to 200 x 200mm
- Ultra-slim design mounts screen only 14mm from wall
- Patented 'Torsion-Lock' security



Registered Design Number: 001713280-0037 Patent Number: 2416050

## BT8421-PRO

Fixed - Large



### Universal Flat Screen Wall Mount

- Designed for screens up to 55" (140cm) / 35kg
- Fits screens with mounting patterns up to **H: 465mm x V: 400mm** including screens using VESA® fixings up to 400 x 400mm
- Mounts screen 30mm from wall
- Locking bar included for secure installation



Registered Design Number: 001713280-0033



## BT8210-PRO

Fixed - Large



### Ultra-Slim Universal Flat Screen Wall Mount

- Designed for screens up to 55" (140cm) / 50kg
- Fits screens with mounting patterns up to **H: 440mm x V: 400mm** including screens using VESA® fixings up to 400 x 400mm
- Ultra-slim design mounts screen only 14mm from wall
- Patented 'Torsion-Lock' security



Registered Design Number: 001713280-0038 Patent Number: 2416050

## BT8422-PRO

Fixed - X-Large



### Universal Flat Screen Wall Mount

- Designed for screens up to 80" (203cm) / 70kg
- Fits screens with mounting patterns up to **H: 825mm x V: 500mm** including screens using VESA® fixings up to 800 x 500mm
- Mounts screen 30mm from wall
- Locking bar included for secure installation  
\*Padlock not included



Registered Design Number: 001713280-0034



## BT8220-PRO

Fixed - X-Large



### Ultra-Slim Universal Flat Screen Wall Mount

- Designed for screens up to 80" (203cm) / 70kg
- Fits screens with mounting patterns up to **H: 840mm x V: 500mm** including screens using VESA® fixings up to 800 x 500mm
- Ultra-slim design mounts screen only 14mm from wall
- Patented 'Torsion-Lock' security



Registered Design Number: 001713280-0018 Patent Number: 2416050

## BT9903

Fixed - XXL



### Heavy Duty Universal Flat Screen Wall Mount

- Designed for screens from 65" up to 120"
  - Max weight: 200kg\*
  - Fits screens with VESA and non-VESA® mounting patterns up to **H: 1100mm x V: 730mm**
  - Mounts screen 30mm from wall
- \*130kg when mounted across two poles



Registered Design Number: 002741256-0031

## Ultra-Slim Features



Patented 'Torsion-Lock' screen locking mechanism prevents unauthorised removal



Ultra-Slim design for a close to the wall installation



Spacers included for ventilation and to provide extra room for cable inputs



Unique 'Torsion-Tilt'™ featured on BT8431 & BT8432 \*PATENT PENDING



Easy 1-2-3 Step Installation

### BT8221

### Double Arm - X-Large

#### Ultra-Slim Double Arm Flat Screen Wall Mount with Tilt and Swivel



- Designed for screens up to 65" (165cm) / 36kg
- Fits screens with VESA® and non-VESA® fixings up to 600 x 400mm
- Easy tilt adjustment: +/-15° (no tools required)
- Swivel: 180°
- Distance from wall: **Min:** 37mm - **Max:** 560mm
- Attractive coverplates included to hide fixings
- Integrated cable management and spirit level bubble
- Suitable for concrete / brick or stud walls up to 16"



### BT8225

### Double Arm - X-Large

#### Ultra-Slim Flat Screen Wall Mount with Twin Cantilever Arms



- Designed for screens up to 75" (190cm) / 45kg
- Fits screens with VESA® and non-VESA® fixings up to 600 x 400mm
- Easy tilt adjustment: +/-15° (no tools required)
- Swivel: 130°
- Distance from wall: **Min:** 40mm - **Max:** 469mm
- Attractive coverplates included to hide fixings
- Integrated cable management and spirit level bubble
- Suitable for concrete / brick or stud walls up to 16"



Registered Design Number: 002741256-0014

### BT8431-PRO

### Tilt - Large

#### Universal Flat Screen Wall Mount with Tilt



- Designed for screens up to 55" (140cm) / 35kg
- Simple tilt adjustment: +/-18°
- Fits screens with mounting patterns up to **H:** 465mm x **V:** 400mm including screens using VESA® fixings up to 400 x 400mm
- Mounts screen only 80mm from wall
- Unique 'Torsion-Tilt' mechanism
- Locking bars included for secure installation
- Suitable for concrete / brick or stud walls up to 16"
- Suitable for pole mounting



Registered Design Number: 001713280-0035 Patent Application Number: 8170235

### BT8432-PRO

### Tilt - X-Large

#### Universal Flat Screen Wall Mount with Tilt



- Designed for screens up to 80" (203cm) / 70kg\*
- Simple tilt adjustment: +/-15°
- Fits screens with mounting patterns up to **H:** 825mm x **V:** 500mm including screens using VESA® fixings up to 800 x 500mm
- Mounts screen only 80mm from wall
- Unique 'Torsion-Tilt' mechanism
- Locking bars included for secure installation
- Suitable for concrete / brick or stud walls up to 32"
- Suitable for pole mounting

\*35kg when pole mounted



Registered Design Number: 001713280-0036 Patent Application Number: 8170235

BT7592 BT7593

Medical Wall Mounts



### Full Motion Articulating Wall Arm Medical Mount

- Designed for flat screens up to 23" (58cm)
- Suitable for screens weighing 3 to 5kg (BT7952)
- Suitable for screens weighing 5 to 8kg (BT7593)
- Fits screens with VESA® mounting patterns: 75 x 75 and 100 x 100mm
- Allows 360° rotation of screen in any direction to display screen in landscape or portrait style
- Tilts +/-100°
- Swivel: 180°
- Mounts screen up to 1650mm from wall
- Supplied with optional handle for easy screen positioning



BT7553 Countertop Mount - Single

BT7554 Countertop Mount - Back-to-back



### Flat Screen Ceiling / Desk Mount

- Designed for screens up to 28" (71cm)
- Max Load: 23kg
- Fits VESA® mounting patterns: 75 x 75 or 100 x 100mm
- Easy tilt adjustment +15° / -90°
- 360° swivel and screen rotation
- Integrated cable management
- Can be mounted to the ceiling, floor or desktop



Heights Available:

BT7553-025	0.25m Pole
BT7553-050	0.5m Pole
BT7553-100	1m Pole
BT7553-150	1.5m Pole
BT7553-200	2m Pole



### Back-to-back Flat Screen Ceiling / Desk Mount

- Designed for 2 screens up to 28" (71cm)
- Max Load: 23kg (per screen)
- Fits VESA® mounting patterns: 75 x 75 or 100 x 100mm
- Easy tilt adjustment +15° / -45°
- 360° swivel and screen rotation
- Integrated cable management
- Can be mounted to the ceiling, floor or desktop



Heights Available:

BT7554-025	0.25m Pole
BT7554-050	0.5m Pole
BT7554-100	1m Pole
BT7554-150	1.5m Pole
BT7554-200	2m Pole



### BT7502

#### VESA 200 x 200



#### VESA® Adaptor Plate\*


- Converts VESA® 75 x 75mm, 100 x 100mm or 200 x 100mm to VESA® 200 x 200mm
- Can also convert to 200 x 100mm



Registered Design Number: 001713280-0001

### BT7505

#### Universal



#### Universal Flat Screen Adaptor\*

- Converts VESA® 75 x 75 or 100 x 100mm to a universal interface with maximum screen fixings of **H: 123mm - 570mm** x **V: 300mm**



### BT7542

#### VESA 200 x 100

#### VESA 200 x 200

#### VESA® Adaptor Arms\*

- Converts VESA® 100 x 100mm to VESA® 200 x 100mm or VESA® 200 x 100mm to VESA® 200 x 200mm



Registered Design Number: 001713280-0017

### BT7540

#### VESA 400 x 200

#### VESA® Adaptor Arms\*

- Converts VESA® 200 x 200mm to VESA® 300 x 200 or 400 x 200mm
- Use two sets to convert to VESA® 300 x 300, 400 x 300 or 400 x 400



Registered Design Number: 001713280-0016

### BT7564

#### VESA 600 x 400

#### VESA® Adaptor Arms\*

- Converts VESA® 400 x 400mm to VESA® 600 x 400mm
- Compatible with B-Tech video wall mounts, simply attach to allow use with screens with VESA® mounting patterns of 600 x 400mm
- Ideal for BT8370, BT8371, BT8350 or BT8351



AVAILABLE AS STANDARD ON BT8310, BT8311 & BT8321




Registered Design Number: 002741256-0007

**\*Important: Screen size and weight limit dependent on mount to which the adaptor is attached.**

	FIXINGS	FIXED	TILT	TILT AND SWIVEL	
SMALL	<p><b>VESA® 100</b></p>  <ul style="list-style-type: none"> <li>Fits VESA patterns: up to 100x100</li> </ul>	<p><b>BT7510</b></p>  <ul style="list-style-type: none"> <li>Max Screen Size: 23" (58cm)</li> <li>Max Load: 20kg</li> <li>Fits VESA patterns: up to 100x100</li> </ul>	<p><b>BT7511</b></p>  <ul style="list-style-type: none"> <li>Max Screen Size: 23" (58cm)</li> <li>Max Load: 20kg</li> <li>Features Tilt: +17° / -10°</li> <li>Fits VESA patterns: 75x75, 100x100</li> </ul>	<p><b>BT7518</b></p>  <ul style="list-style-type: none"> <li>Max Screen Size: 23" (58cm)</li> <li>Max Load: 20kg</li> <li>Features Tilt: +17° / -10°</li> <li>Features Swivel: 180°</li> <li>Fits VESA patterns: 75x75, 100x100</li> </ul>	
SMALL / MEDIUM	<p><b>VESA® 200x100</b></p>  <ul style="list-style-type: none"> <li>Fits VESA patterns: 75x75 to 200x100</li> </ul>	<p><b>BT7521</b></p>  <ul style="list-style-type: none"> <li>Max Screen Size: 32" (81cm)</li> <li>Max Load: 25kg</li> <li>Fits VESA patterns: 75x75 to 200x100</li> </ul>	<p><b>BT7522</b></p>  <ul style="list-style-type: none"> <li>Max Screen Size: 32" (81cm)</li> <li>Max Load: 25kg</li> <li>Features Tilt: +/-40°</li> <li>Fits VESA patterns: 75x75 to 200x100</li> </ul>	<p><b>BT7524</b></p>  <ul style="list-style-type: none"> <li>Max Screen Size: 32" (81cm)</li> <li>Max Load: 20kg</li> <li>Features Tilt: +17° / -10°</li> <li>Features Swivel: 180°</li> <li>Fits VESA patterns: 75x75 to 200x100</li> </ul>	
MEDIUM	<p><b>VESA® 200</b></p>  <ul style="list-style-type: none"> <li>Max Screen Size: 42" (107cm)</li> <li>Max Load: 40kg</li> <li>Fits VESA patterns: 75x75 to 200x200</li> </ul>	<p><b>BT7532</b></p>  <ul style="list-style-type: none"> <li>Max Screen Size: 42" (107cm)</li> <li>Max Load: 40kg</li> <li>Fits VESA patterns: 75x75 to 200x200</li> </ul>	<p><b>BT8200-PRO</b></p>  <ul style="list-style-type: none"> <li>Max Screen Size: 45" (114cm)</li> <li>Max Load: 35kg</li> <li>Fits VESA patterns: 75x75 to 200x200</li> </ul>	<p><b>BT7523</b></p>  <ul style="list-style-type: none"> <li>Max Screen Size: 42" (107cm)</li> <li>Max Load: 25kg</li> <li>Features Tilt: +/-15°</li> <li>Fits VESA patterns: 75x75 to 200x200</li> </ul>	<p><b>BT7514 (short arm)</b></p>  <ul style="list-style-type: none"> <li>Max Screen Size: 42" (107cm)</li> <li>Max Load: 25kg</li> <li>Features Tilt: +/-40°</li> <li>Features Swivel: 180°</li> <li>Fits VESA patterns: 75x75 to 200x200</li> </ul>
LARGE	<p><b>VESA® 400</b></p>  <ul style="list-style-type: none"> <li>Fits VESA patterns: up to 400x400</li> </ul>	<p><b>BT8210-PRO</b></p>  <ul style="list-style-type: none"> <li>Max Screen Size: 55" (140cm)</li> <li>Max Load: 50kg</li> <li>Fits VESA patterns: up to 400x400</li> </ul>	<p><b>BT8431-PRO</b></p>  <ul style="list-style-type: none"> <li>Max Screen Size: 55" (140cm)</li> <li>Max Load: 35kg</li> <li>Features Tilt: +/-15°</li> <li>Fits VESA patterns: 75x75 to 400x400</li> </ul>	<p><b>BT7534 (short arm)</b></p>  <ul style="list-style-type: none"> <li>Max Screen Size: 50" (127cm)</li> <li>Max Load: 40kg</li> <li>Features Tilt: +/-15°</li> <li>Features Swivel: 180°</li> <li>Fits VESA patterns: 75x75 to 400x400</li> </ul>	
	<p><b>UNIVERSAL</b></p>  <ul style="list-style-type: none"> <li>Max Screen Size: 55" (140cm)</li> <li>Max Load: 50kg</li> <li>Fits universal patterns: up to 440x400mm</li> </ul>	<p><b>BT8210-PRO</b></p>  <ul style="list-style-type: none"> <li>Max Screen Size: 55" (140cm)</li> <li>Max Load: 50kg</li> <li>Fits universal patterns: up to 440x400mm</li> </ul>	<p><b>BT8421-PRO</b></p>  <ul style="list-style-type: none"> <li>Max Screen Size: 55" (140cm)</li> <li>Max Load: 35kg</li> <li>Fits universal patterns: up to 465x400mm</li> </ul>	<p><b>BT8431-PRO</b></p>  <ul style="list-style-type: none"> <li>Max Screen Size: 55" (140cm)</li> <li>Max Load: 35kg</li> <li>Features Tilt: +/-15°</li> <li>Fits VESA patterns: up to 400x400</li> <li>Fits universal patterns: up to 465x400mm</li> </ul>	<p><b>PORTRAIT MOUNT</b></p> <p><b>BT8321</b></p>  <ul style="list-style-type: none"> <li>For Screen Size: 40"+ (102cm)</li> <li>Max Load: 70kg</li> <li>Fits VESA® patterns: up to 600x400</li> </ul>
X-LARGE	<p><b>UNIVERSAL</b></p>  <ul style="list-style-type: none"> <li>Max Screen Size: 80" (203cm)</li> <li>Max Load: 70kg</li> <li>Fits universal patterns: up to 840x500mm</li> </ul>	<p><b>BT8220-PRO</b></p>  <ul style="list-style-type: none"> <li>Max Screen Size: 80" (203cm)</li> <li>Max Load: 70kg</li> <li>Fits universal patterns: up to 840x500mm</li> </ul>	<p><b>BT8422-PRO</b></p>  <ul style="list-style-type: none"> <li>Max Screen Size: 80" (203cm)</li> <li>Max Load: 70kg</li> <li>Fits universal patterns: up to 825x500mm</li> </ul>	<p><b>BT8432-PRO</b></p>  <ul style="list-style-type: none"> <li>Max Screen Size: 80" (203cm)</li> <li>Max Load: 70kg</li> <li>Features Tilt: +/-15°</li> <li>Fits VESA patterns: up to 800x500</li> <li>Fits universal patterns: up to 825x500mm</li> </ul>	

# Mounting Matrix

SINGLE ARM		DOUBLE ARM - FULL MOTION		SMALL		SMALL		CEILING MOUNTS	
<b>BT7512</b>  <ul style="list-style-type: none"> <li>Max Screen Size: <b>23" (58cm)</b></li> <li>Max Load: <b>15kg</b></li> <li>Features Tilt: <b>+17° / -10°</b></li> <li>Features Swivel: <b>180°</b></li> <li>Fits VESA patterns: <b>75x75, 100x100</b></li> </ul>		<b>BT7513</b>  <ul style="list-style-type: none"> <li>Max Screen Size: <b>23" (58cm)</b></li> <li>Max Load: <b>15kg</b></li> <li>Features Tilt: <b>+17° / -10°</b></li> <li>Features Swivel: <b>180°</b></li> <li>Fits VESA patterns: <b>75x75, 100x100</b></li> </ul>		SMALL		<b>BT5811</b>  <ul style="list-style-type: none"> <li>Max Screen Size: <b>23" (58cm)</b></li> <li>Max Load: <b>20kg</b></li> <li>Features Tilt: <b>+17° / -10°</b></li> <li>Ceiling Drop: <b>BT5811-075 - 795mm</b> <b>BT5811-150 - 1545mm</b></li> <li>Fits VESA patterns: <b>75x75, 100x100</b></li> </ul>			
<b>BT7514</b>  <ul style="list-style-type: none"> <li>Max Screen Size: <b>42" (107cm)</b></li> <li>Max Load: <b>25kg</b></li> <li>Features Tilt: <b>+/-40°</b></li> <li>Features Swivel: <b>180°</b></li> <li>Fits VESA patterns: <b>75x75 to 200x200</b></li> </ul>		<b>BT7515</b>  <ul style="list-style-type: none"> <li>Max Screen Size: <b>42" (107cm)</b></li> <li>Max Load: <b>25kg</b></li> <li>Features Tilt: <b>+/-40°</b></li> <li>Features Swivel: <b>180°</b></li> <li>Fits VESA patterns: <b>75x75 to 200x200</b></li> </ul>				SMALL / MEDIUM		<b>BT5833</b>  <ul style="list-style-type: none"> <li>Max Screen Size: <b>32" (81cm)</b></li> <li>Max Load: <b>25kg</b></li> <li>Features Tilt: <b>+/-40°</b></li> <li>Ceiling Drop: <b>BT5833-075 - 795mm</b> <b>BT5833-150 - 1545mm</b></li> <li>Fits VESA patterns: <b>75x75 to 200x200</b></li> </ul>	
<b>BT7514</b>  <ul style="list-style-type: none"> <li>Max Screen Size: <b>42" (107cm)</b></li> <li>Max Load: <b>25kg</b></li> <li>Features Tilt: <b>+/-40°</b></li> <li>Features Swivel: <b>180°</b></li> <li>Fits VESA patterns: <b>75x75 to 200x200</b></li> </ul>		<b>BT7515</b>  <ul style="list-style-type: none"> <li>Max Screen Size: <b>42" (107cm)</b></li> <li>Max Load: <b>25kg</b></li> <li>Features Tilt: <b>+/-40°</b></li> <li>Features Swivel: <b>180°</b></li> <li>Fits VESA patterns: <b>75x75 to 200x200</b></li> </ul>		MEDIUM				<b>BT5834 Back-to-Back</b>  <ul style="list-style-type: none"> <li>Max Screen Size: <b>32" (81cm)</b></li> <li>Max Load: <b>20kg per screen</b></li> <li>Features Tilt: <b>+/-40°</b></li> <li>Ceiling Drop: <b>BT5834-075 - 809mm</b> <b>BT5834-150 - 1559mm</b></li> <li>Fits VESA patterns: <b>75x75 to 200x200</b></li> </ul>	
<b>BT7534</b>  <ul style="list-style-type: none"> <li>Max Screen Size: <b>50" (127cm)</b></li> <li>Max Load: <b>40kg</b></li> <li>Features Tilt: <b>+/-15°</b></li> <li>Features Swivel: <b>180°</b></li> <li>Fits VESA patterns: <b>75x75 to 400x400</b></li> </ul>		<b>BT7535</b>  <ul style="list-style-type: none"> <li>Max Screen Size: <b>50" (127cm)</b></li> <li>Max Load: <b>40kg</b></li> <li>Features Tilt: <b>+/-15°</b></li> <li>Features Swivel: <b>180°</b></li> <li>Fits VESA patterns: <b>75x75 to 400x400</b></li> </ul>				LARGE		<b>BT8426</b>  <ul style="list-style-type: none"> <li>Max Screen Size: <b>55" (140cm)</b></li> <li>Max Load: <b>40kg</b></li> <li>Features Tilt: <b>+15°</b></li> <li>Ceiling Drop: <b>600 - 1000mm</b></li> <li>Fits VESA patterns: <b>up to 400x400</b></li> </ul>	
<b>HEAVY DUTY MOUNT</b> <b>BT9903</b>  <ul style="list-style-type: none"> <li>For Screen Size: <b>65"+ (165cm+)</b></li> <li>Max Load: <b>200kg</b></li> <li>Fits universal patterns: <b>up to 1100x730mm</b></li> </ul> 		<b>BT8221</b>  <ul style="list-style-type: none"> <li>Max Screen Size: <b>65" (165cm)</b></li> <li>Max Load: <b>36kg</b></li> <li>Features Tilt: <b>+/-15°</b></li> <li>Features Swivel: <b>180°</b></li> <li>Fits universal patterns: <b>up to 600x400mm</b></li> </ul>		X-LARGE				<b>BT8427</b>  <ul style="list-style-type: none"> <li>Max Screen Size: <b>65" (165cm)</b></li> <li>Max Load: <b>70kg</b></li> <li>Features Tilt: <b>+20°</b></li> <li>Ceiling Drop: <b>745 - 1000mm</b></li> <li>Fits VESA patterns: <b>up to 600x400</b></li> <li>Fits Universal patterns: <b>up to 755x410</b></li> </ul>	
		<b>BT8225</b>  <ul style="list-style-type: none"> <li>Max Screen Size: <b>75" (165cm)</b></li> <li>Max Load: <b>45kg</b></li> <li>Features Tilt: <b>+/-15°</b></li> <li>Features Swivel: <b>130°</b></li> <li>Fits universal patterns: <b>up to 600x400mm</b></li> </ul>				<b>BT8429 Back-to-Back</b>  <ul style="list-style-type: none"> <li>Max Screen Size: <b>65" (165cm)</b></li> <li>Max Load: <b>35kg per screen</b></li> <li>Features Tilt: <b>+/-15°</b></li> <li>Ceiling Drop: <b>BT8429-100 - 952mm</b> <b>BT8429-150 - 1452mm</b> <b>BT8429-200 - 1952mm</b></li> <li>Fits VESA patterns: <b>up to 800x500</b></li> <li>Fits Universal patterns: <b>up to 825x500</b></li> </ul>			

## BT8540

## Low Level Trolley



### Low Level Flat Screen Trolley

- Designed for use with touch screens up to 65" (165cm) / 70kg
- Maximum distance between fixings:  
**H:** 755mm x **V:** 410mm
- Fits all VESA® fixings up to 600 x 400mm
- Easy adjustment of tilt: -90° with fixed positions of 0°, -22.5°, -45°, -67.5° and -90°
- Mounts screen in landscape or portrait style
- Non-marking 4" locking/braked castors included
- Also supplied with optional screw in levelling feet
- 0.5m ø60mm poles supplied with cable management holes
- Trolley Dimensions (including wheels):  
**D:** 774mm **W:** 1130mm **H:** 870mm\*
- Available in 2 colour options:  
BT8540/BB - Black Base with Black Poles  
BT8540/BC - Black Base with Chrome Poles

\*Additional height options are available, please contact us for more information



## BT8541

## Low Level Floor Stand



### Low Level Flat Screen Floor Stand

- Designed for use with touch screens up to 65" (165cm) / 70kg
- Maximum distance between fixings:  
**H:** 755mm x **V:** 410mm
- Fits all VESA® fixings up to 600 x 400mm
- Easy adjustment of tilt: -90° with fixed positions of 0°, -22.5°, -45°, -67.5° and -90°
- Mounts screen in landscape or portrait style
- 0.5m ø60mm poles supplied with cable management holes
- Can be used freestanding or bolted to the floor
- Trolley Dimensions (including wheels):  
**D:** 684mm **W:** 890mm **H:** 684mm\*
- Available in 3 colour options:  
BT8541/BB - Black Base with Black Poles  
BT8541/BC - Black Base with Chrome Poles  
BT8541/SC - Silver Base with Chrome Poles

\*Additional height options are available, please contact us for more information



### BT7504

### Medium Trolley



*\*Optional Accessory Shelves  
Also Available - See Pages 72 and 73*

### Medium Flat Screen Display Trolley/Stand

- Stylish trolley designed for screens up to 42" (107cm) / 24kg
- Fits all VESA® fixings up to 200 x 200mm
- Non-marking 2" braked castors included and also supplied with optional screw in levelling feet
- 1.1m ø50mm diameter chrome pole supplied with 4 cable management holes
- Trolley Dimensions (including wheels): **D:** 455mm **W:** 735mm **H:** 1210mm




Braked castors & optional levelling feet are supplied



### BT8503

### Large Trolley



*Optional Accessory Shelves  
Also Available - See Pages 72 and 73*

### Large Flat Screen Trolley/Stand Designed for Quick and Easy Installation

- Large stylish flat screen trolley designed for screens up to 60" (152cm) / 50kg
- Maximum distance between horizontal fixings: 800mm
- Fits all VESA® fixings up to 800 x 600mm (or 800 x 400mm in portrait style)
- Mounts screen in landscape or portrait style
- Includes universal flat screen interface kit
- 1.8m ø50mm black poles supplied with 5 cable management holes
- Non-marking 3" locking / braked castors included
- Also supplied with optional screw in levelling feet
- Trolley dimensions (including wheels): **D:** 785mm **W:** 1118mm **H:** 1945mm
- Includes BT7057 pole rings
- Keyhole 'hook-on' feature for easy installation



Braked castors & optional levelling feet are supplied



## BT8504

## Large Trolley

### Large Flat Screen Display Trolley/Stand

- Designed for screens up to 65" (165cm) / 70kg
- Maximum distance between fixings:  
**H:** 755mm x **V:** 410mm
- Fits all VESA® fixings up to 600 x 400mm
- Mounts screen in landscape or portrait style
- Includes universal flat screen interface kit
- Non-marking 4" locking/braked castors included
- Also supplied with optional screw in levelling feet
- 1.5m ø60mm poles supplied with 5 cable management holes
- Trolley Dimensions (including wheels):  
**W:** 1130mm **D:** 774mm **H:** 1675mm
- Available in 3 colour options:  
BT8504/BB - Black Base with Black Poles  
BT8504/BC - Black Base with Chrome Poles  
BT8504/SC - Silver Base with Chrome Poles

*\*Optional Accessory Shelves also available - See Pages 72 and 73*



4" Braked castors & optional levelling feet are supplied



## BT8505

## Large Glass Base Trolley

### Large Flat Screen Display Trolley with Glass Base

- Designed for screens up to 55" (140cm) / 40kg
- Fits screens with mounting patterns up to:  
**H:** 700mm x **V:** 400mm including all VESA® fixings up to 600 x 400mm
- Easy tilt adjustment +15° / -5°
- Includes Accessory shelf to hold AV equipment up to 7.5kg
- Cable management included
- Trolley dimensions (including wheels):  
**W:** 1000mm **D:** 500mm **H:** 1910mm
- 10mm tempered piano black safety glass base (BS6206)

*Additional Accessory Shelves available separately (see below)*

## BT7165

## AV Component Shelf

### For use with BT8505

- Glass shelf designed for AV equipment up to 7.5kg
- Shelf dimensions:  
450mm x 320mm

*\*Picture shows 2 shelves mounted to a BT8505 (available separately)*



### BT8506

### Heavy Duty



#### Extra-Large Flat Screen Display Trolley

- Heavy duty flat screen trolley designed for screens larger than 65"
- Ideal for heavy duty touchscreens such as Sahara Clevertouch
- Max weight: 130kg
- Fits screens using VESA® and non-VESA® fixings up to 1100 x 730mm
- Adjustment screws allow screen to be levelled once mounted
- Trolley base disassembles for easy transportation or storage
- Simple 'hook-on' installation with all mounting hardware included
- Non-marking 4" locking/braked castors included
- Also supplied with optional screw in levelling feet
- Back cover included to hide unsightly cables
- 1.5m ø60mm poles supplied with 5 cable management holes
- Trolley Dimensions (including wheels):  
**W:** 1653mm **D:** 810mm **H:** 1657mm
- Colour: Black Base with Chrome Poles

VESA  
1100  
x  
730

65" +  
1653mm



*\*Optional Accessory  
Shelves also available  
- See Pages 72 and 73*



Braked castors & optional levelling feet are supplied

Registered Design Number: 002741256-0030

### BTF820

### Video Conferencing Trolley



#### Flat Screen / Video Conferencing Trolley

- Designed for screens up to 80" (203cm) / 55kg
- Fits screens using VESA® and non-VESA® fixings up to up to 600 x 400mm
- Adjustable height: 1165 to 1315mm (to centre of screen)
- Trolley dimensions: **W:** 850mm **D:** 725mm
- High-end aesthetic quality with a premium high gloss finish
- Includes optional video conferencing camera shelf
- Includes video codec / AV player shelf located behind the screen interface
- Stylish rear cover helps to prevent unauthorised removal of the video codec / AV player and hides unsightly cables
- Multiple fixing points allow screens to be mounted at different heights
- Concealed cable management
- Braked castors
- All mounting hardware included



Optional Codec and VC Camera shelves are included

VESA  
600  
x  
400

80" +  
2032mm



## BT8551

## Single Screen

### Flat Screen Display Stand with Tilt

- Designed to mount screens up to 55" (140cm) / 35kg
- Fits screens with mounting patterns up to **H:** 465mm x **V:** 400mm including VESA® patterns up to 400 x 400mm
- Can be used for landscape or portrait screen mounting
- Unique 'Torsion Tilt' mechanism +/-18°
- Locking bars included for secure installation
- Can be used free standing or bolted to the floor
- Supplied with optional rubber feet for use when free standing
- Base steel thickness: 6mm
- Base height: 12mm or 22mm when rubber feet are used
- Available in 3 heights: BT8551-100: 1.1 Metre Poles / BT8551-150: 1.5 Metre Poles / BT8551-200: 2 Metre Poles
- Available in 2 colour options: Black Base with Black Poles / Black Base with Chrome Poles



Registered Design Number: 001713280-0035 Patent Application Number: 817023.5

## BT8552

## Back-to-Back Screens

### Back-to-Back Flat Screen Display Stand with Tilt

- Designed to Back-to-Back mount 2 screens up to 55" (140cm) / 35kg per screen
- Fits screens with mounting patterns up to **H:** 465mm x **V:** 400mm including VESA® patterns up to 400 x 400mm
- Can be used for landscape or portrait screen mounting
- Unique 'Torsion Tilt' mechanism +/-18°
- Locking bars included for secure installation
- Can be used free standing or bolted to the floor
- Supplied with optional rubber feet for use when free standing
- Base steel thickness: 6mm
- Base height: 12mm or 22mm when rubber feet are used
- Available in 3 heights: BT8552-100: 1.1 Metre Poles / BT8552-150: 1.5 Metre Poles / BT8552-200: 2 Metre Poles
- Available in 2 colour options: Black Base with Black Poles / Black Base with Chrome Poles



Registered Design Number: 001713280-0035 Patent Application Number: 817023.5

### BT8553

### Single Screen

#### Extra-Large Flat Screen Display Stand with Tilt

- Designed to mount screens up to 65" (165cm) / 35kg
- Fits screens with mounting patterns up to  
**H:** 825mm x **V:** 500mm  
including VESA® patterns up to 800 x 500mm
- Can be used for landscape or portrait screen mounting
- Unique 'Torsion Tilt' mechanism +/-15°
- Locking bars included for secure installation
- Can be used free standing or bolted to the floor
- Supplied with optional rubber feet for use when free standing
- Base steel thickness: 6mm
- Base height: 12mm or 22mm when rubber feet are used
- Available in 3 heights: BT8553-100: 1.1 Metre Poles /  
BT8553-150: 1.5 Metre Poles / BT8553-200: 2 Metre Poles
- Available in 2 colour options: Black Base with Black Poles  
/ Black Base with Chrome Poles



Registered Design Number: 001713280-0036 Patent Application Number: 8170235

### BT8554

### Back-to-Back Screens

#### Extra-Large Back-to-Back Flat Screen Display Stand with Tilt

- Designed to Back-to-Back mount 2 screens up to 65" (165cm) / 35kg per screen
- Fits screens with mounting patterns up to  
**H:** 825mm x **V:** 500mm including VESA® patterns up to 800 x 500mm
- Can be used for landscape or portrait screen mounting
- Unique 'Torsion Tilt' mechanism +/-15°
- Locking bars included for secure installation
- Can be used free standing or bolted to the floor
- Supplied with optional rubber feet for use when free standing
- Base steel thickness: 6mm
- Base height: 12mm or 22mm when rubber feet are used
- Available in 3 heights: BT8554-100: 1.1 Metre Poles  
/ BT8554-150: 1.5 Metre Poles / BT8554-200: 2 Metre Poles
- Available in 2 colour options: Black Base with Black Poles  
/ Black Base with Chrome Poles



Registered Design Number: 001713280-0036 Patent Application Number: 8170235

## BTF800

### Square Base



#### Flat Screen Display Stand with Square Base

- Designed for screens up to 60" (152cm) / 30kg
- Fits screens with VESA® and non-VESA® mounting patterns up to 600 x 400mm
- Easy swivel adjustment 60°
- Stylish stainless steel pole finish
- Concealed castors and cable management
- Includes Accessory Shelf - Max weight: 10kg
- Glass shelf thickness: 6mm
- Dimensions: **W:** 500mm **D:** 500mm  
**H:** 975mm (to centre of mount)
- Tempered glass shelves toughened to BS6206A standard



## BTF801

### Round Base



#### Flat Screen Display Stand with Round Base

- Designed for screens up to 55" (140cm) / 30kg
- Fits screens with VESA® and non-VESA® mounting patterns up to 600 x 400mm
- Easy swivel adjustment 60°
- Stylish stainless steel pole finish
- Concealed cable management
- Dimensions: **W:** 500mm **D:** 500mm  
**H:** 975mm (to centre of mount)
- Tempered glass base toughened to BS6206A standard


*Optional Accessory Shelf available separately see below*

## BT7167

### AV Component Shelf

#### For Use with BTF801

- Designed to hold AV equipment such as DVD, Blu-ray® players and game consoles up to 10kg
- Glass Shelf thickness: 6mm
- Dimensions: **W:** 450mm **D:** 365mm
- Tempered glass toughened to BS6206A standard



### BTF810

### for Large Screens



#### Flat Screen Display Stand with Shelf

- Designed for screens up to 60" (152cm) / 35kg
- Fits screens using VESA® and non-VESA® fixings up to 600 x 400mm
- Dimensions: **W:** 500mm **D:** 500mm **H:** Min: 910mm Max: 1010mm (to centre of mount)
- 360° revolving base
- Includes Accessory Shelf. Max weight: 10kg
- Glass shelf thickness: 6mm
- Concealed castors and cable management
- Tempered glass shelf toughened to BS6206A standard
- High gloss and premium finish



### BTF812

### for XL Screens



#### Flat Screen Display Stand with Shelf

- Designed for screens up to 75" (190cm) / 55kg
- Fits screens using VESA® and non-VESA® fixings up to 600 x 400mm
- Dimensions: **W:** 500mm **D:** 500mm **H:** Min: 860mm Max: 1130mm (to centre of mount)
- 360° revolving base
- Includes Accessory Shelf. Max weight: 10kg
- Glass shelf thickness: 6mm
- Concealed castors and cable management
- Tempered glass shelf toughened to BS6206A standard



### BTF813

### for XXL Screens



#### Flat Screen Display Stand with Shelf

- Designed for screens up to 90" (228cm) / 65kg
- Fits screens using VESA® and non-VESA® fixings up to 600 x 400mm
- Dimensions: **W:** 700mm **D:** 550mm **H:** Min: 880mm Max: 1150mm (to centre of mount)
- 360° revolving base
- Includes Accessory Shelf. Max weight: 10kg
- Glass shelf thickness: 6mm
- Concealed castors and cable management
- Tempered glass shelf toughened to BS6206A standard



## BT8510

## Medium Screens

### Mobile Twin Screen Video Conferencing Trolley with Camera Shelf

1.5m Poles (longer Poles available on request)

- Heavy duty stylish flat screen trolley suitable for holding two screens up to 32" (81cm) / 35kg per screen
- Fits screens with mounting patterns up to **H: 465mm x V: 400mm** including screens using VESA® fixings up to 400 x 400mm
- Universal Camera Shelf included
- Includes universal flat screen Interface Kit
- Non-marking 4" locking/braked castors included
- Also supplied with optional screw in levelling feet
- Available in 2 colour options:  
BT8510/BB - Black Base with Black Poles,  
BT8510/BC - Black Base with Chrome Poles



## BT8511

## Medium / Large Screens

### Mobile Twin Screen Video Conferencing Trolley with Camera Shelf

1.5m Poles (longer Poles available on request)

- Heavy duty stylish flat screen trolley suitable for holding two screens up to 42" (107cm) / 35kg per screen
- Fits screens with mounting patterns up to **H: 825mm x V: 500mm** including screens using VESA® fixings up to 800 x 500mm
- Universal Camera Shelf included
- Includes universal flat screen Interface Kit
- Non-marking 4" locking/braked castors included
- Also supplied with optional screw in levelling feet
- Available in 2 colour options:  
BT8511/BB - Black Base with Black Poles,  
BT8511/BC - Black Base with Chrome Poles



Registered Design Number: 001713280-0036 Patent Application Number: 817023.5

## BT8520

## Medium Screens

### Twin Screen Video Conferencing Stand with Camera Shelf

1.5m Poles (longer Poles available on request)

- Heavy duty stylish flat screen stand suitable for holding two screens up to 32" (81cm) / 35kg per screen
- Fits screens with mounting patterns up to **H:** 465mm x **V:** 400mm including screens using VESA® fixings up to 400 x 400mm
- Universal Camera Shelf included
- Includes universal flat screen Interface Kit
- Can be used free standing or bolted to the floor
- Supplied with optional rubber feet for use when free standing
- Available in 2 colour options:  
BT8520/BB - Black Base with Black Poles,  
BT8520/BC - Black Base with Chrome Poles

VESA  
400

32"  
81cm

70kg

← →

○

○

Base

Poles



## BT8521

## Medium / Large Screens

### Twin Screen Video Conferencing Stand with Camera Shelf

1.5m Poles (longer Poles available on request)

- Heavy duty stylish flat screen stand suitable for holding two screens up to 42" (107cm) / 35kg per screen
- Fits screens with mounting patterns up to **H:** 825mm x **V:** 500mm including screens using VESA® fixings up to 800 x 500mm
- Universal Camera Shelf included
- Includes universal flat screen Interface Kit
- Can be used free standing or bolted to the floor
- Supplied with optional rubber feet for use when free standing
- Available in 2 colour options:  
BT8521/BB - Black Base with Black Poles,  
BT8521/BC - Black Base with Chrome Poles

VESA  
800  
x  
500

42"  
107cm

70kg

← →

○

○

Base

Poles



## BT7864

## Twin Pole VC Shelf



\*Trolley and collars sold separately

### VC Camera Shelf for Twin Pole Floor Stands

- Designed to mount a video conferencing camera centrally between 2 poles
- Ideal for use with B-Tech trolleys and floor stands
- Max load 4kg
- Compatible with single and double attachment collars (sold separately)
- Compatible with ø50mm and ø60mm collars



4 simple steps to order Flat Screen Floor Stands tailored to your needs

Step 1		Choose your Floor Stand Base...	Step 2	add Poles...
SMALL	<b>BT4000</b>	<p><b>Small Stand Floor Base</b></p> <ul style="list-style-type: none"> <li>Designed for screens up to 32" (81cm) / 15kg</li> <li>Features grab handle</li> <li>Can be used free standing or bolted to the floor</li> <li>Screen size and weight may be increased to 35kg if floor base is bolted to the floor</li> <li>Base Dimensions: 575mm x 395mm</li> </ul>	<p><b>1 ø60mm Pole Required</b></p> <p>BT4005 - 0.5m ✓</p> <p>BT4011 - 1.1m ✓</p> <p>BT4015 - 1.5m ✓</p> <p>BT4020 - 2m ✓</p>	
	MEDIUM	<b>BT4001</b>	<p><b>Medium Stand Floor Base</b></p> <ul style="list-style-type: none"> <li>Designed for screens up to 42" (107cm) / 24kg</li> <li>Features grab handles</li> <li>Can be used free standing or bolted to the floor</li> <li>Screen size and weight may be increased to 35kg if floor base is bolted to the floor</li> <li>Base Dimensions: 725mm x 495mm</li> </ul>	<p><b>1 ø60mm Pole Required</b></p> <p>BT4005 - 0.5m ✓</p> <p>BT4011 - 1.1m ✓</p> <p>BT4015 - 1.5m ✓</p> <p>BT4020 - 2m ✓</p>
LARGE		<b>BT4002</b>	<p><b>Large Stand Floor Base</b></p> <ul style="list-style-type: none"> <li>Designed for screens up to 65" (165cm) / 70kg</li> <li>Features grab handles</li> <li>Can be used free standing or bolted to the floor</li> <li>Base dimensions: 890mm x 610mm</li> </ul>	<p><b>2 ø60mm Poles Required</b></p> <p>BT4005 - 0.5m ✓</p> <p>BT4011 - 1.1m ✓</p> <p>BT4015 - 1.5m ✓</p> <p>BT4020 - 2m ✓</p>
	LARGE	<b>BT4102</b>	<p><b>Large Back-to-Back Floor Base</b></p> <ul style="list-style-type: none"> <li>Designed for screens up to 65" (165cm) / 70kg</li> <li>Suitable for use with multiple large flat screens</li> <li>Supplied with optional rubber feet for use when free standing</li> <li>Base dimensions: 890mm x 850mm</li> </ul> <p><small>Registered Design Number: 002741256-0001</small></p>	<p><b>2 ø60mm Poles Required</b></p> <p>BT4005 - 0.5m ✓</p> <p>BT4011 - 1.1m ✓</p> <p>BT4015 - 1.5m ✓</p> <p>BT4020 - 2m ✓</p>
LARGE		<b>BT4003</b>	<p><b>Large Floor Stand / Trolley Base</b></p> <ul style="list-style-type: none"> <li>Designed for screens up to 65" (165cm) / 70kg</li> <li>Screw in castors available separately (BTW100 sold individually or as a pack of 4 - BTW100-4)</li> <li>Can be used with one or two poles depending on application</li> <li>Base dimensions: 1130mm x 774mm</li> </ul>	<p><b>1 or 2 ø60mm Poles Required</b></p> <p>BT4005 - 0.5m ✓</p> <p>BT4011 - 1.1m ✓</p> <p>BT4015 - 1.5m ✓</p>
	X-LARGE	<b>BT4004</b>	<p><b>X-Large Floor Stand / Trolley Base</b></p> <ul style="list-style-type: none"> <li>Designed for screens over 65" (165cm)</li> <li>Max weight: 130kg</li> <li>Screw in castors available separately (BTW100 sold individually or as a pack of 4 - BTW100-4)</li> <li>Base dimensions: 1660mm x 810mm</li> </ul>	<p><b>2 ø60mm Poles Required</b></p> <p>BT4011 - 1.1m ✓</p> <p>BT4015 - 1.5m ✓</p>

# Custom Flat Screen Floor Stands

## Floor Stand Mounting System

This chart shows parts for typical screen mounting application and is not an exhaustive list of mounting options.

Pole Suitability Key >



Step 3	then add Collars...	Step 4	now the Screen Mount...	Complete Floor Stand Example
--------	---------------------	--------	-------------------------	------------------------------

	<p><b>BT7260 or BT4041 ø60mm Collar(s) Required</b></p> <p><i>(1 or 2 required depending which mount is selected in step 4)</i></p>		<p><b>Flat Screen Mounts</b> BT7510, BT7511, BT7521, BT7522, BT7523 or BT7505 <i>(1x BT7260 or 1x BT4041 Collar required)</i> BT7514 (Short Arm), BT7518 or BT7532 <i>(2x BT7260 or 2x BT4041 Collar required)</i></p>			<b>SMALL</b>
--	---	--	--	--	--	--------------

	<p><b>BT7260 or BT4041 ø60mm Collar(s) Required</b></p> <p><i>(1 or 2 required depending which mount is selected in step 4)</i></p>		<p><b>Flat Screen Mounts</b> BT7510, BT7511, BT7521, BT7522, BT7523 or BT7505 <i>(1x BT7260 or 1x BT4041 Collar required)</i> BT7514 (Short Arm), BT7518 or BT7532 <i>(2x BT7260 or 2x BT4041 Collar required)</i></p>			<b>MEDIUM</b>
--	---	--	--	--	--	---------------

	<p><b>4x BT4041 ø60mm Collars Required</b></p> <p><b>2x BT7060 ø60mm Collars Required</b></p>		<p><b>Flat Screen Interface Kits</b> BT8009 plus BT7507 or BT8500</p> <p><b>Flat Screen Interface Kits</b> BT8431-PRO or BT8432-PRO</p>			<b>LARGE</b>
--	---	--	---	--	--	--------------

	<p><b>4x BT4041 ø60mm Collars</b> <i>(for Single or Back-to-Back mounting)</i></p> <p><b>2x BT7060 ø60mm Collars</b> <i>(for Single or Back-to-Back mounting)</i></p>		<p><b>Flat Screen Interface Kits</b> 1x or 2x BT8009 plus BT7507 or BT8500 <i>(for Single or Back-to-Back mounting)</i></p> <p><b>Flat Screen Interface Kits</b> 1x or 2x BT8431-PRO or BT8432-PRO <i>(for Single or Back-to-Back mounting)</i></p>		<p style="text-align: center; color: white; font-weight: bold; font-size: 1.2em;">OR</p>	<b>LARGE</b>
--	---	--	---	--	--	--------------

	<p><b>2x BT4041 ø60mm Collars (when 1 pole used) or 4x BT4041 ø60mm Collars (when 2 poles used)</b></p> <p><b>2x BT4041 ø60mm Collars (when 1 pole used) or 2x BT7060 ø60mm Collars (when 2 poles used)</b></p>		<p><b>Flat Screen Interface Kits</b> BT8009 plus BT7507 or BT8500</p> <p><b>Flat Screen Interface Kits</b> BT8431-PRO or BT8432-PRO</p>		<p style="text-align: center; color: white; font-weight: bold; font-size: 1.2em;">OR</p>	<b>LARGE</b>
--	---	--	---	--	--	--------------

	<p><b>4x BT4041 ø60mm Collars</b> <i>(for Single or Back-to-Back mounting)</i></p>		<p><b>Flat Screen Interface Kits</b> BT9903</p>			<b>X-LARGE</b>
--	--	--	---	--	--	----------------



## BT7166

### Premium Glass Shelf

**Accessory Shelf for use with BTF810**  
- see page 67



- Designed for AV equipment such as DVD / Blu-ray® players and games consoles up to 10kg
- Glass Shelf thickness: 8mm
- Dimensions: **W:** 450mm **D:** 365mm
- Tempered glass toughened to BS6206A standard
- Can also be wall mounted



## BT7167

### Premium Glass Shelf

**Accessory Shelf for use with BTF801**  
- see page 66



- Designed for AV equipment such as DVD / Blu-ray® players and games consoles up to 10kg
- Glass Shelf thickness: 8mm
- Dimensions: **W:** 450mm **D:** 365mm
- Tempered glass toughened to BS6206A standard



## BT7172

### Glass Shelf



#### Small Glass Shelf

- Can be mounted across 1 pole
- Shelf dimensions: 350mm x 300mm
- 10mm thick tempered safety glass
- Must be used with B-Tech Collar when pole mounted

## BT7173

### Glass Shelf



#### Medium Glass Shelf

- Can be mounted across 1 pole
- Shelf dimensions: 470mm x 310mm
- 10mm thick tempered safety glass
- Must be used with B-Tech Collar when pole mounted

## BT7174

### Glass Shelf



#### Large Glass Shelf

- Can be mounted across 1 or 2 poles
- Shelf dimensions: 500mm x 380mm
- 10mm thick tempered safety glass
- Must be used with B-Tech Collar when pole mounted

## BT7032

## Steel AV Shelf



### Large AV Accessory Shelf

- Designed to be mounted directly to a wall\* or to poles - when used in conjunction with B-Tech collars
- Holds AV equipment up to 15kg when used with double poles or 7.5kg when used with a single pole
- Shelf dimensions: 500mm x 380mm
- Available in durable black powder coated finish

*\*When used with BT7075 see below for more info*



Single Poles Double Poles Single Poles Double Poles

## BT7030 Small Shelf

### Small MDF Component Shelf



- Max Load: 5kg
- 300mm x 300mm
- Must be used with B-Tech accessory collar



## BT7036 Projector Shelf

### MDF Projector Shelf



- Max Load: 5kg
- 360mm x 360mm with tilt and safety rails
- Tilts +/-20° from horizontal
- Must be used with B-Tech accessory collar



## BT7037 Small Shelf

### Small Component Shelf



- Max Load: 8kg
- Best suited for equipment up to 430mm wide and 330mm deep
- Must be used with B-Tech accessory collar



Registered Design Number: 4003647

## BT7038 Large Shelf

### Large AV Component Shelf



- Max Load: 8kg
- Best suited for equipment up to 430mm wide and 260mm deep
- Must be used with B-Tech accessory collar



Registered Design Number: 4003647

## BT7075

## Wall Plate



### Modular Wall Plate

- Wall mount BT7032, BT7037, BT7038 BT7172 and BT7173 AV shelves using one Modular Wall Plate
- Wall mount BT7174 AV shelf using two Modular Wall Plates
- Maximum load with shelf: 10kg
- Cable Hole: 40mm x 20mm



Registered Design Number: 4010384

## BT7868

## VC Shelf



### Wall Mounted VC Camera Shelf

- Designed to wall mount VC cameras
- Fits most VC cameras with 1/4 inch thread
- Features 100x100mm fixing points
- Ideal for Radvision® XT5000 Codec



## BT5810

### Fixed - Small



### Flat Screen Ceiling Mount

- Ceiling mount designed for screens up to 23" (58cm) / 20kg
- Suitable for screens using VESA® fixings up to 100 x 100mm
- Security locking screw and allen key provided
- Integrated cable management
- Additional holes along pole length allow pole to be cut to length
- Simple 'hook-on' installation
- Supplied with safety bolt for a secure installation
- Coverplate included
- Ceiling fixings and all mounting hardware included



### Available in 2 lengths

BT5810-075 Ceiling drop\*: 795mm

BT5810-150 Ceiling drop\*: 1545mm

\*to centre of mount

## BT5811

### Tilt - Small



### Flat Screen Ceiling Mount with Tilt

- Ceiling mount designed for screens up to 23" (58cm) / 20kg
- Suitable for screens using VESA® fixings up to 100 x 100mm
- Features +17° / -10° Tilt
- Security locking screw and allen key provided
- Integrated cable management
- Additional holes along pole length allow pole to be cut to length
- Simple 'hook-on' installation
- Supplied with safety bolt for a secure installation
- Coverplate included
- Ceiling fixings and all mounting hardware included



### Available in 2 lengths

BT5811-075 Ceiling drop\*: 795mm

BT5811-150 Ceiling drop\*: 1545mm

\*to centre of mount

## BT5812

### Back-to-Back - Small



### Back-to-Back Flat Screen Ceiling Mount with Tilt

- Ceiling mount designed for two screens up to 23" (58cm) / 20kg per screen
- Suitable for screens using VESA® fixings up to 100 x 100mm
- Features +17° / -10° Tilt
- Security locking screw and allen key provided
- Integrated cable management
- Additional holes along pole length allow pole to be cut to length
- Simple 'hook-on' installation
- Supplied with safety bolt for a secure installation
- Coverplate included
- Ceiling fixings and all mounting hardware included



### Available in 2 lengths

BT5812-075 Ceiling drop\*: 809mm

BT5812-150 Ceiling drop\*: 1559mm

\*to centre of mount

**BT5832**

**Fixed - Medium**



## Flat Screen Ceiling Mount

- Ceiling mount designed for screens up to 32" (81cm) / 25kg
- Suitable for screens using VESA® fixings up to 200 x 200mm
- Security locking screw and allen key provided
- Integrated cable management
- Additional holes along pole length allow pole to be cut to length
- Simple 'hook-on' installation
- Supplied with safety bolt for a secure installation
- Coverplate included
- Ceiling fixings and all mounting hardware included



**Available in 2 lengths**

**BT5832-075** Ceiling drop\*: 795mm

**BT5832-150** Ceiling drop\*: 1545mm

\*to centre of mount

**BT5833**

**Tilt - Medium**



## Flat Screen Ceiling Mount with Tilt

- Ceiling mount designed for screens up to 32" (81cm) / 25kg
- Suitable for screens using VESA® fixings up to 200 x 200mm
- Features +/-40° Tilt
- Security locking screw and allen key provided
- Integrated cable management
- Additional holes along pole length allow pole to be cut to length
- Simple 'hook-on' installation
- Supplied with safety bolt for a secure installation
- Coverplate included
- Ceiling fixings and all mounting hardware included



**Available in 2 lengths**

**BT5833-075** Ceiling drop\*: 795mm

**BT5833-150** Ceiling drop\*: 1545mm

\*to centre of mount

**BT5834**

**Back-to-Back - Medium**



## Back-to-Back Flat Screen Ceiling Mount with Tilt

- Ceiling mount designed for two screens up to 32" (81cm) / 20kg per screen
- Suitable for screens using VESA® fixings up to 200 x 200mm
- Features +/-40° Tilt
- Security locking screw and allen key provided
- Integrated cable management
- Additional holes along pole length allow pole to be cut to length
- Simple 'hook-on' installation
- Supplied with safety bolt for a secure installation
- Coverplate included
- Ceiling fixings and all mounting hardware included



**Available in 2 lengths**

**BT5834-075** Ceiling drop\*: 809mm

**BT5834-150** Ceiling drop\*: 1559mm

\*to centre of mount

## BT7553

## Tilt & Swivel - Small

UPDATED  
PRODUCT



### Flat Screen Ceiling Mount

- Designed for screens up to 28" (71cm) / 23kg
- Suitable for VESA® mounting patterns 75 x 75 or 100 x 100mm
- Features +90° / -15° Tilt
- 360° swivel
- 360° screen rotation
- Integrated cable management
- Coverplate included
- All mounting hardware included



### Available in 5 lengths

BT7553-025 25cm Pole

BT7553-050 50cm Pole

BT7553-100 1m Pole

BT7553-150 1.5m Pole

BT7553-200 2m Pole

## BT8424

## Tilt - Large



### Flat Screen Ceiling Mount with Tilt

- Flat screen ceiling mount designed for screens up to 55" (140cm) / 35kg
- Fits screens with mounting patterns up to **H**: 465mm x **V**: 400mm including screens using VESA® fixings up to 400 x 400mm
- Features +/- 18° Tilt
- Ceiling drop: 1003mm, 1503mm or 2003mm
- Unique 'Torsion-Tilt' mechanism for easy tilt adjustment
- Security locking screws, Allen key and locking bars provided for a secure installation
- Cover plate included for smart installation
- Post installation screen alignment
- Integrated cable management
- Simple 'hook-on' installation
- All mounting hardware included



### Available in 3 lengths

BT8424-100 Ceiling drop\*: 1003mm

BT8424-150 Ceiling drop\*: 1503mm

BT8424-200 Ceiling drop\*: 2003mm

\*to centre of mount

Registered Design Number: 001713280-0035 Patent Application Number: B170235

## Flat Screen Ceiling Features

### Have you considered ceiling mounting your screen?

In many situations, ceiling mounting a screen is an attractive alternative to wall mounting. Ideal for open plan areas, ceiling mounting allows you to position your screen in the perfect location in the room, without having to focus the rest of the room around a wall. With solutions for both flat and angled ceilings, for either single or double screens B-Tech have mounting options for virtually any application.



Fixed or Adjustable Tilt



Adjustable Mounting Support



Cable Management



Back-to-Back Mounts

### BT7554

### Tilt & Swivel - Small

UPDATED PRODUCT



#### Back-to-Back Flat Screen Ceiling Mount

- Designed for two screens up to 28" (71cm) / 23kg (per screen)
- Suitable for VESA® mounting patterns 75 x 75 or 100 x 100mm
- Features +45/ -15° Tilt
- 360° swivel
- 360° screen rotation
- Integrated cable management
- Coverplate included
- Ceiling fixings and all mounting hardware included



#### Available in 5 lengths

BT7554-025	25cm Pole
BT7554-050	50cm Pole
BT7554-100	1m Pole
BT7554-150	1.5m Pole
BT7554-200	2m Pole

### BT8428

### Tilt - Large



#### Back-to-Back Flat Screen Ceiling Mount with Tilt

- Designed for two screens up to 55" (140cm) / 35kg per screen
- Fits screens with mounting patterns up to **H:** 465mm x **V:** 400mm including screens using VESA® fixings up to 400 x 400mm
- Simple tilt adjustment +/-18°
- Unique 'Torsion-Tilt' mechanism
- Integrated cable management
- Pole can be tilted for mounting on angled ceilings
- Supplied with safety bolt and locking bars for a secure installation



#### Available in 3 lengths

BT8428-100	Ceiling drop*: 953mm
BT8428-150	Ceiling drop*: 1453mm
BT8428-200	Ceiling drop*: 1953mm

\*to centre of mount

Registered Design Number: 001713280-0036 Patent Application Number: B170235

### BT8429

### Tilt - Extra-Large



#### Back-to-Back Flat Screen Ceiling Mount with Tilt

- Designed for two screens up to 65" (165cm) / 35kg per screen
- Fits screens with mounting patterns up to **H:** 825mm x **V:** 500mm including screens using VESA® fixings up to 800 x 500mm
- Simple tilt adjustment +/-15°
- Unique 'Torsion-Tilt' mechanism
- Integrated cable management
- Pole can be tilted for mounting on angled ceilings
- Supplied with safety bolt and locking bars for a secure installation



#### Available in 3 lengths

BT8429-100	Ceiling drop*: 953mm
BT8429-150	Ceiling drop*: 1453mm
BT8429-200	Ceiling drop*: 1953mm

\*to centre of mount

Registered Design Number: 001713280-0036 Patent Application Number: B170235



BT8425

Tilt - Large



## Flat Screen Ceiling Mount with Adjustable Drop and Tilt

- Flat screen ceiling mount designed for screens up to 55" (140cm) / 35kg
- Fits screens with mounting patterns up to **H:** 465mm x **V:** 400mm including screens using VESA® fixings up to 400 x 400mm
- Adjustable Drop: 668mm - 943mm
- Features +/- 18° Tilt
- Unique 'Torsion-Tilt' mechanism\*
- Security locking screw, Allen key and locking bars provided
- Integrated cable management
- Simple 'hook-on' installation
- Coverplate included
- Ceiling fixings and all mounting hardware included



**Minimum Drop** Ceiling drop\*: 668mm

**Maximum Drop** Ceiling drop\*: 943mm

\*to centre of mount

BT8426

Tilt - Large



## Adjustable Drop Flat Screen Ceiling Mount with Tilt

- Designed for screens up to 55" (140cm) / 40kg
- Fits screens with VESA® mounting patterns from 75 x 75 up to 400 x 400mm
- Adjustable Drop: 625mm - 850mm (*from ceiling to centre of interface*)
- Easy adjustment of tilt +15° with fixed positions of 0°, +7.5° and +15°



Registered Design Number: 4003130, 4003650

**Minimum Drop** Ceiling drop\*: 625mm

**Maximum Drop** Ceiling drop\*: 850mm

\*to centre of mount

BT8427

Tilt - Extra-Large



## Adjustable Drop Universal Flat Screen Ceiling Mount with Tilt

- Designed for screens up to 65" (165cm) / 70kg
- Fits screens with mounting patterns up to **H:** 755mm x **V:** 410mm including screens using VESA® fixings up to 600 x 400mm
- Adjustable ceiling drop: 658mm - 958mm (from ceiling to centre of interface)
- Easy adjustment of tilt +20°



Registered Design Number: 4003130, 4003650

Minimum Drop Ceiling drop\*: 658mm

Maximum Drop Ceiling drop\*: 958mm

\*to centre of mount

BT8447

Tilt - Extra-Large



## Flat Screen Ceiling Mount with Adjustable Drop and Tilt

- Flat screen ceiling mount designed for screens up to 65" (165cm) / 35kg
- Fits screens with mounting patterns up to **H:** 825mm x **V:** 500mm including screens using VESA® fixings up to 800 x 500mm
- Adjustable Drop: 668mm - 943mm
- Features +/- 15° Tilt
- Unique 'Torsion-Tilt' mechanism\*
- Security locking screw, Allen key and locking bars provided
- Integrated cable management
- Simple 'hook-on' installation
- Coverplate included
- Ceiling fixings and all mounting hardware included



Minimum Drop Ceiling drop\*: 668mm

Maximum Drop Ceiling drop\*: 943mm

\*to centre of mount

## BT5890-010

## Short Drop



### Projector Ceiling Mount

- Projector ceiling mount designed for projectors up to 10kg
- Integrated cable management
- Keyhole hook-on feature for easy installation
- +/- 15° tilt adjustment, +/- 15° roll adjustment and 360° swivel
- Maximum distance between any 2 fixing points: 493mm
- Maximum fixing square: 300 x 300mm or 400 x 200mm
- Projector can be mounted directly to the carousel
- Suitable for projectors using M2.5, M3, M4, M5 and M6 fixings
- Supplied with safety bolt for a secure installation
- Coverplate included



BT5890-010

Ceiling drop: 190mm

## BT899

## Heavy Duty



### Projector Ceiling Mount with Micro-Adjustment

- Designed for projectors up to 25kg
- Compatible with the B-Tech System 2" Professional Range and NPT pipe systems (see page 68 for more info)
- Features +/-13° tilt, +/-6° roll and 360° swivel
- Maximum distance between any two fixing points: 370mm

## BT899-XL

### Extra Large Projector Ceiling Mount with Micro-Adjustment

- Maximum distance between any two fixing points: 493mm
- Compatible with System 2 - see page 86 for more info



Registered Design Number: 001713306-0004

## BT881

## Short Drop



### Projector Ceiling Mount

- Designed for projectors up to 10kg
- Mounts projector only 115mm from ceiling or 280mm with supplied extension rod
- Features +/-90° tilt adjustment and +/-90° roll adjustment
- Features 360° swivel
- Maximum distance between any two fixing points on projector: 340mm



## BT5890

## Long Drop



### Projector Ceiling Mount

- Projector ceiling mount designed for projectors up to 10kg
- Integrated cable management
- Keyhole hook on feature for easy installation
- +/- 15° tilt adjustment, +/- 15° roll adjustment and 360° swivel
- Maximum distance between any 2 fixing points: 493mm
- Maximum fixing square: 300 x 300mm or 400 x 200mm
- Projector can be mounted directly to the carousel
- BT5890-150 includes additional holes along pole to allow pole to be cut to desired length
- Suitable for projectors using M2.5, M3, M4, M5 and M6 fixings
- Supplied with safety bolt for a secure installation
- Coverplate included



Available in 2 lengths

BT5890-100

Ceiling drop: 1000mm

BT5890-150

Ceiling drop: 1645mm

## BT882

## Medium Adjustable Drop



### Projector Ceiling Mount with Adjustable Drop

- Designed for projectors up to 10kg
- Features +/-90° tilt, +/-90° roll and 360° swivel
- Suitable for angled / cathedral ceilings
- Maximum distance between any two fixing points on projector: 340mm
- Hand lever for easy adjustment of ceiling drop:  
**Min:** 580mm  
**Max:** 830mm



Registered Design Number: 3016251

## BT883

## Long Adjustable Drop



### Projector Ceiling Mount with Adjustable Drop

- Designed for projectors up to 10kg
- Features +/-90° tilt, +/-90° roll and 360° swivel
- Suitable for angled / cathedral ceilings
- Maximum distance between any two fixing points on projector: 340mm
- Hand lever for easy adjustment of ceiling drop:  
**Min:** 830mm  
**Max:** 1330mm



Registered Design Number: 3016251

BT7371

Fixed



## Flat Screen Desk Mount with Swivel

- Designed for screens up to 28" (71cm) / 9kg
- Fits VESA® mounting patterns: 75 x 75 and 100 x 100mm
- Easy tilt adjustment +/- 40°
- Swivel adjustment: 360° at pole and 180° at interface
- Desk clamp and grommet fixings included



BT7372

Single Arm



## Single Arm Flat Screen Desk Mount with Tilt and Swivel

- Designed for screens up to 28" (71cm) / 9kg
- Fits VESA® mounting patterns: 75 x 75 and 100 x 100mm
- Maximum extension: 255mm
- Easy tilt adjustment + 65° / -90°
- Swivel adjustment: 360° at pole and 180° at interface
- Desk clamp and grommet fixings included



BT7373

Double Arm



## Double Arm Flat Screen Desk Mount with Tilt and Swivel

- Designed for screens up to 28" (71cm) / 9kg
- Fits VESA® mounting patterns: 75 x 75 and 100 x 100mm
- Maximum extension: 445mm
- Easy tilt adjustment + 65° / -90°
- Swivel adjustment: 360° at pole and 180° at interface
- Desk clamp and grommet fixings included



BT7374

Twin Screen



## Twin Screen Flat Screen Desk Mount with Tilt and Swivel

- Designed for 2 screens up to 28" (71cm) / 9kg per screen
- Fits VESA® mounting patterns: 75 x 75 and 100 x 100mm
- Maximum extension: 445mm
- Easy tilt adjustment + 65° / -90°
- Swivel adjustment: 360° at pole and 180° at interface
- Desk clamp and grommet fixings included



## BT7382

### Single Arm



#### Full Motion Single Arm Flat Screen Desk Mount



- Designed for screens up to 28" (71cm) / 9kg
- Fits VESA® mounting patterns: 75 x 75 and 100 x 100mm
- Maximum extension: 390mm
- Easy tilt adjustment +/- 40°
- Swivel adjustment: 360° at pole and 180° at interface
- Desk clamp and grommet fixings included



## BT7383

### Double Arm



#### Full Motion Double Arm Flat Screen Desk Mount



- Designed for screens up to 28" (71cm) / 9kg
- Fits VESA® mounting patterns: 75 x 75 and 100 x 100mm
- Maximum extension: 560mm
- Easy tilt adjustment +/- 40°
- Swivel adjustment: 360° at pole and 180° at interface
- Desk clamp and grommet fixings included



## BT7384

### Twin Screen



#### Full Motion Twin Screen Flat Screen Desk Mount



- Designed for 2 screens up to 28" (71cm) / 9kg per screen
- Fits VESA® mounting patterns: 75 x 75 and 100 x 100mm
- Maximum extension: 560mm
- Easy tilt adjustment +/- 40°
- Swivel adjustment: 360° at pole and 180° at interface
- Desk clamp and grommet fixings included



## BT6045

### Accessories

#### Accessory Shelf

- Designed for use with B-Tech Full Motion Desk Mount Range
- Ideal for laptops or telephones up to 9kg
- Fits to mounts with VESA® mounting patterns: 75 x 75 and 100 x 100mm
- Platform dimensions: 250mm x 250mm



## BT7399

### Wall Mounting

#### Wall Mounting Adaptor

- Designed to attach any B-Tech Premium or Full Motion Desk Mount to the wall
- Retains all movement functionality of the attached desk mount
- Features built in 'level bubble'

\*\* Mount sold separately




\* Example installation shows BT6045 mounted to BT7382 desk mount (available separately)

# SYSTEM 2™



Sports Bar & Grill, London



Heathrow Airport (T3), London



BET365, Stoke (System 2 & System X)



The All England Lawn Tennis Club, Wimbledon

## The Professional's Choice for Audio Video Mounts and Supports

The System 2 range is a component based system designed for professional AV installations. For greater flexibility and convenience, components are supplied individually and can be used to create custom installations to suit almost any application. The range works on a modular principle utilising 50mm (2") diameter poles which can be mounted to the wall, ceiling, floor or to specialist structures such as joists or purlins. The range can also be used with B-Tech professional flat screen wall mounts as well as the new System X Range of video wall/menu board mounts to create one of the most versatile mounting systems in the world.



B-TECH AV MOUNTS™

# SYSTEM 2

## QUICK-START GUIDE FLAT SCREEN CEILING MOUNTS BASIC INSTALLATION

This quick start guide demonstrates the steps taken to create a basic flat screen ceiling installation using the System 2 range. Follow the listed steps to create the ideal bespoke installation for your mounting needs.

For more information or to see how the range can be used in alternative installations, please contact us at [info@btechavmounts.co.uk](mailto:info@btechavmounts.co.uk)

### STEP 1: CHOOSE A CEILING MOUNT

PRODUCT CODE	DESCRIPTION
<b>CEILING MOUNTS</b>	
BT7807	Heavy Duty Twin Pole Floor/Ceiling Mount
BT7808	Ceiling / Wall Mount with Tilt
BT7822 (Pictured)	Heavy Duty Floor/Ceiling Mount
BT7851*	Telescopic Ceiling Mount
<b>SPECIALIST MOUNTS</b>	
BT7012	Purlin Mount
BT7014	Joist Mount
BT7017	I-Beam (Girder) Mount
BT7803	Wall Mount
BT7825	Truss Clamp
BT7831	Wall Mounting Bracket

\*BT7851 Telescopic Ceiling Mount does not require an additional pole - go straight to step 3

### STEP 2: CHOOSE A Ø50MM POLE

PRODUCT CODE	LENGTH*
<b>POLES</b>	
BT7850-025	0.25m
BT7850-050	0.5m
BT7850-100 (Pictured)	1m
BT7850-150	1.5m
BT7850-200	2m
BT7850-300	3m

\*Pole Joiners can be used to extend poles, simply select additional pole to be joined after selecting a joiner below

PRODUCT CODE	DESCRIPTION
<b>JOINER</b>	
BT7823	Internal Pole Joiner
BT7824	External Pole Joiner



### STEP 3: CHOOSE A SCREEN MOUNT

PRODUCT CODE	DESCRIPTION	COLLARS REQ
<b>SCREEN MOUNTS</b>		
BT7510	Small Flat Screen Mount	1
BT7511 (Pictured)	Small Flat Screen Mount	1
BT7518	Small Flat Screen Mount	2
BT7521	Medium Flat Screen Mount	1
BT7522	Medium Flat Screen Mount	1
BT7523	Medium Flat Screen Mount	1
BT7524	Medium Flat Screen Mount	2
BT7532	Medium Flat Screen Mount	2
BT7551	Small Flat Screen Mount	0
BT7552	Small Back-to-Back Flat Screen Mount	0
BT8009*	Large Flat Screen Mount	2
BT8026*	Large Flat Screen Mount	0
BT8027*	Large Flat Screen Mount	0
BT8431-PRO	Large Flat Screen Mount	2 (BT7841 only)
BT8432-PRO	Large Flat Screen Mount	2 (BT7841 only)
BT9903	Heavy Duty Flat Screen Wall Mount	4 (Twin Pole Only)

\*Must be used with BT7507 or BT8500 flat screen interface kit

### STEP 4: CHOOSE A COLLAR (IF REQUIRED)

PRODUCT CODE	DESCRIPTION
<b>COLLARS</b>	
BT7051	Heavy Duty Accessory Collar
BT7052	Accessory Collar
BT7841 (Pictured)	2-Piece Accessory Collar

Please note some screen mounts do not require an accessory collar, please see Step 3 for collar requirements



# SYSTEM 2

## QUICK-START GUIDE PROJECTOR MOUNTS BASIC INSTALLATION

This quick start guide demonstrates the steps taken to create a basic projector ceiling mount using the System 2 range. Follow the listed steps to create the ideal bespoke installation for your mounting needs.

For more information or to see how the range can be used in alternative installations, please contact us at [info@btechavmounts.co.uk](mailto:info@btechavmounts.co.uk)

### STEP 1: CHOOSE A CEILING MOUNT

PRODUCT CODE	DESCRIPTION
<b>CEILING MOUNTS</b>	
BT7808	Ceiling / Wall Mount with Tilt
BT7822	Heavy Duty Floor/Ceiling Mount
BT7851* (Pictured)	Telescopic Ceiling Mount
<b>SPECIALIST MOUNTS</b>	
BT7012	Purlin Mount
BT7014	Joist Mount
BT7017	I-Beam (Girder) Mount
BT7803	Wall Mount
BT7825	Truss Clamp

\*BT7851 Telescopic Ceiling Mount does not require an additional pole - go straight to step 3

### STEP 2: CHOOSE A Ø50MM POLE

PRODUCT CODE	LENGTH*
<b>POLES</b>	
BT7850-025	0.25m
BT7850-050	0.5m
BT7850-100 (Pictured)	1m
BT7850-150	1.5m
BT7850-200	2m
BT7850-300	3m

\*Pole Joiners can be used to extend poles, simply select additional pole to be joined after selecting a Joiner below

PRODUCT CODE	DESCRIPTION
<b>JOINERS</b>	
BT7823	Internal Pole Joiner
BT7824	External Pole Joiner

STEP 1

STEP 2

STEP 3



### STEP 3: CHOOSE A PROJECTOR MOUNT

PRODUCT CODE	DESCRIPTION
<b>PROJECTOR MOUNTS</b>	
BT899	Projector Mount
BT8990-XL (Pictured)	Projector Mount
BT7819-888	Projector Mount



# SYSTEM 2

## QUICK-START GUIDE CCTV INSTALLATIONS INTERMEDIATE INSTALLATION

This quick start guide demonstrates the steps taken to create a CCTV installation using the System 2 range. Follow the listed steps to create the ideal bespoke installation for your mounting needs. Start with the basics and add additional devices such as screens or accessories as desired.

For more information or to see how the range can be used in alternative installations, please contact us at [info@btechavmounts.co.uk](mailto:info@btechavmounts.co.uk)



### STEP 1: CHOOSE A CEILING MOUNT

PRODUCT CODE	DESCRIPTION
<b>CEILING MOUNTS</b>	
BT7808 (Pictured)	Ceiling / Wall Mount with Tilt
BT7822	Heavy Duty Floor/Ceiling Mount
BT7851*	Telescopic Ceiling Mount
<b>SPECIALIST MOUNTS</b>	
BT7012	Purlin Mount
BT7014	Joist Mount
BT7017	I-Beam (Girder) Mount
BT7803	Wall Mount
BT7825	Truss Clamp

\*BT7851 Telescopic Ceiling Mount does not require an additional pole - go straight to step 3

### STEP 2: CHOOSE A Ø50MM POLE

PRODUCT CODE	LENGTH*
<b>POLES</b>	
BT7850-025	0.25m
BT7850-050	0.5m
BT7850-100 (Pictured)	1m
BT7850-150	1.5m
BT7850-200	2m
BT7850-300	3m

\*Pole Joiners can be used to extend poles, simply select additional pole to be joined after selecting a Joiner below

PRODUCT CODE	DESCRIPTION
<b>JOINER</b>	
BT7823	Internal Pole Joiner
BT7824	External Pole Joiner

### STEP 3: CHOOSE A CCTV MOUNT

PRODUCT CODE	DESCRIPTION
<b>CAMERA MOUNT</b>	
BT6010 (Pictured)	Security Dome Camera Mount

### STEP 4 (OPTIONAL): CHOOSE A SCREEN MOUNT

PRODUCT CODE	DESCRIPTION	COLLARS REQ
<b>SCREEN MOUNTS</b>		
BT7510	Small Flat Screen Mount	1
BT7511	Small Flat Screen Mount	1
BT7518	Small Flat Screen Mount	2
BT7521	Medium Flat Screen Mount	1
BT7522	Medium Flat Screen Mount	1
BT7523 (Pictured)	Medium Flat Screen Mount	1
BT7524	Medium Flat Screen Mount	2
BT7532	Medium Flat Screen Mount	2
BT8009*	Large Flat Screen Mount	2
BT8026*	Large Flat Screen Mount	0
BT8027*	Large Flat Screen Mount	0
BT8431-PRO	Large Flat Screen Mount	2 (BT7841 only)
BT8432-PRO	Large Flat Screen Mount	2 (BT7841 only)

\*Must be used with BT7507 or BT8500 flat screen interface kit

### STEP 5: CHOOSE A COLLAR\* (IF REQUIRED)

PRODUCT CODE	DESCRIPTION
<b>COLLARS</b>	
BT7051	Heavy Duty Accessory Collar
BT7052	Accessory Collar
BT7841 (Pictured)	2-Piece Accessory Collar

\*Please note some screen mounts require more than 1 accessory collar, please see Step 4 for collar requirements

# SYSTEM 2

## QUICK-START GUIDE FLOOR TO CEILING INSTALLATION ADVANCED INSTALLATION

This quick start guide demonstrates the steps taken to create an advanced floor-to-ceiling installation using the System 2 range. Customise your installation as desired with an almost endless amount of screens and accessories using our diverse range of System 2 compatible mounts.

For more information or to see how the range can be used in alternative installations, please contact us at [info@btechavmounts.co.uk](mailto:info@btechavmounts.co.uk)

### STEP 1: CHOOSE A CEILING MOUNT

PRODUCT CODE	DESCRIPTION
<b>CEILING MOUNTS</b>	
BT7807	Heavy Duty Twin Pole Floor/Ceiling Mount
BT7808	Ceiling / Wall Mount with Tilt
BT7822 (Pictured)	Heavy Duty Floor/Ceiling Mount
<b>SPECIALIST MOUNTS</b>	
BT7012	Purlin Mount
BT7014	Joist Mount
BT7017	I-Beam (Girder) Mount
BT7825	Truss Clamp
BT7831	Wall Mounting Bracket

### STEP 2: CHOOSE A Ø50MM POLE


PRODUCT CODE	LENGTH*
<b>POLES</b>	
BT7850-025	0.25m
BT7850-050	0.5m
BT7850-100	1m
BT7850-150	1.5m
BT7850-200	2m
BT7850-300 (Pictured)	3m

\*Pole Joiners can be used to extend poles, simply select additional pole to be joined after selecting a Joiner below

PRODUCT CODE	DESCRIPTION
<b>JOINER</b>	
BT7823	Internal Pole Joiner
BT7824	External Pole Joiner

### STEP 3: CHOOSE A FLOOR FIXING

PRODUCT CODE	DESCRIPTION
<b>FLOOR FIXING</b>	
BT7056 (Pictured)	Floor Fixing Kit
BT7807	Heavy Duty Twin Pole Floor/Ceiling Mount
BT7822	Heavy Duty Floor/Ceiling Mount



### STEP 4: CHOOSE A SCREEN MOUNT

PRODUCT CODE	DESCRIPTION	COLLARS REQ
<b>SCREEN MOUNTS</b>		
BT7510	Small Flat Screen Mount	1
BT7511 (Pictured)	Small Flat Screen Mount	1
BT7518	Small Flat Screen Mount	2
BT7521	Medium Flat Screen Mount	1
BT7522	Medium Flat Screen Mount	1
BT7523	Medium Flat Screen Mount	1
BT7524	Medium Flat Screen Mount	2
BT7532	Medium Flat Screen Mount	2
BT8009*	Large Flat Screen Mount	2
BT8026*	Large Flat Screen Mount	0
BT8027*	Large Flat Screen Mount	0
BT8431-PRO	Large Flat Screen Mount	2 (BT7841 only)
BT8432-PRO	Large Flat Screen Mount	2 (BT7841 only)
BT9903	Heavy Duty Flat Screen Wall Mount	4 (Twin Pole Only)

\*Must be used with BT7507 or BT8500 flat screen interface kit

### STEP 5 & STEP 7: CHOOSE COLLARS\* (IF REQUIRED)

PRODUCT CODE	DESCRIPTION
<b>COLLARS</b>	
BT7051	Heavy Duty Accessory Collar
BT7052	Accessory Collar
BT7841 (Pictured)	2-Piece Accessory Collar

\*Please note some mounts and accessories require more than 1 accessory collar, please see Step 4 and 6 for collar requirements

### STEP 6 (OPTIONAL): CHOOSE ACCESSORIES

PRODUCT CODE	DESCRIPTION	COLLARS REQ
<b>SHELVES &amp; ACCESSORIES</b>		
BT7030	Small MDF Component Shelf	1
BT7032 (Pictured)	AV Shelf	1 or 2*
BT7036	MDF Projector Shelf	1
BT7037	Small Component Shelf	1
BT7038	Large Component Shelf	1
BT7172	Small Glass AV Shelf	1
BT7173	Medium Glass AV Shelf	1
BT7174	Large Glass AV Shelf	1 or 2*
BT7860 (Pictured)	Apple® TV Mount	1
BT7863 (Pictured)	VC Camera Shelf	1
BT7864	Twin Pole VC Camera Shelf	2
BT7865 (Pictured)	Keyboard and Mouse Shelf	2

\*BT7032 / BT7174 can be mounted on single or twin poles

# SYSTEM 2

## QUICK-START GUIDE TWIN POLE FLOOR-TO-CEILING VIDEO WALL INSTALLATION ADVANCED INSTALLATION

This quick start guide demonstrates how the System 2 Range can be used in advanced configurations, using multiple poles and adaptors to create complex structures capable of supporting large installations such as video walls.

For more information or to see how the range can be used in alternative installations, please contact us at [info@btechavmounts.co.uk](mailto:info@btechavmounts.co.uk)

### STEP 1: CHOOSE A CEILING MOUNT

PRODUCT CODE	DESCRIPTION
<b>CEILING MOUNTS</b>	
BT7822	Heavy Duty Floor/Ceiling Mount
BT7807 (Pictured)	Heavy Duty Twin Pole Floor/Ceiling Mount
BT7808	Ceiling / Wall Mount with Tilt
<b>SPECIALIST MOUNTS</b>	
BT7012	Purlin Mount
BT7014	Joist Mount
BT7017	I-Beam (Girder) Mount
BT7825	Truss Clamp
BT7831	Wall Mounting Bracket

### STEP 2 & STEP 6: CHOOSE A Ø50MM POLE

PRODUCT CODE	LENGTH*
<b>POLES</b>	
BT7850-025	0.25m
BT7850-050	0.5m
BT7850-100	1m
BT7850-150	1.5m
BT7850-200	2m
BT7850-300 (Pictured)	3m

\*Pole Joiners can be used to extend poles, simply select additional pole to be joined after selecting a Joiner below

PRODUCT CODE	DESCRIPTION
<b>JOINER</b>	
BT7823	Internal Pole Joiner
BT7824	External Pole Joiner

### STEP 3: CHOOSE A FLOOR FIXING

PRODUCT CODE	DESCRIPTION
<b>FLOOR FIXING</b>	
BT7056	Floor Fixing Kit
BT7807 (Pictured)	Heavy Duty Twin Pole Floor/Ceiling Mount
BT7822	Heavy Duty Floor/Ceiling Mount



### STEP 4: CHOOSE A POLE ADAPTOR

PRODUCT CODE	DESCRIPTION	COLLARS REQ
<b>HORIZONTAL TO VERTICAL POLE ADAPTOR</b>		
BT7025 (Pictured)	Horizontal Pole Adaptor	2 (per pole)

### STEP 5 & STEP 8: CHOOSE COLLARS\*

PRODUCT CODE	DESCRIPTION
<b>COLLARS</b>	
BT7051 (Pictured)	Heavy Duty Accessory Collar
BT7052	Accessory Collar
BT7841 (Pictured)	2-Piece Accessory Collar

\*Please note the mounts pictured require more than 1 accessory collar, please see **Step 7** for collar requirements

### STEP 7: CHOOSE A MOUNT

PRODUCT CODE	DESCRIPTION	COLLARS REQ
<b>SCREEN MOUNTS</b>		
BT8310	Pop-In, Pop-Out Video Wall Mount	2 per pole
BT8311	Professional Video Wall Mount	2 per pole
BT9903	Heavy Duty Flat Screen Wall Mount	4 (2 per pole)

## SYSTEM 2 POLE MOUNTING RANGE

The System 2 range is a component based system designed for professional AV installations. For greater flexibility and convenience, components are supplied individually and can be used to create custom installations to suit almost any application. The range works on a modular principle utilising 50mm (2") diameter poles which can be mounted to the wall, ceiling, floor or to specialist structures such as joists or purlins. Any number of AV mounts and accessories can then be added using B-Tech accessory collars.

### CEILING MOUNTS



BT7851

BT7822

BT7807

BT7808

### SPECIALIST POLE MOUNTS



BT7803

BT7831

BT7012

BT7014

BT7825

BT7017

### LARGE FLAT SCREEN MOUNTS



BT8009 (Use with BT8026 or BT8027 for back-to-back screen mounting)

BT8026

BT8027

### FLAT SCREEN INTERFACES

### SCREEN INTERFACES

### Ø50MM POLES

#### STANDARD

BT7850 - 025 - (0.25m)  
BT7850 - 050 - (0.5m)  
BT7850 - 100 - (1m)  
BT7850 - 150 - (1.5m)  
BT7850 - 200 - (2m)  
BT7850 - 300 - (3m)

#### HEAVY DUTY

BT7853 - 200 - (2m)  
BT7853 - 300 - (3m)  
*\*Only available in Black*

### FINISHING RING



BT7055

### COLLARS

### SMALL / MEDIUM FLAT SCREEN MOUNTS



BT7510

BT7511

BT7521

BT7522



BT7507



BT8500

**VIDEO WALL MOUNTS**



BT8310



BT8311



BT7551



BT7552



B-Tech offer a cut to length service



BT7052

BT7051

BT7841

**COLLAR KIT**



BT8390-CFK



BT7524

BT7523



BT7518

BT7532

**FLOOR FIXINGS**



BT7056



BT7822



BT7807

**ADAPTORS**



BT7540



BT7542



BT7502

**POLE JOINERS**



BT7823



BT7824

**ACCESSORY COLLARS**



BT7052

BT7051

BT7841

**HORIZONTAL POLE ADAPTOR**



BT7025

**TWIN POLE ADAPTOR**



BT7862

**PROJECTOR & SECURITY CAMERA MOUNTS**



BT7819-888



BT7899 / BT899-XL



BT6010

**ACCESSORY COLLARS**



BT7841

**LARGE FLAT SCREEN MOUNTS**



BT8431-PRO



BT8432-PRO

**GLASS ACCESSORY SHELVES**



BT7172



BT7173



BT7174

**ACCESSORY SHELF**



BT7032



BT7864

**ACCESSORY MOUNTS AND SHELVES**



BT7860 & BT7880



BT7865



BT7863

**POLES**



- BT7850 - 0.25 - (0.25m)
- BT7850 - 0.50 - (0.5m)
- BT7850 - 1.00 - (1m)
- BT7850 - 1.50 - (1.5m)
- BT7850 - 2.00 - (2m)
- BT7850 - 3.00 - (3m)
- BT7853 - 3.00 - (3m)

## BT7822

### Fixed

#### Heavy Duty Ceiling Mount for Ø50mm Poles

- Can be used to mount poles to the ceiling or to the floor
- Heavy Duty steel capable of supporting substantial loads
- Cover plate included for smart installation
- Includes grub screws which allow micro-adjustment of pole angle
- Supplied with safety bolt for a secure install
- Ceiling plate diameter: 150mm
- Ceiling drop: 141mm
- Pole sold separately



\*max load can be increased when being used as part of a floor to ceiling installation  
Registered Design Number: 002741256-0010

## BT7807

### Fixed Twin

#### Heavy Duty Twin Ceiling Mount for Ø50mm Poles

- Can be used to mount poles to the ceiling or to the floor
- Heavy Duty steel capable of supporting substantial loads
- Includes grub screws which allow micro-adjustment of pole angle
- Speeds up twin pole installations by eliminating need to measure distance between pole centres
- Supplied with safety bolt for a secure install
- Plate dimensions: 426mm x 150mm
- Elavation / ceiling drop: 141mm
- Poles sold separately



\*max load can be increased when being used as part of a floor to ceiling installation  
Registered Design Number: 002741256-0008

## BT7808

### Tilt

#### Heavy Duty Ceiling Mount with Tilt for Ø50mm Poles

- Ideal solution to pole mount screens and projectors to flat or angled ceilings
- Allows poles to be mounted on to walls in landscape or portrait configurations
- Supplied with safety bolt for a secure install
- +/-90° Tilt of pole for angled ceilings
- Max Load: 140kg
- Pole sold separately



Registered Design Number: 002741256-0009

## BT7851

### Adjustable Drop

#### Telescopic Ceiling Mount For Ø50mm Poles

- Ceiling drop: 600mm - 1000mm in 25mm increments
- Ceiling plate diameter: 150mm
- Cover plate included for smart installation
- Cable management
- Longer drop available using BT7823 Pole Joiner and any BT7850-Pole



Registered Design Number: 403650

## BT7803

### Wall Arm with Swivel

#### Wall Arm for Ø50mm Poles

- Single arm for 180° swivel
- Cover plate included for smart installation
- Supplied with safety bolt for secure installation
- Arm length: 535mm
- Pole sold separately



Registered Design Number: 002741256-0012

## BT7831

### Wall Mounting

#### Wall Mounting Bracket for Ø50mm Poles

- Allows poles to be mounted vertically on to walls
- Ideal for use with B-Tech ceiling / floor mounts to create ceiling-to-wall or floor-to-wall installations
- Heavy duty steel capable of supporting substantial loads
- Supplied with safety bolt for secure installation



Registered Design Number: 002741256-0012

## BT7012

### Purlin Mount

#### Purlin Mount for Ø50mm Poles

- Adjustable purlin mount for use with Ø50mm poles
- Cable management
- Supplied with safety bolt for secure installation
- Locking bolt included to securely set the pole vertical at any angle up to 45°
- Fits C-Section and Z-Section purlins with a minimum height of 95mm
- Can also be mounted to beams and girders
- Pole sold separately



## BT7017

### I-Beam (Girder) Mount

#### I-Beam Girder Mount for Ø50mm Poles

- Adjustable I-Beam (girder) mount for use with Ø50mm poles
- Cable management
- Supplied with safety bolt for secure installation
- Locking bolt included to securely set the pole vertical at any angle up to 36°
- Fits I-Beams and thick steel from 80mm - 250mm in width
- Pole sold separately



## BT7014

### Joist Mount

#### Joist Mount for Ø50mm Poles

- Designed to be mounted to the side / underside of a beam / joist
- Supplied with safety bolt for secure installation
- Can be bolted through a joist using supplied back plates
- Screws / bolts not included
- Pole sold separately



## BT7825

### Truss Clamp

#### Truss Mount for Ø50mm Poles

- Adjustable adaptor for attaching Ø50mm poles to truss systems, scaffolding and other horizontal poles
- Integrated Cable management
- Supplied with safety bolt and grub screws for secure installation
- Fits truss size from 42mm - 50mm
- Zinc plated clamp
- Pole sold separately

UPDATED  
PRODUCT



Single Screen Back-to-back Installs

## Floor Mounts for Ø50mm Poles

## BT7056

#### Floor Fixing Kit for Ø50mm Poles

- Allows poles to be bolted to the floor
- Can be retro-fitted



## BT7822

#### Heavy Duty Floor Mount for Ø50mm Poles

- Can be used to mount poles to the ceiling or to the floor
- See page 92 for full specifications



NOW IN  
CHROME

## BT7807

#### Heavy Duty Twin Floor Mount for Ø50mm Poles

- Can be used to mount poles to the ceiling or to the floor
- See page 92 for full specifications



## BT7850

### 50mm Diameter Poles



#### Ø50mm Pole

- Can be cut to length if required
- Poles are internally unobstructed for cables to pass through easily
- Features safety bolt holes at top and bottom for secure installation
- Poles can be linked together using BT7823 or BT7824 Joiners
- Includes BT7057 pole ring
- Available in Black, Silver or Chrome  
*\*3m length is not available in Silver*

**Lengths Available:**  
**BT7850-025 - (0.25m)**  
**BT7850-050 - (0.5m)**  
**BT7850-100 - (1m)**  
**BT7850-150 - (1.5m)**  
**BT7850-200 - (2m)**  
**BT7850-300 - (3m)**



## BT7853

### 50mm Diameter Poles



#### Heavy Duty Ø50mm Pole

- 3.2mm thick steel to support heavier loads
- Can be cut to length if required
- Poles are internally unobstructed for cables to pass through easily
- Features safety bolt holes at top and bottom for secure installation
- Poles can be linked together using BT7824 External Pole Joiner
- Includes BT7057 pole ring
- Available in Black

**Lengths Available:**  
**BT7853-200 - (2m)**  
**BT7853-300 - (3m)**



## BT7823

### Pole Joiners



#### Internal Pole Joiner for Ø50mm Poles

- Allows a rigid join of 2x Ø50mm poles
- Heavy duty steel supports substantial loads with minimal movement
- Hidden from view once installed for a seamless pole join
- Allows cables to pass through the poles and joiner
- One-piece design for a quick install
- Poles sold separately



## BT7824

### Pole Joiners



#### External Pole Joiner for Ø50mm Poles

- Allows a rigid join of 2x Ø50mm poles
- Heavy duty steel supports substantial loads with minimal movement
- Allows cables to pass through the poles and joiner
- Allows cable access mid-pole
- Supplied with safety bolts for secure install
- Includes grub screws which allow micro-adjustment of pole angle
- Poles sold separately



## Optional Extras

### BT7055

#### Ceiling Finishing Ring for Ø50mm Poles

- Escutcheon ring designed to improve the look of a ceiling mounted pole
- Can be retro-fitted onto poles, using split design for easier installation
- Ideal for use with suspended ceilings
- Pole sold separately



Registered Design Number: 002741256-0005

### BT7057

#### End Ring for Ø50mm Poles

- Creates a neat appearance at either end of BT7850 Ø50mm Poles
- Protects cables against the rough edge of hand sawn poles
- Can not be used in conjunction with BT7853 Heavy Duty Poles



### BT7052

#### Collar

#### Ø50mm Accessory Collar

- Accessory collar for use with Ø50mm poles
- Choice of 3 colours: Black, Silver or Chrome cover plate



Registered Design Number: 4003652

### BT7051

#### Heavy Duty Collar

#### Ø50mm Heavy Duty Accessory Collar

- Heavy duty accessory collar for use with Ø50mm poles
- Double attachment
- Choice of 3 colours: Black, Silver or Chrome cover plate



Registered Design Number: 4010370

### BT7841

#### 2-Piece Collar

#### Ø50mm Accessory Collar

- Accessory collar for use with Ø50mm poles
- Can be retro fitted to existing installations
- Split design allows collar to clamp tightly to poles without marking them
- Includes safety grub screws for use with existing holes in the pole




Registered Design Number: 002741256-0013

### BT7025

#### Horizontal Collar Adaptor

#### Collar Adaptor for Horizontal Poles

- Allows poles to be mounted horizontally across fixed vertical poles
- \*Collars available separately



140kg


Visit [www.btechavmounts.com/BT7025](http://www.btechavmounts.com/BT7025) for more configurations

### BT7862

#### Twin Pole Adaptor

#### Accessory Adaptor for Twin Pole Floor Stands

- Designed to mount AV accessories such as shelves centrally between 2 poles
- Ideal for use with B-Tech trolleys
- Max load 40kg
- Compatible with single and double attachment collars (sold separately)
- Compatible with Ø50mm and Ø60mm collars



40kg

x2

Ø50mm

\*Poles and collars sold separately

### BT7863

#### VC Shelf

#### VC Camera Shelf

- Designed to mount video conferencing cameras to poles
- Fits most VC cameras with 1/4 inch thread
- Features 100x100mm fixing points
- Ideal for Radvision® XT5000 Codec
- Max load 4kg



4kg

x2

Ø50mm

### BT7864

#### Twin Pole VC Shelf

#### VC Camera Shelf for Twin Pole Floor Stands

- Designed to mount a video conferencing camera centrally between 2 poles
- Ideal for use with B-Tech trolleys
- Max load 4kg
- Compatible with single and double attachment collars (sold separately)
- Compatible with Ø50mm and Ø60mm collars



4kg

x2

Ø50mm

\*Poles and collars sold separately

### BT7865

#### Computer Peripheral Shelf

#### Keyboard and Mouse Shelf for Pole Mounting

- Designed to mount a keyboard and mouse to a single or double pole
- Fixed tilt angle of 10°
- Max keyboard size: **W:** 465mm x **D:** 175mm
- Usable space for mouse: 230 x 255mm
- Compatible with single collars



x2

Ø50mm

\*Poles and collars sold separately

## BT899

## Heavy Duty Projector Mount



### Pole Mounted with Micro-Adjustment

- Designed for projectors up to 25kg
- Compatible with the B-Tech System 2™ Professional Range and NPT pipe systems
- Features +/-13° tilt, +/-6° roll and 360° swivel
- Maximum distance between any two fixing points: 370mm
- Pole sold separately



Registered Design Number: 001713306-0004

## BT899-XL

## Extra-Large Projector Mount



### Extra-Large Pole Mounted Projector Ceiling Mount with Micro-Adjustment

- Same as BT899 but features increased maximum fixing dimensions
- Maximum distance between any two fixing points: 493mm
- Pole sold separately



Registered Design Number: 001713306-0004

## BT7819-888

## Pole Mounted



### Quick Release Universal Projector Mount

- Universal mount to fit projectors up to 10kg
- Unique carousel mount for simple installation with all mounting hardware included
- Maximum distance between any 2 fixing points: 340mm
- Distance from top of collar to projector: 195mm
- Maximum tilt and swivel at ball joint bracket: 37° in any direction



## BT6010

## Security Camera Mount



### Security Dome Camera Mount

- Designed for use with CCTV cameras
- Distance between any 2 fixing points on CCTV camera:  
**Min:** 63.5mm  
**Max:** 103.5mm including VESA® 75 x 75mm
- Unique carousel mount for simple installation with all mounting hardware included
- Maximum weight 25kg
- Available in Zinc finish



## BT8026

### Fixed Pole Mount




#### Large Flat Screen Ø50mm Pole Mount

- 2 x 2-Piece split collars included
- Mounts screen in landscape or portrait style
- Supplied with safety bolt for secure installation
- Simple 'hook-on' installation
- Use with BT8009 for back-to-back screen installations
- Can be used with both vertical and horizontal poles
- Ceiling mounts, pole and flat screen
- Must be used with flat screen interface kit (BT7507 / BT8500)



## BT7507

### VESA® Screen Interface



#### VESA® Flat Screen Interface Kit

- Suitable for screens up to 70kg
- Fits 75 x 75, 100 x 100, 200 x 100 and 200 x 200mm VESA® mounting patterns
- Suitable for screens using M4, M5, M6 and M8 fixings
- Can be fitted to mount in either landscape or portrait style
- Must be used with a professional screen mounting solution (BT8009 / BT8026 / BT8027)



## BT8027

### Tilt Pole Mount




#### Large Flat Screen Ø50mm Pole Mount with Tilt

- 2 x 2-Piece split collars included
- Tilts up to +20° with fixed positions of 0°, 15° and 20°
- Mounts screen in landscape or portrait style
- Use with BT8009 for back-to-back screen installations (only one screen will tilt)
- Can be used with both vertical and horizontal poles
- Ceiling mounts, pole and flat screen interface sold separately
- Must be used with flat screen interface kit (BT7507 / BT8500)



## BT8500

### Universal Screen Interface



#### Universal Flat Screen Interface Kit


- Suitable for screens up to 70kg
- Maximum distance between fixings: H: 755mm x V: 410mm
- Fits all VESA® fixings up to 600 x 400mm
- Can be fitted to mount in either landscape or portrait style
- Must use with a professional screen mounting solution (BT8009 / BT8026 / BT8027)



## BT8009

### Low Profile

#### Flat Screen Mounting Plate



- Suitable for concrete / brick or stud walls up to 12" (30cm)
- Mounts screen only 22mm from wall when a BT7507 interface kit is used and 41mm when a BT8500 is used
- Compatible with BT8026, BT8027 for back-to-back screen mounting
- Fixes to non B-Tech trolley / floor stands (with pole centres 62.5mm - 157.5mm or 204mm - 299mm using accessory collars)
- Fits industry standard 150 x 150mm fixing points
- Collars not included
- Must be used with flat screen interface kit (BT7507 / BT8500)



## BT7861

### Adaptor Plate



#### Adaptor Plate for 150 x 150mm fixings

- Designed to attach BT7532 (see page 52) to 150 x 150mm interfaces
- Max load 40kg
- Compatible with Ø50mm and Ø60mm collars (available separately)



## BT7551

### Flat Screen Mount - Single

UPDATED PRODUCT



#### Single Flat Screen Mount for Ø50mm Poles

- Suitable for screens using VESA® fixings 75 x 75mm and 100 x 100mm
- Maximum load: 23kg
- -15° / +90° tilt adjustment and 360° swivel
- 360° screen rotation
- Mounts screens to Ø50mm poles\*
- Mounts screens from the ceiling, floor or desktop
- Supplied with safety bolt and grub screws



## BT7552

### Flat Screen Mount - Double

UPDATED PRODUCT



#### Back-to-back Flat Screen Mount for Ø50mm Poles

- Suitable for screens using VESA® fixings 75 x 75mm and 100 x 100mm
- Maximum load: 23kg
- -15° / +45° tilt adjustment and 360° swivel
- 360° screen rotation
- Mounts screens to Ø50mm poles\*
- Mounts screens from the ceiling, floor or desktop
- Supplied with safety bolt and grub screws



Per Screen

BT897

NEW  
PRODUCT

Standard Pitch

IDEAL FOR  
PROJECTION  
MAPPING



## Stackable Heavy Duty Projector Mount with Pull-Out Service Tray

- Designed to mount projectors up to 75kg in a stack
- Tilt Adjustment: 4.5°
- Yaw Adjustment: 2.5°
- Roll Adjustment: 4.5°
- **Ideal for projection mapping**
- Modular design allows mounts to be stacked up to 4 high
- Projector tray slides out to allow easy access to the projector for servicing and adjustment\*
- Projector can be quickly connected or disconnected for offsite servicing if required\*\*
- Tool-less micro adjustment
- Must be fixed to the floor
- Quick and easy assembly
- Integrated cable management
- Open design gives suitable ventilation for projectors
- Designed for indoor or outdoor use\*\*\*



\* Only one projector can be in the service position at one time

\*\* Tilt, pitch and yaw positions will be maintained while projector is disconnected, eliminating the need to re-calibrate micro-adjustments after servicing

\*\*\* For outdoor use the projector **must** be protected in a sheltered environment



Integrated Cable Management



Slide out tray allows quick and easy servicing without any disassembly



Features pitch, yaw and roll micro-adjustment for perfectly positioned projection



Can be used in conjunction with the BT898 Stackable Projector Mount (top tier)

BT898

NEW  
PRODUCT

Enhanced Pitch

IDEAL FOR  
PROJECTION  
MAPPING



## Enhanced Pitch, Stackable Heavy Duty Projector Mount with and Pull-Out Service Tray


- Designed to mount projectors up to 75kg in a stack
- Tilt Adjustment: 30° (in 5° increments)
- Yaw Adjustment: 2.5°
- Roll Adjustment: 4.5°
- **Ideal for projection mapping**
- Modular design allows mounts to be stacked up to 4 high
- Projector tray slides out to allow easy access to the projector for servicing and adjustment\*\*
- Projector can be quickly connected or disconnected for offsite servicing if required\*\*
- Tool-less micro adjustment
- Must be fixed to the floor
- Quick and easy assembly
- Integrated cable management
- Open design gives suitable ventilation for projectors
- Designed for indoor or outdoor use\*\*\*



\* Only one projector can be in the service position at one time

\*\* Tilt, pitch and yaw positions will be maintained while projector is disconnected, eliminating the need to re-calibrate micro-adjustments after servicing

\*\*\* For outdoor use the projector **must** be protected in a sheltered environment



Integrated Cable Management



Slide out tray allows quick and easy servicing without any disassembly



Features pitch, yaw and roll micro-adjustment for perfectly level projection



Can be used in conjunction with the BT897 Stackable Projector Mount (Bottom & Middle)

# LED MOUNTING SOLUTIONS

B-Tech can now provide bespoke solutions to support LED display panels and can be ordered to your specific requirements for any type of panel being used. A lightweight aluminium frame is easy to install and fixes to heavy duty steel bases which can be positioned backwards if desired - so they are hidden from sight when viewing the screens.



## BT8355

BT8355 is a made to order, freestanding LED Panel Mounting Solution which features a lightweight, aluminium frame that allows LED panels to be bolted onto with ease. It is also available with optional covers to give a tidy finish to the install.



### NEED A SOLUTION?

For more information on LED mounting solutions, contact us at: [info@btechavmounts.co.uk](mailto:info@btechavmounts.co.uk) or talk to your local *Area Sales Manager*.



**NEW PRODUCT**

B-Tech offer an extensive range of products available off-the-shelf. However, if you can't find what you are looking for please contact our sales team to discuss your requirements. If we don't have an off-the-shelf solution which meets your needs, our team of engineers combined with excellent manufacturing facilities enables us to provide bespoke mounting solutions for virtually any application.

This service enables you to specify a custom requirement that isn't catered for by our standard or component ranges. Our highly skilled team of engineers in the UK will design and manufacture a bespoke solution to meet your exact requirements. Working with some of the latest design software and manufacturing technologies allows us to develop and manufacture short run lines and bespoke products in a timely fashion.

If you have a requirement for a product which is not featured in the B-Tech range, please contact us to discuss your requirement.

## The bespoke service process

### 1. Design

Contact us with details of the project. One of B-Tech's technical team will then contact you to discuss your requirements further, and develop a brief.

A dedicated B-Tech engineer will be appointed to develop your concept, and drawings will be sent to you for approval. When the solution design has been agreed, an estimated cost and delivery schedule will be supplied.

B-Tech aim to complete the initial design process within 7 days, depending on the complexity of the requirement.

### 2. Development (Project Dependent)

Initial 3D printed prototypes followed by working samples are extensively assessed and tested, to ensure they meet the required parameters of the project.

Once the design has been approved in writing, a prototype can be manufactured (if required). This working prototype will be sent to you for testing. Any amendments can be made based on your feedback and production drawings finalised.

### 3. Production and Delivery


A final quotation is submitted and delivery information provided. Once agreed, production will begin, with all stages of manufacturing overseen by your dedicated engineer.

Your product is then packaged to your specification and shipped to your preferred location. Production and delivery times can vary; we will keep you updated at all stages of the process.

Initial consultation and product development is free of charge, with no obligation to purchase\*.

\* Please ask for details.

A key advantage when using B-Tech Audio Video Mounts for bespoke manufacturing projects are the options provided by B-Tech's established global manufacturing network. Urgent and short run projects can be manufactured in the UK at highly competitive rates. Off-shore manufacturing enables B-Tech to offer even better pricing and our service will still include delivery from our UK warehouse as normal if so desired. FOB sourcing of both standard and bespoke products is also available on request.



In-house, 3D printed prototypes are an important (and convenient) part of the design process.

## BT7867

## Digital Signage Cradle



### Digital Signage Box Cradle

- Cradle designed to mount a digital signage player to a BT7522, BT8431 and BT8432
- Max load 1kg
- Open design for greater airflow to keep the player cool
- Security screws help prevent unauthorised removal of the player
- Made to order based on the dimensions of your device, please ask for details



## BT7860

## Apple TV® Mount



Apple TV not included

### Apple TV® Mount

- Designed to mount a 2nd or 3rd Generation Apple TV player to a wall or to a pole
- Features +/-90° tilt and 75° swivel
- Open design for greater airflow to keep the device cool
- Features security locking bar and screws to help prevent unauthorised removal of the device
- Compatible with single collars (*sold separately*)



\*TM and ©2016 Apple Inc. All rights reserved.

## BT7880

## Apple TV® Mount

NEW  
PRODUCT



Apple TV not included

### Apple TV® Mount

- Designed to mount a 4th Generation Apple TV player to a wall or to a pole
- Features +/-90° tilt and 75° swivel
- Open design for greater airflow to keep the device cool
- Features security locking bar and screws to help prevent unauthorised removal of the device
- Compatible with single collars (*sold separately*)



\*TM and ©2016 Apple Inc. All rights reserved.

### BTXLR39

### HDMI Cable



#### Premium High Speed HDMI® Cable with Ethernet\*

- Designed for the latest generation of LED, LCD, Plasma and 3D screens
  - Ideal for connecting your DVD, Blu-ray®, games console or satellite / set-top box to your TV
  - Capable of transferring full high definition 1080p signals
  - Supports 4K x 2K resolution HDTVs (maximum compliance resolution: 4096 x 2160p @ 24Hz)
  - High speed cable 14.93Gbps (Gigabits per second) / 340MHz transfer rate
  - High grade Oxygen Free Copper conductors (minimum 26AWG), for minimum signal loss
  - Audio Return Channel, Deep Colour and x.v. Colour support
  - HDMI® Ethernet Channel allows shared internet connection with multiple devices\*
  - 24K Gold Plated locking connectors for superior performance and optimum data transfer
  - RFi and EMI noise reducing Clip-on ferrites allow for free placement along the cable - ideal for flat screens mounted close to the wall
  - Individually shielded and fully screened to eliminate RF and EM interference
- \*Ethernet support on 1m, 2m, 3m and 5 metre cables



Clip-on ferrites included for a purer signal



High density nylon braiding for cable protection



High quality FPE insulator for superior signal transfer



The BTXLR39 is available in 5 different lengths...


BTXLR39-010 / BTXLR39-020 / BTXLR39-030 / BTXLR39-050 / BTXLR39-100  
1 metre cable / 2 metre cable / 3 metre cable / 5 metre cable / 10 metre cable



Ventry HDMI Cables also available - See Page 112



## DIAMOND STYLUS RECORD PLAYER STYLI



B-Tech offer a huge range of replacement Record Player Styli to cater for the requirements of vinyl enthusiasts and audiophiles.

For more information about our range of Styli please contact your local B-Tech sales representative.

# VENTRY CONSUMER RANGE



Ventry consumer range now includes our range of Speaker mounts and Control Boxes

## PRODUCTS IDEAL FOR THE CONSUMER MARKET



**1 FLAT SCREEN MOUNTS**  
PAGES: 105 - 107



**2 PREMIUM AV FURNITURE**  
PAGES: 108



**3 SPEAKER MOUNTS**  
PAGES: 110 - 111



**4 CABLES & AV CONTROLS**  
PAGES: 112 - 113

## BTV110

### Fixed - Small

#### Ultra-Slim Flat Screen Wall Mount



- Designed for screens up to 23" (58cm) / 20kg
- Fits screens with VESA® mounting patterns: 75 x 75 and 100 x 100mm
- Low profile design mounts screen only 15mm from wall



Registered Design Number: 566831-0001

## BTV113

### Single Arm - Small

#### Single Arm Flat Screen Wall Mount with Tilt and Swivel

UPDATED  
PRODUCT



- Designed for screens up to 23" (58cm) / 15kg
- Fits screens with VESA® mounting patterns: 75 x 75 and 100 x 100mm
- Features +/-15° tilt and 180° swivel
- 360° screen rotation
- Distance from wall: 77 - 240mm
- Integrated spirit level for easy wall plate levelling during installation
- Integrated cable management
- Simple 'hook-on' installation



## BTV112

### Tilt and Swivel - Small

#### Flat Screen Wall Mount with Tilt and Swivel

UPDATED  
PRODUCT



- Designed for screens up to 23" (58cm) / 15kg
- Fits screens with VESA® mounting patterns: 75 x 75 and 100 x 100mm
- Features +/-15° tilt and 180° swivel
- 360° screen rotation
- Distance from wall: 95mm
- Integrated spirit level for easy wall plate levelling during installation
- Integrated cable management
- Simple 'hook-on' installation



## BTV114

### Double Arm - Small

#### Double Arm Flat Screen Wall Mount with Tilt and Swivel

UPDATED  
PRODUCT



- Designed for screens up to 23" (58cm) / 15kg
- Fits screens with VESA® mounting patterns: 75 x 75 and 100 x 100mm
- Features +/-15° tilt and 180° swivel
- 360° screen rotation
- Distance from wall: 77 - 385mm
- Integrated spirit level for easy wall plate levelling during installation
- Integrated cable management
- Simple 'hook-on' installation



## BTV500

### Fixed - Medium

#### Universal Flat Screen Wall Mount



- Designed for screens up to 42" (107cm) / 40kg
- Fits screens with mounting patterns up to: **H:** 225mm x **V:** 200mm including screens using VESA® fixings up to 200 x 200mm
- Low profile design mounts screen only 20mm from wall
- Security locking bar to prevent unauthorised screen removal



Registered Design Number: 001713280-0020

## BTV501

### Tilt - Medium

#### Universal Flat Screen Wall Mount with Tilt



- Designed for screens up to 42" (107cm) / 40kg
- Fits screens with mounting patterns up to: **H:** 225mm x **V:** 200mm including screens using VESA® fixings up to 200 x 200mm
- 5 fixed tilt positions up to +15°
- Mounts screen only 44mm from wall
- Security locking bar to prevent unauthorised screen removal



Registered Design Number: 001713280-0022

## BTV503

### Single Arm - Medium

#### Single Arm Flat Screen Wall Mount with Tilt and Swivel



- Designed for screens up to 42" (107cm) / 25kg
- Fits screens with VESA® mounting patterns: 75 x 75 to 200 x 200mm
- Features +/-15° tilt and 180° swivel
- 360° screen rotation
- Distance from wall: 79 - 240mm
- Integrated spirit level for easy wall plate levelling during installation
- Integrated cable management
- Simple 'hook-on' installation



## BTV502

### Tilt and Swivel - Medium

#### Flat Screen Wall Mount with Tilt and Swivel



- Designed for screens up to 42" (107cm) / 25kg
- Fits screens with VESA® mounting patterns: 75 x 75 to 200 x 200mm
- Features +/-15° tilt and 180° swivel
- 360° screen rotation
- Distance from wall: 95mm
- Integrated spirit level for easy wall plate levelling during installation
- Integrated cable management
- Simple 'hook-on' installation



## BTV504



#### Double Arm Flat Screen Wall Mount with Tilt and Swivel

- Designed for screens up to 42" (107cm) / 25kg
- Fits screens with VESA® mounting patterns: 75 x 75 to 200 x 200mm
- Features +/-15° tilt and 180° swivel
- 360° screen rotation
- Distance from wall: **Min:** 79mm - **Max:** 385mm
- Integrated spirit level for easy wall plate levelling during installation
- Integrated cable management
- Simple 'hook-on' installation



### Double Arm - Medium

## Ventry Screen Mount Features

Ventry  
range



Built in Spirit Level for easy levelling when mounting on the BTV112, BTV113, BTV114, BTV502, BTV503, BTV504 and BTV514



Integrated cable management for a tidy installation on the BTV112, BTV113, BTV114, BTV502, BTV503, BTV504 and BTV514

### BTV510

#### Fixed - Large

##### Universal Flat Screen Wall Mount

- Designed for screens up to 55" (140cm) / 50kg
- Fits screens with mounting patterns up to: **H:** 425mm x **V:** 400mm including screens using VESA® fixings up to 400 x 400mm
- Low profile design mounts screen only 20mm from wall
- Security locking bar to prevent unauthorised screen removal



Registered Design Number: 001713280-0021

### BTV511

#### Tilt - Large

##### Universal Flat Screen Wall Mount with Tilt

- Designed for screens up to 55" (140cm) / 50kg
- Fits screens with mounting patterns up to: **H:** 430mm x **V:** 400mm including screens using VESA® fixings up to 400 x 400mm
- 5 fixed tilt positions up to +15°
- Mounts screen only 44mm from wall
- Security locking bar to prevent unauthorised screen removal



Registered Design Number: 001713280-0023

### BTV520

#### Fixed - X-Large

##### Universal Flat Screen Wall Mount

- Designed for screens up to 65" (165cm) / 70kg
- Fits screens with mounting patterns up to: **H:** 825mm x **V:** 500mm including screens using VESA® fixings up to 800 x 500mm
- Low profile design mounts screen only 20mm from wall
- Security locking bar to prevent unauthorised screen removal



Registered Design Number: 001713280-0011

### BTV521

#### Tilt - X-Large

##### Universal Flat Screen Wall Mount with Tilt

- Designed for screens up to 65" (165cm) / 70kg
- Fits screens with mounting patterns up to: **H:** 825mm x **V:** 500mm including screens using VESA® fixings up to 800 x 500mm
- 5 fixed tilt positions up to +15°
- Mounts screen only 44mm from wall
- Security locking bar to prevent unauthorised screen removal



Registered Design Number: 001713280-0024

### BTV514

UPDATED PRODUCT



#### Double Arm - Large

##### Ultra-Slim Double Arm Flat Screen Wall Mount with Tilt and Swivel

- Designed for screens up to 60" (152cm) / 35kg
- Fits screens with VESA® and non-VESA® mounting patterns up to 600 x 400mm
- Features +10°/-2° tilt and 180° swivel
- Distance from wall: **Min:** 40mm **Max:** 450mm
- Integrated cable management



The BTV500, BTV510, BTV520, BTV501, BTV511 and BTV521 all include a locking bar which prevents unauthorised screen removal



VESA® Fixing Compatible



Easy Installation

**BTF802**

**1100mm wide**



### Flat Screen TV Cabinet with Glass Top

- Designed for screens up to 50" (127cm) / 60kg
- High gloss finish and tempered glass top
- Concealed castors and cable management
- Glass thickness:  
Top: 5mm, Shelf: 6mm
- Dimensions:  
**W: 1100mm D: 420mm H: 530mm**
- Tempered glass shelf toughened to BS6206A standard



**BTF803**

**1370mm wide**



### Flat Screen TV Cabinet with Glass Top

- Designed for screens up to 60" (153cm) / 70kg
- High gloss finish and tempered glass top
- Concealed castors and cable management
- Glass thickness: Top: 5mm, Shelves: 5mm
- Dimensions:  
**W: 1370mm D: 420mm H: 495mm**
- Tempered glass shelves toughened to BS6206A standard



**BTF807**

**1637mm wide**



**NEW  
PRODUCT**

### Flat Screen TV Cabinet with Glass Top

- Designed for screens up to 75" (178cm) / 70kg (Shelf Load: 10kg)
- High-end aesthetic quality with a premium high gloss finish
- Includes glass storage shelves, ideal for holding AV equipment such as DVD / Blu-Ray players, games consoles or satellite boxes
- Concealed castors for portability and easy positioning of the product
- Cable management exits provide an outlet for the cables
- Glass thickness: 5mm
- Dimensions: **W: 1637mm D: 423mm H: 450mm**
- Tempered glass top toughened to B26206A standard
- Preassembled for user convenience



**BTF808**

**1805mm wide**



**NEW  
PRODUCT**

### Flat Screen TV Cabinet with Glass Top

- Designed for screens up to 90" (229cm) / 80kg
- High-end aesthetic quality with a premium high gloss finish
- Storage cabinet is ideal for holding AV equipment such as DVD / Blu-Ray players, games consoles, satellite boxes or soundbars
- Concealed castors for portability and easy positioning of the product
- Integrated cable management slats provide an outlet for the cables
- Glass thickness: 5mm
- Dimensions: **W: 1805mm D: 423mm H: 420mm**
- Tempered glass top toughened to B26206A standard
- Preassembled for user convenience



# MOUNTING SOLUTIONS

for the

# SONOS®

## SPEAKER RANGE

B-Tech's Ventry Range of speaker mounts are ideal for a wide range of speakers including the popular SONOS® PLAY:1™, PLAY:3™ and PLAYBAR™. Pairing the SONOS range of wireless speakers with Ventry speaker mounts means listening to music in any room of the house couldn't be simpler.




**BT332** is an ideal for solution for wall mounting SONOS **PLAY:1™** speakers to create full stereo sound in any room



Mounting your **PLAY:3™** is made easy with the **BT15** Speaker Mount with adjustable arms.



**BT608** stands feature sound isolation spikes for enhanced sound dispersion when floor mounting **PLAY:1** speakers.



The SONOS **PLAYBAR™** can be mounted easily to the top or bottom of your TV Screen with **BTV914**.



Our Cantabria Range of **Premium AV Stands** are perfect solutions for holding larger products such as **PLAY:5™** as well as other AV devices.



Available now, please visit [www.btechavmounts.com](http://www.btechavmounts.com) or contact your local sales representative for more information.



**BT77**

**Ultragrip Pro™**

**Side Clamping Loudspeaker Wall Mount with Tilt and Swivel (Pair)**

- Designed for speakers up to 25kg
- Suitable for most speakers including curved front types
- Suitable for concrete, brick or wooden stud walls
- No visible wall fixing screws
- Simple installation with all mounting hardware included
- Adjustable clamp size: 135mm - 280mm
- Features +/- 7° tilt and 360° swivel
- Supplied in pairs



**BT332**

**Tilt and Swivel**

**Speaker Wall Mount (Pair)**



**SONOS  
COMPATIBLE**

- Designed for home cinema speakers up to 5kg
- Speakers adjustable; up / down / sideways
- Features +/-20° tilt adjustment and 180° swivel
- Includes adaptors for keyhole, single point and dual point fixings
- Compatible with SONOS® Play:1 and Play:3 speakers (in portrait mode)
- Supplied in pairs



UK Registered Design No. 4010389; RCD 001302483-0006 / PATENTS: US - 7523006; EUROPEAN 1546599

**BT34**

**Tilt and Swivel**

**Speaker Ceiling Mount**



- Designed for speakers up to 5kg
- Features +/-90° tilt adjustment and 360° swivel
- Can be ceiling or wall mounted
- Includes adaptors for single point, dual point and keyhole fixings



**BT1**

**Tilt and Swivel**

**Speaker Wall Mount with Tilt and Swivel (Pair)**

- The original 'tilt and swivel' mount
- Designed for small to medium speakers weighing up to 10kg
- Features +/-18° tilt adjustment and 180° swivel
- Supplied in pairs



**BT15**

**Adjustable Arms**

**Centre Speaker Wall with Adjustable Arm**

- Designed for speakers up to 15kg
- Ideal for centre channel speakers, DVD players and other AV equipment
- Easy adjustment of arm depth
- Adjustable arm dimensions: 180mm - 290mm
- Supplied in pairs (for use with one speaker)
- Compatible with SONOS® Play:3 speakers

**SONOS  
COMPATIBLE**



BT604 BT606 BT608

Atlas™ Speaker Stands



### Loudspeaker Floor Stands

- Twin columned floor stands for loudspeakers up to 50kg
- Height (BT604): 40cm
- Height (BT606): 60cm
- Height (BT608): 80cm
- Sound isolating
- Fillable columns for superior dampening
- Solid construction using heavy gauge steel for enhanced stability
- Top and bottom isolation spikes provided
- Foam pads included as an alternative to isolating support spikes
- Suitable for all types of floors including wood and carpet with supplied protection discs
- Base Dimensions: 240mm x 240mm
- Top Dimensions (BT604): 190mm x 190mm
- Top Dimensions (BT606): 160mm x 160mm
- Top Dimensions (BT608): 125mm x 125mm
- Simple assembly and easy speaker mounting
- BT608 is compatible with SONOS® Play:1 speakers
- Supplied in pairs



BTV910

Ventry® Speaker Stand



### Home Cinema Speaker Floor Stands

- Designed for small home cinema / satellite speakers up to 2kg
- Adjustable height: 685mm - 1060mm
- Includes dual point adaptor and alternative mounting platform
- Features cable management for a clean and tidy appearance
- Supplied in pairs



Registered Design Number: 001713280-0020

BTV914

Soundbar Mount



### Universal Soundbar Mount

- Ideal solution for mounting a soundbar speaker to your Flat Screen TV
- Mounts Soundbar above or below the screen
- Universal mount suitable for most soundbars and flat screens
- Use with or without a flat screen wall mount
- Ideal for corner installations with an articulated mount
- Low profile steel brackets
- Max weight of Soundbar: 10kg
- Easy installation - all mounting hardware included
- Compatible with SONOS® Playbar



**BTV815** 1.5m

**BTV816** 3m

**BTV817** 5m

HDMI® Cable



## High Speed HDMI Cable with Ethernet

- HDMI® Cable ideal for next generation 4K TV's and devices
- Also Suitable for 720/1080p HD screens and content
- High speed cable supports 18Gbps data transfer for:
  - 4K signals at 50/60fps
  - 10-bit, 12-bit and 16-bit colour depths
  - 3D compatible devices and content
  - Simultaneous delivery of dual video streams to multiple users on the same screen
  - 21:9 aspect ratio and all common aspect ratios such as 16:9
  - 32,1536KHz audio channels
- Ethernet Channel
- Audio Return Channel
- Flexible ultra-slim cable is easy to install in tight spaces and the short
- HDMI® connectors allow close to wall installations of TV's or devices
- Easy grip plugs with 24k gold plated connectors for superior signal transfer



**BTV920**

AV Component Shelf

## AV Component Shelf

- Adjustable component shelf for all common AV equipment such as DVD and Blu-Ray® Players up to 10kg
- Arm Width Extension: **Min:** 100mm **Max:** 560mm
- Plastic padded arms
- Plastic covers to hide installation screws



**BT12**

## Speaker Switch

### 2-Way Speaker Selector Switch with Screw Terminals

- Designed to allow the use of two pairs of speakers with one amplifier
- Speaker selector switch to play either pair of speakers or both at the same time
- Suitable for loudspeakers from 4 ohms to 16 ohms
- 150 Watts per channel
- Suitable for speaker wire up to 2.5mm<sup>2</sup>
- Screw terminals for strong connection and minimum loss


**BT913**

## Speaker Switch

### Premium 4-Way Speaker Selector Switch

- Designed to allow the use of four pairs of loudspeakers with one amplifier
- Play any combination of up to four speaker pairs at the same time
- For loudspeakers from 8 to 16 ohms
- Headphone socket with amplifier protection
- 200 Watts RMS per channel
- Gold plated screw terminals for speaker wire up to 6mm<sup>2</sup> allow for strong connections and minimum loss
- Also suitable for 4mm Banana Plugs


**BT25**

## AV Input Control

### 3-Way Audio Video Input Control with Parallel Outputs

- Designed to connect up to 3 audio video devices such as DVDs, VCRs and Satellite Receivers to 2 outputs such as TVs and Hi-Fi Systems
- Ideal for use with VCRs, DVD players, Camcorders, Satellite Receivers, Games Consoles, CD players and MP3 players
- Gold plated Phono / RCA connectors for strong connection and minimum signal loss



Registered Design Number: 2042932


**BT31**

## Audio Input Control

### 3-Way Audio Input Control with Phono / RCA Connectors

- Designed to connect up to three stereo devices to one Amplifier Input
- Easy to use input selector
- Gold plated Phono / RCA connectors for strong connection and minimum signal loss



Registered Design Number: 2027269


**BT26**

## Phono Pre-Amp

### Phono / Microphone Pre-Amplifier with Parallel Outputs

- Designed for use with any amplifier without a Phono Aux Input
- Designed to RIAA specifications with IC technology for low noise, high gain pre-amplification
- Also suitable for use with stereo and mono microphones
- Power Supply included
- CE certified


**BT928**

## Headphone Amplifier

### Stereo Headphone Amplifier

- Designed for use as a stand-alone unit for personal listening
- Use headphones on any audio device or TV
- Independent volume and tone controls
- Two pairs of headphones can be used simultaneously
- Suitable for headphones with either 6.3mm or 3.5mm plugs
- Power Supply included
- CE certified


**BT934**

## Speaker Volume Control

### Premium Loudspeaker Volume Control

- Designed for volume control of remote loudspeakers
- High power rating - 60 watts
- Accepts loudspeaker cable up to 2.5mm diameter
- Suitable for loudspeakers; 4, 6 or 8 ohms
- Frequency response 20 - 20,000 Hz


**BT936**

## Speaker Volume Control

### Premium In-Wall Speaker Volume Control

- Speaker Volume Control designed to be located anywhere along the speaker cable
- For use with UK 2 gang 47mm deep electrical boxes
- High power rating - 60 watts
- Accepts loudspeaker cable up to 2.5mm diameter
- Suitable for loudspeakers; 4, 6 or 8 ohms
- Frequency response 20 - 20,000 Hz



# Index

Product Code	Page Number	Product Code	Page Number	Product Code	Page Number
BT1	110	BT7038	73	BT7535	53
BT12	113	BT7051	95	BT7540	57
BT15	110	BT7052	95	BT7542	51, 57
BT25	113	BT7055	94	BT7551	97
BT26	113	BT7056	93	BT7552	97
BT31	113	BT7057	94	BT7553	56, 76
BT332	110	BT7060	71	BT7554	56, 77
BT34	110	BT7075	73	BT7564	57
BT4000	70	BT7165	62	BT7592	56
BT4001	70	BT7166	72	BT7593	56
BT4002	70	BT7167	72	BT77	110
BT4003	70	BT7172	72	BT7803	92
BT4004	70	BT7173	72	BT7807	92, 93
BT4005	70	BT7174	72	BT7808	92
BT4011	70	BT7260	71	BT7819-888	96
BT4015	70	BT7371	82	BT7822	92, 93
BT4020	70	BT7372	82	BT7823	94
BT4041	71	BT7373	82	BT7824	94
BT4102	70	BT7374	82	BT7825	93
BT5810	74	BT7382	83	BT7831	92
BT5811	74	BT7383	83	BT7841	95
BT5812	74	BT7384	83	BT7850	94
BT5832	75	BT7399	83	BT7851	92
BT5833	75	BT7502	57	BT7853	94
BT5834	75	BT7504	61	BT7860	102
BT5890	80, 81	BT7505	57	BT7861	97
BT6010	96	BT7507	97	BT7862	95
BT604	111	BT7510	51	BT7863	95
BT6045	83	BT7511	51	BT7864	69, 95
BT606	111	BT7512	51	BT7865	95
BT608	111	BT7513	51	BT7867	102
BT7000	37	BT7514	53	BT7868	73
BT7001	37	BT7514 (short arm)	52	BT7880	102
BT7012	93	BT7515	53	BT8009	97
BT7014	93	BT7518	51	BT8026	97
BT7017	93	BT7521	52	BT8027	97
BT7025	95	BT7522	52	BT8200-PRO	54
BT7030	73	BT7523	52	BT8210-PRO	54
BT7032	73	BT7524	52	BT8220-PRO	54
BT7036	73	BT7532	52	BT8221	55
BT7037	73	BT7534	53	BT8225	55

# Index

Product Code	Page Number	Product Code	Page Number	Product Code	Page Number
BT8310	46	BT8421-PRO	54	BTF801	66
BT8310-SP	47	BT8422-PRO	54	BTF802	108
BT8311	48	BT8424	76	BTF803	108
BT8321	36	BT8425	78	BTF807	108
BT8330	24-25	BT8426	78	BTF808	108
BT8332	26-27	BT8427	79	BTF810	67
BT8340	30-31	BT8428	77	BTF812	67
BT8341	32-33	BT8429	77	BTF813	67
BT8342	34-35	BT8431-PRO	55	BTF820	63
BT8350	38-40	BT8432-PRO	55	BTV110	105
BT8350-CW	44	BT8447	79	BTV112	105
BT8350-FBFK	44	BT8500	97	BTV113	105
BT8350-HFA	44	BT8503	61	BTV114	105
BT8351	41	BT8504	62	BTV500	106
BT8352	42-43	BT8505	62	BTV501	106
BT8355	100	BT8506	63	BTV502	106
BT8370	16-17	BT8510	68	BTV503	106
BT8371-3X3	18-19	BT8511	68	BTV504	106
BT8372-3x3	20-21	BT8520	69	BTV510	107
BT8380	10	BT8521	69	BTV511	107
BT8380-BASE	11	BT8540	60	BTV514	107
BT8380-CASTOR	11	BT8541	60	BTV520	107
BT8380-FBFK	11	BT8551	64	BTV521	107
BT8380-FFB	11	BT8552	64	BTV815	112
BT8390	10	BT8553	65	BTV816	112
BT8390-CFK	11	BT8554	65	BTV817	112
BT8390-CMC	10	BT881	80	BTV910	111
BT8390-EXT	11	BT882	81	BTV914	111
BT8390-JPK	11	BT883	81	BTV920	112
BT8390-SP	10	BT897	98	BTXLR39	103
BT8390-VESA1200F	36	BT898	99		
BT8390-VESA200F	10	BT899	80, 96		
BT8390-VESA200T	10	BT899-XL	80, 96		
BT8390-VESA400F	10	BT913	113		
BT8390-VESA400MAF	11	BT928	113		
BT8390-VESA400MAP	11	BT934	113		
BT8390-VESA400T	11	BT936	113		
BT8390-VESA800F	36	BT9903	54		
BT8390-WFK1	11	BT9905	36		
BT8390-WFK2	11	BT9906	36		
BT8390-WFK3	11	BTF800	66		





# B-TECH AUDIO VIDEO MOUNTS

SAFE • SOLID • SECURE

Distributed by...



Designed & Engineered  
in the UK

## HEAD OFFICE

### B-TECH INTERNATIONAL LIMITED

Bennett House, Long March, Daventry  
Northamptonshire, NN11 4NR, UK

From within the UK Tel: 0844 800 0445 • Fax: 0844 800 0446

From outside the UK Tel: +44 (0)1327 300787 • Fax: +44 (0)1327 706562

Email: [info@btechavmounts.co.uk](mailto:info@btechavmounts.co.uk)

## EMEA

### Belgium

#### B-TECH PRO-AV BVBA

Brixtonlaan 32, Zaventem 1930  
Brussels, Belgium

Tel: +32 (0)2 720 9271

Fax: +32 (0)2 725 4215

Email: [info@btechproav.com](mailto:info@btechproav.com)

### Germany

#### B-TECH DEUTSCHLAND GMBH

Dyrotzter Weg 26A, 14612 Falkensee  
Berlin, Germany

Tel: +49 (0)3322 4291712

Fax: +49 (0)3322 239157

Email: [info@btechdeutschland.de](mailto:info@btechdeutschland.de)

### Spain

#### B-TECH INTERNATIONAL (IBERIA) SL

O/ Saragossa, 14 Nave A, Poligono Industrials Sainas 08830  
Sant Boi de Llobregat, Barcelona, Spain

Tel: +34 93 640 24 79

Fax: +34 935 207 822

Email: [info@btechiberia.com](mailto:info@btechiberia.com)

### Dubai

#### B TECH AUDIO VISUAL ACCESSORIES TRADING LLC

P.O. Box 126974 #107, Mandarin Bldg  
Oud Metha, Karama, Dubai, UAE

Tel: +971 4 3574855

Fax: +971 4 3579898

Email: [sales@btechavmounts.ae](mailto:sales@btechavmounts.ae)

## APAC & ASEAN

### Singapore

#### B-TECH AV MOUNTS PTE LTD

60 Paya Lebar Road, #06-43 Paya Lebar Square  
Singapore 409051

Tel: (+65) 6841 2988

Fax: (+65) 6491 5613

Email: [info@btechavmounts.com.sg](mailto:info@btechavmounts.com.sg)

### China

#### NINGBO B-TECH INTERNATIONAL TRADING CO., LTD

Room 503-3 Huigang Building, No.466 Middle Tai'an Road  
Yinzhou District, Ningbo, China 315100

Tel/Fax: (+86) 574 8810 3861

Email: [info@btechasia.com](mailto:info@btechasia.com)

### Vietnam

#### B-TECH INTERNATIONAL DESIGN AND MANUFACTURING LTD

Au Viet Building, 7th Floor, 1st Le Duc Tho  
Cau Gay, Hanoi, Vietnam

Tel/Fax: (+84) 94 535 5740

Email: [info@btechavmounts.vn](mailto:info@btechavmounts.vn)

© 2016 June B-Tech International Design & Manufacturing Ltd., All rights reserved.

The information in this catalogue reflects the current technical specifications at the time of print. We reserve the right to change the technical or physical specifications without prior notice. The B-Tech name, the B-Tech logo, Better by Design, B-Tech Professional, B-Tech Mountlogic, Ventry, System X, System 2, System V, Cantabria, OWLS, Avibal, and Bib are all registered trademarks of B-Tech International Ltd. All B-Tech images and symbols are exclusive property of B-Tech International Ltd. All other brands and products are trademarks of their respective owners. B-Tech accept no liability for loss or damage caused by improper installation or mounting on unstable structures.  
E&OE.

#### DISCLAIMER

B-Tech security fasteners are designed as a security deterrent only. B-Tech, B-Tech Distributors and B-Tech resellers accept no liability for loss or resulting costs incurred from the theft, attempted theft or unauthorised removal of any item(s) mounted using B-Tech security fasteners. Security screw removal tools are widely available and all B-Tech security fasteners are intended as a deterrent to the opportunist thief only.

CA-SF-V8-140616-UK



[WWW.BTECHAVMOUNTS.COM](http://WWW.BTECHAVMOUNTS.COM)

