

StarTech.com Tarjeta de Red PCI Express Ethernet Gigabit con 4 Puertos RJ45


Marca : StarTech.com

Código del producto: ST1000SPEX43

Nombre del producto : Tarjeta de Red PCI Express Ethernet Gigabit con 4 Puertos RJ45



- Agregue cuatro puertos Gigabit RJ45 independientes para la conexión con varias redes de estaciones de trabajo y servidores que requieren alto ancho de banda
 - El chipset Realtek RTL8111H garantiza un rendimiento fiable
 - Compatible con el control de flujo de dúplex completo
 - Totalmente conforme con las normas IEEE 802.3, IEEE 802.3u y IEEE 802.3ab sobre redes
 - Compatible con las funciones de negociación automática con capacidad para la página siguiente
 - Corrección automática (Auto-MDIX) y detección cruzada
 - Soporte para tramas Jumbo de hasta 9K
 - Soporte para las normas IEEE 802.1Q sobre el etiquetado VLAN y IEEE 802.1P sobre la codificación de prioridad de capa 2
 - Soporta Microsoft NDIS5 Checksum Offload (Descarga de la Suma de Comprobación) (IP, TCP, UDP) y Large send Offload
- StarTech Tarjeta Adaptador de Red PCI Express PCI-E Ethernet Gigabit con 4 Puertos RJ45 de 1Gbps



Puertos e Interfaces		Condiciones ambientales	
Tecnología de conectividad *	Alámbrico	Intervalo de temperatura operativa	0 - 55 °C
Interfaz de host *	PCI Express	Intervalo de temperatura de almacenaje	-40 - 75 °C
Interfaz *	Ethernet	Intervalo de humedad relativa para funcionamiento	5 - 95%
Ethernet LAN (RJ-45) cantidad de puertos	4	Peso y dimensiones	
Conexión		Ancho	120 mm
Rango máximo de transferencia de datos *	2000 Mbit/s	Profundidad	138 mm
Estándares de red *	IEEE 802.3, IEEE 802.3u, IEEE 802.3ab	Altura	18 mm
Ethernet	✓	Peso	95 g
Ethernet LAN, velocidad de transferencia de datos	10,1000,100 Mbit/s	Empaquetado	
Tecnología de cableado	10/100/1000BaseT(X)	Ancho del paquete	145 mm
Conexión de redes	✓	Profundidad del paquete	210 mm
IEEE Auto MDIX	✗	Altura del paquete	41 mm
Bidireccional completo (Full duplex)	✓	Peso del paquete	184 g
Jumbo Frames, soporte	✓	Detalles técnicos	
Diseño		Certificados de conformidad	CE, RoHS
Interno *	✓	Datos logísticos	
Circuito integrado	Realtek RTL8111G	Código de Sistema de Armomización (SA)	85176990
Indicadores LED	Actividad, Enlace	Ancho de la caja principal	446 mm
		Longitud de la caja	530 mm
		Alto de la caja principal	338 mm
		Cantidad por caja	50 pieza(s)
		Otras características	
		Soporte de control de flujo	✓
		Color de la carcasa	Amarillo

Requisitos del sistema

Sistema operativo Windows soportado	Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 Pro, Windows 10 Pro x64, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64, Windows XP, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64
Sistema operativo Linux soportado	✓
Sistema operativo de servidor soportado	Windows Server 2003, Windows Server 2012, Windows Server 2016, Windows Server 2019



0065030862448



065030862448

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.