



Lindy 42782 cable USB USB 2.0 12 m USB A 0,48 Gbit/s Negro

Marca : Lindy

Código del producto: 42782

Nombre del producto : 42782

Lindy 42782. Longitud de cable: 12 m. Conector 1: USB A, Conector 2: USB A, Versión USB: USB 2.0, Tasa de transferencia (máx): 0,48 Gbit/s, Contactos del conector chapado: Oro, Color del producto: Negro



Características		Peso y dimensiones	
Versión USB *	USB 2.0	Longitud de cable *	12 m
Conector 1 *	USB A	Diámetro de cable	5 mm
Conector 2 *	USB A	Peso	420 g
Género del conector 1 *	Macho	Radio de curvatura (mín.)	2,6 cm
Género del conector 2 *	Hembra	Dimensiones del conector 1 (anchura x profundidad x altura)	15 x 43 x 8 mm
Factor de forma de conector 1	Derecho	Dimensiones del conector 2 (anchura x profundidad x altura)	20 x 64 x 13 mm
Factor de forma de conector 2	Derecho	Empaquetado	
AWG calibre del cable	26/20	Tipo de embalaje	Caja
Material del conector	Oro/Níquel	Ancho del paquete	238 mm
Material de los contactos	Latón	Profundidad del paquete	202 mm
Contactos del conector chapado	Oro	Altura del paquete	66 mm
Material del forro del cable	Cloruro de polivinilo (PVC)	Peso del paquete	597 g
Material del conductor	Cobre estañado	Contenido del embalaje	
Material del blindaje del conector	Aluminio	Cantidad por paquete *	1 pieza(s)
Material del revestimiento del conector	Plástico	Condiciones ambientales	
Rango máximo de transferencia de datos	480 Mbit/s	Intervalo de temperatura operativa	0 - 50 °C
Tasa de transferencia (máx)	0,48 Gbit/s	Intervalo de temperatura de almacenaje	-20 - 60 °C
Tipo de cable	Cable redondo	Aprobaciones reguladoras	
Color del producto *	Negro	Certificación	CE, UKCA, FCC, RoHS, REACH, California Proposition 65
Medio de transmisión	Par trenzado	Datos logísticos	
Atenuación nominal	0.064 MHz, -0.08 dB 0.256MHz, -0.11 dB 0.512MHz, -0.13 dB 0.772 MHz, -0.15 dB 1 MHz, -0.2 dB 4 MHz, -0.39 dB 8 MHz, -0.57 dB 12 MHz, -0.76 dB 24 MHz, -0.95 dB 48 MHz, -1.35dB 96 MHz, -1.9 dB 200 MHz, -3.2 dB 400 MHz, -5.8 dB	Código de Sistema de Armomización (SA)	84733080

Otras características

Sistemas operativos compatibles	Win ME, 2000, XP, Vista Mac OS Linux
---------------------------------	---



4002888427821

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.