



Equip EWM-07-5440-G armario rack 7U Bastidor de pared Gris claro

Marca : Equip

Código del producto: EWM-07-5440-G

Nombre del producto : EWM-07-5440-G

Equip EWM-07-5440-G. Tipo: Bastidor de pared, Capacidad del rack: 7U, Bloqueo del teclado. Peso: 9,06 kg. Color del producto: Gris claro



Características		Peso y dimensiones	
Capacidad del rack *	7U	Tamaño (imperial)	31 cm (12.2")
Tipo *	Bastidor de pared	Ancho	174 mm
Color del producto	Gris claro	Profundidad	400 mm
Material	Acero	Altura	330 mm
Tipo de fotograma	Cerrado	Ancho interno	49,5 cm
Diseño de producto	2 postes	Profundidad interior	39,5 cm
Estructura de la puerta trasera	Acero	Altura interna	31,2 cm
Estructura de la puerta delantera	Vidrio templado	Peso	9,06 kg
Estructura del panel lateral	Acero	Profundidad de montaje (mín.)	36 cm
Puerta trasera extraíble	✗	Profundidad de montaje (máx.)	38 cm
Puerta delantera extraíble	✓	Empaquetado	
Paneles laterales desmontables	✗	Incluye tuercas	✓
Paneles laterales incluidos	✗	Número de tuercas	10
Bloqueo del teclado	✓	Tornillos incluidos	✓
Puerta trasera con cerradura	✗	Número de tornillos	10
Puerta delantera con cerradura	✓	Panel del zócalo	✗
Panel lateral con cerradura	✗	Sensor de temperatura	✗
Rieles de rack	✗	Kit de montaje en pared	✓
Grosor de los carriles del bastidor	1,5 mm	Kit de montaje	✗
Base ajustable	✗	Kit de toma de tierra	✗
Profundidad ajustable	✗	Guía de instalación rápida	✗
Patas ajustables	✗	Manual de usuario	✗
Tipo de enfriamiento	Pasivo	Ancho del paquete	465 mm
Insonorizado	✗	Profundidad del paquete	577 mm
PDU principal	✗	Altura del paquete	174 mm
Supervisión	✗	Detalles técnicos	
Gestión de cables	✗	Altura neta del palé	190 cm
Forma del orificio para montaje	Plaza	Profundidad neta del palé	110 cm
Tornillo de pata estabilizadora	✗	Anchura neta del palé	130 cm
Rueda de reenvío	✗	Total de huella de carbono (kg of CO2e)	1,5493
Ángulo de apertura de puerta	200°	Datos logísticos	
Instalación requerida	✗	País de origen	Turquía
Previamente montado	✓	Código de Sistema de Armomización (SA)	853710980019
UPS integrado	✗		

Otras características

Número de cajas de cartón por palé	50 pieza(s)
Número de capas por palé	10 pieza(s)
Cantidad por palé	50 pieza(s)



4015867235942

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.