

MPN: 5UTP-10G

## CAT5e U/UTP CU PVC Ethernet Cable Grey 10m

Designed to last a lifetime, the ProXtend CAT5e U/UTP copper ethernet cables are reinforced with strain relief and snagless latch protection.

Available in both copper and copper-clad aluminum variants, as well as a variety of color, and length options, ProXtend is your one stop shop for ethernet cables ensuring that you are always able to find a cable that best suits your network connection requirements.



### Especificaciones

|                        |                                         |                          |
|------------------------|-----------------------------------------|--------------------------|
| Certificates           | Certificación                           | REACH                    |
| Features               | Blindaje de cable                       | U/UTP (UTP)              |
|                        | Cable estándar                          | Cat5e                    |
|                        | Color producto                          | Grey                     |
|                        | Conector 1                              | RJ45                     |
|                        | Conector 1 género                       | Male                     |
|                        | Conector 2                              | RJ45                     |
|                        | Conector 2 género                       | Male                     |
|                        | Estándares de red                       | IEEE 802.3at             |
|                        | Longitud del cable                      | 10 m                     |
|                        | Material conductor                      | Copper                   |
|                        | Material cubierta                       | Polyvinyl chloride (PVC) |
|                        | Plug and play                           | Yes                      |
|                        | Revestimiento de contactos del conector | Gold                     |
|                        | Tamaño de cable AWG                     | 24                       |
|                        | Tecnología de cableado                  | 10/100/1000Base-T(X)     |
|                        | Tipo de conductor                       | Stranded                 |
|                        | Velocidad de transferencia de datos     | 1000 Mbit/s              |
| Operational conditions | Temperatura de almacenamiento (T-T)     | -15 - 60 °C              |
|                        | Temperatura de funcionamiento (T-T)     | -10 - 60 °C              |
| Packaging data         | Cantidad por pack                       | 1 pieza(s)               |
|                        | Manual                                  | No                       |
| Technical details      | Certificados de sostenibilidad          | RoHS                     |

|                     |                         |          |
|---------------------|-------------------------|----------|
| Technical details   | Compliance certificates | RoHS     |
|                     |                         |          |
| Vendor information  | Brand Name              | ProXtend |
|                     | Warranty                | 30 Año/s |
| Weight & dimensions |                         |          |
|                     | Diámetro exterior       | 5,4 mm   |

## Otras imágenes

