



Lindy 43176 hub de interfaz USB 3.2 Gen 1 (3.1 Gen 1) Type-A 5000 Mbit/s Negro

Marca : Lindy

Código del producto: 43176

Nombre del producto : 43176

Lindy 43176. Interfaz de host: USB 3.2 Gen 1 (3.1 Gen 1) Type-A, Interfaces de concentradores: RJ-45, USB 3.2 Gen 1 (3.1 Gen 1) Type-A. Velocidad de transferencia de datos: 5000 Mbit/s, Color del producto: Negro, Material de la carcasa: Plástico. Tipo de interfaz ethernet: Gigabit Ethernet, Ethernet LAN, velocidad de transferencia de datos: 10,100,1000 Mbit/s, Estándares de red: IEEE 802.3, IEEE 802.3ab, IEEE 802.3u. Tipo de fuente de alimentación: USB. Ancho: 40 mm, Profundidad: 110 mm, Altura: 20 mm



Puertos e Interfaces		Peso y dimensiones	
Interfaz de host *	USB 3.2 Gen 1 (3.1 Gen 1) Type-A	Ancho	40 mm
Interfaces de concentradores *	RJ-45, USB 3.2 Gen 1 (3.1 Gen 1) Type-A	Profundidad	110 mm
Cantidad de puertos tipo A USB 3.2 Gen 1 (3.1 Gen 1)	3	Altura	20 mm
Cantidad de puertos *	4	Peso	60 g
Ethernet LAN (RJ-45) cantidad de puertos	1	Empaquetado	
Tarjeta de lectura integrada	✗	Cantidad por paquete	1 pieza(s)
Enchufe de entrada de CC	✗	Ancho del paquete	175 mm
Características		Profundidad del paquete	129 mm
Velocidad de transferencia de datos *	5000 Mbit/s	Altura del paquete	30 mm
Color del producto	Negro	Peso del paquete	100 g
Material de la carcasa	Plástico	Tipo de embalaje	Blister
Longitud de cable	0,29 m	Contenido del embalaje	
Certificación	CE, UKCA, FCC, RoHS, REACH	Manual de usuario	✓
Conexión		Condiciones ambientales	
Tipo de interfaz ethernet	Gigabit Ethernet	Temperatura mínima de operación	0 °C
Ethernet LAN, velocidad de transferencia de datos	10,100,1000 Mbit/s	Máxima temperatura	70 °C
Estándares de red	IEEE 802.3, IEEE 802.3ab, IEEE 802.3u	Intervalo de temperatura operativa	0 - 70 °C
Control de energía		Rango de temperatura de funcionamiento	0 - 158 °F
Tipo de fuente de alimentación	USB	Intervalo de temperatura de almacenaje	-10 - 55 °C
Requisitos del sistema		Intervalo de humedad relativa para funcionamiento	10 - 90%
Sistema operativo Windows soportado	✓	Intervalo de humedad relativa durante almacenaje	10 - 90%

Requisitos del sistema		Datos logísticos	
Sistema operativo MAC soportado	✓	Código de Sistema de Armomización (SA)	84719000
Sistema operativo Linux soportado	✓	Otras características	
		Circuito integrado	AX88179 (LAN), VL813 (Hub)



4002888431767

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.