

Samsung ViewFinity S6 S34C652UAU

S65UC Series - LED monitor - curved - 34" - 3440 x 1440 UWQHD @ 100 Hz - VA - 350 cd/m² - 3000:1 - HDR10 - 5 ms - HDMI - DisplayPort - USB-C - speakers - black

Group	Flat Screens
Manufacturer	Samsung
Manufacturer item no.	LS34C652UAUXEN
EAN/UPC	8806094974751



Description

Samsung ViewFinity S6 S34C652UAU - S65UC Series - LED monitor - curved - 34" - 3440 x 1440 UWQHD @ 100 Hz - VA - 350 cd/m² - 3000:1 - HDR10 - 5 ms - HDMI, DisplayPort, USB-C - speakers - black

Main features

Product Description	Samsung ViewFinity S6 S34C652UAU - S65UC Series - LED monitor - curved - 34" - HDR
Device Type	LED-backlit LCD monitor - 34"
Energy Class	Class G
Energy Consumption per Year	47 kWh
Curved Screen	Yes
Adaptive-Sync Technology	AMD FreeSync
Features	KVM Switch, USB 3.0/USB-C hub, Ethernet network adapter, USB PD 90 Watt
Panel Type	VA
Aspect Ratio	21:9
Native Resolution	UWQHD 3440 x 1440 at 100 Hz
Brightness	350 cd/m ²
Contrast Ratio	3000:1
HDR Capable	HDR10
Response Time	5 ms
Colour Support	1.07 billion colours
Colour Gamut	115% sRGB
Input Connectors	HDMI, DisplayPort, USB-C
Built-in Ethernet	Yes

Display Position Adjustments	Height, swivel, tilt
Voltage	AC 100-240 V
Colour	Black
Dimensions (WxDxH) - with stand	80.66 cm x 24.1 cm x 56.15 cm
Weight	8 kg
Compliant Standards	HDCP 2.2, TUV Rheinland Intelligent Eye Care Certification

Extended details

	General
Display Type	LED-backlit LCD monitor / TFT active matrix
Energy Class	Class G
Energy Class (HDR)	Class G
Energy Consumption per Year	47 kWh
Diagonal Size	34"
Curved Screen	Yes (1000R)
Adaptive-Sync Technology	AMD FreeSync
Built-in Devices	KVM Switch, USB 3.0/USB-C hub, Ethernet network adapter
USB Power Delivery	90 Watt
Panel Type	VA
Aspect Ratio	21:9
Native Resolution	UWQHD 3440 x 1440 at 100 Hz
Brightness	350 cd/m ²
Contrast Ratio	3000:1
HDR Format	HDR10
Colour Support	1.07 billion colours
Colour Gamut	115% sRGB
Response Time	5 ms
Horizontal Viewing Angle	178
Vertical Viewing Angle	178

Backlight Technology	LED backlight
Features	Picture by picture, game mode, CustomColor Mode, FPS Mode, Mega Infinity Dynamic Contrast Ratio, Flicker Free technology, RTS Mode, Image Size, Eye Saver Mode, Off Timer Plus, Sports Mode, RPG Mode, Picture-in-Picture, Auto Source Switch+, Adaptive Picture, Entertain Mode, Graphic Mode, Eco Mode, Original Mode
Colour	Black
Dimensions (WxDxH)	80.66 cm x 24.1 cm x 56.15 cm - with stand
Weight	8 kg
	Audio
Type	Speakers - stereo
Output Power / Channel	5 Watt
	Connectivity
Interfaces	DisplayPort 1.2 HDMI 2.0 Headphones (mini-jack) 3 x USB 3.0 downstream USB 3.0 upstream USB-C (power up to 90W) LAN (RJ-45)
	Mechanical
Display Position Adjustments	Height, swivel, tilt
Tilt Angle	-2/+20
Swivel Angle	60
Height Adjustment	120 mm
VESA Mounting Interface	100 x 100 mm
	Miscellaneous
Features	Security lock slot (cable lock sold separately), 10% recycled plastic
Cables Included	1 x HDMI cable 1 x USB-C cable 1 x SuperSpeed USB cable 1 x DisplayPort cable
Compliant Standards	HDCP 2.2, TUV Rheinland Intelligent Eye Care Certification
Security Slot Type	Kensington security slot
	Power
Input Voltage	AC 100-240 V
Power Consumption SDR (On mode)	32 kWh/1000h
Power Consumption HDR (On mode)	52 kWh/1000h
Power Consumption (Typical)	32 Watt

Power Consumption (Max)	200 Watt
Power Consumption Stand by	0.5 Watt
Power Consumption (Off Mode)	0.3 Watt
Dimensions & Weight	
Dimensions & Weight Details	With stand - width: 80.66 cm - depth: 24.1 cm - height: 56.15 cm - weight: 8 kg Without stand - width: 80.66 cm - depth: 12.5 cm - height: 36.94 cm - weight: 5.2 kg
Dimensions & Weight (Shipping)	
Shipping Width	80.7 cm
Shipping Depth	12.5 cm
Shipping Height	36.7 cm
Shipping Weight	10.5 kg
Environmental Parameters	
Min Operating Temperature	10 °C
Max Operating Temperature	40 °C
Humidity Range Operating	10 - 80% (non-condensing)

Technical data © 1WorldSync. Subject to technical modifications and errors.