




MSI PRO A620AM-B EVO placa base AMD A620A Zócalo AM5 ATX

Marca : MSI

Código del producto: PRO A620AM-B EVO

Nombre del producto : PRO A620AM-B EVO

MSI PRO A620AM-B EVO. Fabricante de procesador: AMD, Socket de procesador: Zócalo AM5, Procesador compatible: AMD Ryzen 7000 Series, AMD Ryzen 8000 Series, AMD Ryzen 9000 Series. tipos de memoria compatibles: DDR5-SDRAM, Memoria interna máxima: 128 GB, Tipo de ranuras de memoria: DIMM. Interfaces de disco de almacenamiento soportados: M.2, SATA III. Tipo de interfaz ethernet: 5 Gigabit Ethernet. Componente para: PC, Factor de forma: ATX, Familia del chipset: AMD



Procesador		Panel trasero Puertos de I/O (entrada/salida)	
Fabricante de procesador *	AMD	Cantidad de puertos tipo A USB 3.2 Gen 1 (3.1 Gen 1) *	6
Socket de procesador *	Zócalo AM5	Cantidad de puertos tipo C USB 3.2 Gen 2 (3.1 Gen 2) *	1
Procesador compatible *	AMD Ryzen 7000 Series, AMD Ryzen 8000 Series, AMD Ryzen 9000 Series	Ethernet LAN (RJ-45) cantidad de puertos *	1
Sockets de procesador soportados	Zócalo AM5	Cantidad de puertos VGA (D-Sub) *	1
Memoria		Número de puertos HDMI *	1
tipos de memoria compatibles *	DDR5-SDRAM	Versión HDMI	2.1
Número de ranuras de memoria *	2	Conexión	
Tipo de ranuras de memoria	DIMM	Ethernet	✓
Canales de memoria	Doble canal	Tipo de interfaz ethernet	5 Gigabit Ethernet
Compatibilidad de ECC	No-ECC	Wifi *	✗
Memoria interna máxima *	128 GB	Características	
Memoria sin buffer	✓	Chipset *	AMD A620A
Reguladores del almacenaje		Canales de salida de audio *	7.1 canales
Interfaces de disco de almacenamiento soportados *	M.2, SATA III	Color del producto	Negro
Compatibilidad con RAID	✓	Componente para *	PC
Gráficos		Factor de forma *	ATX
Adaptador gráfico incorporado	✗	Familia del chipset *	AMD
Interno I/O		Sistema operativo Windows soportado	Windows 10, Windows 11
USB 2.0, conectores *	4	Ranuras de expansión	
Conectores USB 3.2 Gen 1 (3.1 Gen 1) *	3	PCI Express x1 (Gen 3.x) ranuras	1
Número de conectores SATA III *	2	Ranuras PCI Express x16 (Gen 5.x)	1
		Número de ranuras M.2 (M)	4

Interno I/O		Peso y dimensiones	
Conector de potencia ATX (24 pines)	✓	Ancho	218 mm
		Profundidad	243,8 mm
Panel trasero Puertos de I/O (entrada/salida)			
Cantidad de puertos USB 2.0 *	6		



4711377397216



5715328291423

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.