

Sharp P621U Proyector de alcance estándar 6200 lúmenes ANSI 3LCD WUXGA (1920x1200) Blanco

Marca : Sharp

Código del producto: XPP621U

Nombre del producto : P621U

Sharp P621U. Brillo de proyector: 6200 lúmenes ANSI, Tecnología de proyección: 3LCD, Resolución original del proyector: WUXGA (1920x1200). Tipo de fuente luminosa: Laser, Duración de la fuente luminosa: 20000 h. Enfoque: Manual, Intervalo de longitud focal: 15.3 - 24.6 mm, Rango de apertura: 1,6 - 2. Señal analógica: NTSC, PAL, PAL 60, PAL M, PAL N, SECAM. Tipo de serie de interfaz: RS-232



LASER
PHOSPHOR



Proyector		Conexión	
Relaciones de aspecto compatibles	16:10	Ethernet LAN (RJ-45) cantidad de puertos	1
Compatibilidad de tamaño de pantalla *	762 - 7620 mm (30 - 300")	Características	
Distancia de proyección del objetivo	0,8 - 12,9 m	Nivel de ruido *	27 dB
Brillo de proyector *	6200 lúmenes ANSI	Multimedia	
Tecnología de proyección *	3LCD	Altavoces incorporados *	✓
Resolución original del proyector *	WUXGA (1920x1200)	Potencia estimada RMS	20 W
Razón de contraste (típica) *	3000000:1	Número de altavoces incorporados	1
Relación de aspecto nativa *	16:10	Diseño	
Fuente luminosa		Tipo de producto *	Proyector de alcance estándar
Tipo de fuente luminosa *	Laser	Color del producto *	Blanco
Duración de la fuente luminosa *	20000 h	Exhibición	
Sistema de lentes		Pantalla incorporada *	✗
Enfoque *	Manual	Control de energía	
Intervalo de longitud focal	15.3 - 24.6 mm	Fuente de energía *	Corriente alterna
Rango de apertura	1,6 - 2	Consumo energético *	318 W
Capacidad de zoom	✓	Consumo de energía (inactivo) *	0,3 W
Tipo de zoom	Manual	Consumo (modo de ahorro)	237 W
Alcance de zoom	1.6:1	Voltaje de entrada AC	100 - 240 V
rango de cambio Horizontal de la lente	-20 - 20%	Frecuencia de entrada AC	50 - 60 Hz
rango de cambio vertical de la lente	0 - 44%	Condiciones ambientales	
Vídeo		Intervalo de temperatura operativa	5 - 40 °C
Señal analógica *	NTSC, PAL, PAL 60, PAL M, PAL N, SECAM	Intervalo de temperatura de almacenaje	-10 - 50 °C
Full HD *	✓	Intervalo de humedad relativa para funcionamiento	20 - 80%
Puertos e Interfaces		Intervalo de humedad relativa durante almacenaje	20 - 80%
Entrada de audio (L,R) *	1	Peso y dimensiones	
Tipo de serie de interfaz *	RS-232	Ancho	480 mm
Número de puertos HDMI *	2	Profundidad	122 mm
Conexión			
Ethernet *	✓		

Peso y dimensiones	
Altura	407 mm
Peso *	9,7 kg
Contenido del embalaje	
Mando a distancia incluido *	✓



4550556180115

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.