



Conceptronic HUBBIES20G hub de interfaz USB 3.2 Gen 1 (3.1 Gen 1) Type-C 5000 Mbit/s Gris

Marca : Conceptronic

Código del producto: HUBBIES20G

Nombre del producto : HUBBIES20G

Conceptronic HUBBIES20G. Interfaz de host: USB 3.2 Gen 1 (3.1 Gen 1) Type-C, Interfaces de concentradores: USB 3.2 Gen 1 (3.1 Gen 1) Type-A, USB 3.2 Gen 1 (3.1 Gen 1) Type-C. Velocidad de transferencia de datos: 5000 Mbit/s, Color del producto: Gris, Material de la carcasa: Aluminio. Tipo de fuente de alimentación: USB. Sistema operativo Windows soportado: Windows 11 Enterprise x64, Windows 7 Professional x64, Windows Vista Enterprise x64, Windows 10,..., Sistema operativo MAC soportado: Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High..., Otros sistemas operativos soportados: Android. Ancho: 138 mm, Profundidad: 32 mm, Altura: 19 mm



Puertos e Interfaces		Peso y dimensiones	
Interfaz de host *	USB 3.2 Gen 1 (3.1 Gen 1) Type-C	Profundidad	32 mm
Interfaces de concentradores *	USB 3.2 Gen 1 (3.1 Gen 1) Type-A, USB 3.2 Gen 1 (3.1 Gen 1) Type-C	Altura	19 mm
Cantidad de puertos tipo A USB 3.2 Gen 1 (3.1 Gen 1)	4	Peso	104 g
Cantidad de puertos tipo C USB 3.2 Gen 1 (3.1 Gen 1)	3	Empaquetado	
Cantidad de puertos *	7	Ancho del paquete	195 mm
Tarjeta de lectura integrada	✗	Profundidad del paquete	88 mm
Enchufe de entrada de CC	✗	Altura del paquete	25 mm
Características		Peso del paquete	114 g
Velocidad de transferencia de datos *	5000 Mbit/s	Tipo de embalaje	Envase para colgar
Color del producto	Gris	Contenido del embalaje	
Material de la carcasa	Aluminio	Adaptadores de interfaz incluido	USB tipo C hembra - USB tipo A macho
Longitud de cable	0,25 m	Guía de configuración rápida	✓
Conectar y usar (Plug and Play)	✓	Condiciones ambientales	
País de origen	China	Intervalo de temperatura operativa	0 - 45 °C
Control de energía		Datos logísticos	
Tipo de fuente de alimentación	USB	Anchura del palé	120 cm
		Longitud del palé	80 cm
		Ancho de la caja principal	375 mm
		Longitud de la caja	270 mm
		Alto de la caja principal	255 mm
		Peso del envase completo	5,16 kg
		Cantidad por caja	40 pieza(s)
		Código de Sistema de Armomización (SA)	8517623500
		Detalles técnicos	
		Número de cajas de cartón por palé	42 pieza(s)
		Certificados de conformidad	CE, RoHS

Requisitos del sistema	
Sistema operativo Windows soportado	Windows 11 Enterprise x64, Windows 7 Professional x64, Windows Vista Enterprise x64, Windows 10, Windows 11 Home, Windows 7 Starter, Windows Vista Home Basic, Windows 10 Education, Windows 11 Pro, Windows 7 Starter x64, Windows Vista Home Basic x64, Windows 10 Education x64, Windows 11 x64, Windows 7 Ultimate, Windows Vista Home Premium, Windows 10 Enterprise, Windows 7 Ultimate x64, Windows Vista Home Premium x64, Windows 10 Enterprise x64, Windows 7 x64, Windows Vista Ultimate, Windows 10 Home, Windows 8, Windows Vista Ultimate x64, Windows 10 Home x64, Windows 7, Windows 8 Enterprise, Windows Vista x64, Windows 10 IOT Core, Windows 7 Enterprise, Windows 8 Enterprise x64, Windows XP, Windows 10 IoT Enterprise, Windows 7 Enterprise x64, Windows 8 Pro, Windows XP Home, Windows 10 Pro, Windows 7 Home Basic, Windows 8 Pro x64, Windows XP Home x64, Windows 10 Pro x64, Windows 7 Home Basic x64, Windows 8 x64, Windows Vista, Windows XP Professional, Windows 10 x64, Windows 7 Home Premium, Windows Vista Business, Windows XP Professional x64, Windows 11, Windows 7 Home Premium x64, Windows Vista Business x64, Windows 11 Enterprise, Windows 7 Professional, Windows Vista Enterprise
Sistema operativo MAC soportado	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.7.5 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura, Mac OS X 14.0 Sonoma
Otros sistemas operativos soportados	Android

Peso y dimensiones	
Ancho	138 mm



4015867238288

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.