Twinax Cable QSFP28 male to QSFP28 male 100 Gbps 1 m

Description

This Twinax cable by Delock is used to connect devices to a switch with a QSFP28 port or to connect two Ethernet switches.



Item no. 87551

EAN: 4043619875511

Country of origin: China

Package: Antistatic cover

Technical details

- Connectors:
  2 x QSFP28 male
- Passive, low power consumption
- Data transfer rate:
  10 Gigabit Ethernet up to 10 Gbps
  40 Gigabit Ethernet up to 40 Gbps
  100 Gigabit Ethernet up to 100 Gbps
- Supports IEEE 802.3bj
- Compatible with QSFP28 MSA, SFF-8636
- Hot Plug
- Operating temperature: 0 °C ~ 70 °C
- Cable gauge: 30 AWG
- Colour: black
- Cable diameter: ca. 4.5 mm
- Cable length: ca. 1 m

System requirements

- A free QSFP28 interface

All names and symbols mentioned here are property of the respective producer. Printing errors, changes and errors excepted. **© 2026 by Delock. All rights reserved.**

Package content

- Twinax Cable

Images





All names and symbols mentioned here are property of the respective producer. Printing errors, changes and errors excepted. **© 2026 by Delock. All rights reserved.**

Allgemein

Ausführung:	beide Seiten gleich

Schnittstelle

Anschluss 1:	1 x QSFP28 Stecker
Anschluss 2:	1 x QSFP28 Stecker

Technische Eigenschaften

Datentransferrate:	Gigabit Ethernet bis zu 100 Gbps Gigabit Ethernet bis zu 10 Gbps Gigabit Ethernet bis zu 40 Gbps
Betriebstemperatur:	0 °C ~ 70 °C

Physikalische Eigenschaften

Leiterquerschnitt:	30 AWG
Länge:	1 m
Farbe:	schwarz
Kabeldurchmesser:	4,5 mm

Manufacturer information

Street	Beeskowdamm 13/15
Postal code	14167
City	Berlin
Country	Deutschland
E-Mail	info@delock.de
Website	www.delock.de

All names and symbols mentioned here are property of the respective producer. Printing errors, changes and errors excepted. **© 2026 by Delock. All rights reserved.**