

MPN: FO-STSTOS2D-0005

ST-ST UPC OS2 Duplex SM Fiber Cable

0.5M

When engineering a high speed and bandwidth heavy network over long distances, there is no doubt that a fiber optic cable network is the most efficient and cost-effective choice.

The ProXtend fiber optic patch cable range supports full duplex singlemode and multimode communication through cables with a transparent glass core, that are coated in a LSZH jacket and able to withstand temperatures from -20 up to 70 degrees Celsius.



Especificaciones

Features

Color producto	Yellow
Conector 1	ST
Conector 2	ST
Conector 2 género	Male
Diámetro del núcleo	9 µm
Diámetro del revestimiento	125 µm
Estructura modo fibra	Single-mode
Full duplex	Yes
Género del conector	Male
Longitud del cable	0,5 m
Material cubierta	Low smoke zero halogen (LSZH)
Pérdida de devolución	55 dB
Pérdida de inserción	30 dB
Plug and play	Yes
Tipo de fibra óptica	OS2
Tipo de pulido de conector	UPC
Velocidad de transferencia de datos	2 Gbit/s

Operational conditions

Temperatura de funcionamiento (T-T)	-20 - 70 °C
-------------------------------------	-------------

Packaging data

Cantidad por pack	1 pieza(s)
-------------------	------------

Technical details

Certificados de sostenibilidad	RoHS
Compliance certificates	RoHS

Vendor information

Brand Name	ProXtend
Warranty	30 Año/s

Weight & dimensions

Diámetro del cable	2 mm
--------------------	------

Weight & dimensions

Radio de curvatura

5 cm

Otras imágenes

