



Dahua Technology PFM3350-1000 sistema de alimentación ininterrumpida (UPS) Línea interactiva 1 kVA 600 W 2 salidas AC

Marca : Dahua Technology

Código del producto: DH-PFM3350-1000

Nombre del producto : PFM3350-1000

Dahua Technology PFM3350-1000. Topología UPS: Línea interactiva, Capacidad de potencia de salida (VA): 1 kVA, Potencia de salida: 600 W. Cantidad de salidas AC: 2 salidas AC. Tecnología de batería: Plomo-ácido, Capacidad de la batería: 9 Ah, Voltaje de la pila: 13,7 V. Color del producto: Negro, Material de la carcasa: Plástico, Longitud de cable: 1,2 m. Certificados de conformidad: CE



Características		Diseño	
Topología UPS *	Línea interactiva	Material de la carcasa	Plástico
Capacidad de potencia de salida (VA) *	1 kVA	Longitud de cable	1,2 m
Potencia de salida *	600 W	Ventilador integrado	✓
Forma de onda *	Sine/Pure sine	Color del producto *	Negro
Voltaje de entrada de operación (min) *	170 V	Tipo de control	Botones
Voltaje de entrada de operación (max) *	280 V	Indicadores LED	Fallo, Poder
Frecuencia de entrada *	50/60 Hz	Condiciones ambientales	
Voltaje de operación de salida (max)	230 V	Intervalo de temperatura operativa	0 - 40 °C
Frecuencia de salida	50/60 Hz	Intervalo de temperatura de almacenaje	-15 - 55 °C
Máxima corriente	4,8 A	Intervalo de humedad relativa para funcionamiento	0 - 90%
Tiempo de respuesta	4 ms	Intervalo de humedad relativa durante almacenaje	0 - 90%
Factor de poder	0,6	Aprobaciones reguladoras	
Funciones de protección de poder	Sobrecarga, Sobrecarga, Descarga excesiva	Certificados de conformidad	CE
Alarma(s) audibles	✓	Contenido del embalaje	
Modos de alarma audibles	Alarma de batería baja, Alarma de sobrecarga, Cambio de batería, Suena una alarma cuando cambia a la batería, Fallo	Manual de usuario	✓
Puertos e Interfaces		Peso y dimensiones	
Cantidad de salidas AC	2 salidas AC	Ancho	101,5 mm
		Profundidad	298,4 mm
		Altura	142,2 mm
		Peso	4,9 kg

Batería		Empaquetado	
Tecnología de batería	Plomo-ácido	Ancho del paquete	142 mm
Capacidad de la batería	9 Ah	Profundidad del paquete	342 mm
Voltaje de la pila	13,7 V	Altura del paquete	223 mm
Número de baterías incluidas	1 pieza(s)	Peso del paquete	5,1 kg
Tiempo de recarga de la batería	4 h		
Corriente de carga	1 A		

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.