



# Hiditec BZ-550W 80Plus Bronze unidad de fuente de alimentación 20+4 pin ATX ATX Negro


Marca : Hiditec

Código del producto: PSU010009

Nombre del producto : BZ-550W 80Plus Bronze

ATX v2.4, 550W, PFC, 80000h, 1750grs, 230V

Hiditec BZ-550W 80Plus Bronze. Potencia total: 550 W, Voltaje de entrada AC: 230 V, Frecuencia de entrada AC: 50 - 60 Hz. Alimentador de energía para tarjeta madre: 20+4 pin ATX, Longitud del cable de alimentación de la placa base: 50 cm, Longitud del cable de alimentación SATA: 600,750,900 mm. Utilizar con: PC, Factor de forma de fuente de alimentación (PSU): ATX, Certificación 80 PLUS: 80 PLUS Bronze. Color del producto: Negro, Tipo de enfriamiento: Activo, Diámetro de ventilador: 14 cm. Certificados de conformidad: RoHS, Certificación: CE



| Control de energía                                    |                                         | Puertos e Interfaces                              |                  |
|-------------------------------------------------------|-----------------------------------------|---------------------------------------------------|------------------|
| Potencia total *                                      | 550 W                                   | Conectores de poder PCI Express (6 + 2 pin)       | 2                |
| Voltaje de entrada AC *                               | 230 V                                   | Longitud del cable de alimentación CPU            | 57 cm            |
| Frecuencia de entrada AC                              | 50 - 60 Hz                              | Conector a unidad de disquetes                    | ✓                |
| Corrección del factor de potencia tipo (PFC)          | Activo                                  | Longitud del cable de la unidad de disquete       | 100 cm           |
| Corriente máxima de salida (+3.3V)                    | 20 A                                    | Conector de poder a CPU (8-pin)                   | 1                |
| Corriente máxima de salida (+12V)                     | 45 A                                    | Desempeño                                         |                  |
| Corriente máxima de salida (+5V)                      | 20 A                                    | Certificación 80 PLUS *                           | 80 PLUS Bronze   |
| Corriente máxima de salida (-12V)                     | 6 A                                     | Utilizar con *                                    | PC               |
| Corriente máxima de salida (+5Vsb)                    | 15 A                                    | Factor de forma de fuente de alimentación (PSU) * | ATX              |
| Eficiencia                                            | 85%                                     | Versión ATX                                       | 2.4              |
| Funciones de protección de poder                      | Sobrevoltaje, Sobrecarga, Bajo potencia | Modo silencioso                                   | ✓                |
| Puertos e Interfaces                                  |                                         | Tiempo medio entre fallos                         | 80000 h          |
| Alimentador de energía para tarjeta madre *           | 20+4 pin ATX                            | Diseño                                            |                  |
| Longitud del cable de alimentación de la placa base   | 50 cm                                   | Color del producto                                | Negro            |
| Número de conectores de energía SATA                  | 6                                       | Tipo de enfriamiento                              | Activo           |
| Longitud del cable de alimentación SATA               | 600,750,900 mm                          | Diámetro de ventilador                            | 14 cm            |
| Conectores de poder (4 pin) periferales (Molex) *     | 3                                       | Número de ventiladores                            | 1 Ventilador(es) |
| Longitud del cable de alimentación periférico (Molex) | 600,750,900 mm                          | Aprobaciones reguladoras                          |                  |
|                                                       |                                         | Certificados de conformidad                       | RoHS             |
|                                                       |                                         | Certificación                                     | CE               |
| Peso y dimensiones                                    |                                         |                                                   |                  |
|                                                       |                                         | Ancho                                             | 150 mm           |
|                                                       |                                         | Profundidad                                       | 160 mm           |
|                                                       |                                         | Altura                                            | 85 mm            |

| Peso y dimensiones |         |
|--------------------|---------|
| Peso               | 1,75 kg |
| Empaquetado        |         |
| Tipo de embalaje   | Caja    |



8436545691175

### Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.