




TP-Link Omada EAP650 D30-OUTDOOR punto de acceso inalámbrico 3000 Mbit/s Blanco Energía sobre Ethernet (PoE)

Marca : TP-Link

Familia de productos: Omada **Código del producto:** EAP650 D30-OUTDOOR

Nombre del producto :
EAP650 D30-OUTDOOR

TP-Link Omada EAP650 D30-OUTDOOR. 2,4 GHz, 5 GHz, Rango máximo de transferencia de datos: 3000 Mbit/s. Algoritmos de seguridad soportados: SNMP, SNMPv2, SNMPv3. Ethernet LAN, velocidad de transferencia de datos: 10,100,1000 Mbit/s. Energía sobre Ethernet (PoE). Color del producto: Blanco



Características		Características de administración	
2,4 GHz *	✓	Administración basada en web	✓
5 GHz *	✓	Puertos e Interfaces	
6 GHz *	✗	Ethernet LAN (RJ-45) cantidad de puertos *	1
Rango máximo de transferencia de datos *	3000 Mbit/s	Control de energía	
Velocidad máxima de transferencia de datos (2,4 GHz)	574 Mbit/s	Energía sobre Ethernet (PoE) *	✓
Velocidad máxima de transferencia de datos (5 GHz)	2402 Mbit/s	Compatible con tipo de PoE (Power over Ethernet, Alimentación a través de Ethernet)	Passive PoE
Ethernet LAN, velocidad de transferencia de datos	10,100,1000 Mbit/s	Voltaje de entrada AC	48 V
Estándares de red	IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11b, IEEE 802.11g, IEEE 802.11k, IEEE 802.11n, IEEE 802.11r, IEEE 802.11v, IEEE 802.3at	Diseño	
		Ubicación *	Techo, Pared
Bluetooth	✓	Color del producto *	Blanco
Selección automática de canal	✓	Antena	
MIMO	✓	Tipo de antena *	Interno
Tipo MIMO	Multi User MIMO	Peso y dimensiones	
Band steering (optimización de rendimiento)	✓	Ancho	207,5 mm
Equidad de conexión (ATF)	✓	Profundidad	58 mm
		Altura	230 mm
Seguridad		Contenido del embalaje	
Algoritmos de seguridad soportados *	SNMP, SNMPv2, SNMPv3	Cantidad por paquete	1 pieza(s)
MAC, filtro de direcciones	✓	Kit de montaje	✓
Servicio de autenticación remota de llamadas de usuarios (RADIUS)	✓	Guía de configuración rápida	✓
		Otras características	
		Ancho de viga horizontal	30°

Otras características

Ancho de viga vertical	30°
------------------------	-----



8885020625042



1210002612739



0810142822763



810142822763

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.