



Conceptronic DONN29G base para portátil y replicador de puertos Alámbrico USB 3.2 Gen 2 (3.1 Gen 2) Type-C Gris

Marca : Conceptronic

Código del producto: DONN29G

Nombre del producto : DONN29G

Conceptronic DONN29G. Tecnología de conectividad: Alámbrico, Interfaz de host: USB 3.2 Gen 2 (3.1 Gen 2) Type-C, Entrega de energía USB (USB Power Delivery) de hasta: 140 W. Ethernet LAN, velocidad de transferencia de datos: 10,100,1000 Mbit/s, Estándares de red: IEEE 802.3ab. Color del producto: Gris, Velocidad de transferencia de datos: 10 Gbit/s, Material de la carcasa: Aluminio. Alimentación: USB, Longitud del cable USB: 0,25 m. Sistema operativo Windows soportado: Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10..., Sistema operativo MAC soportado: Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High..., Sistemas operativos móviles soportados: Android 10.0, Android 11.0, Android 12.0, Android 13.0, Android 14.0, Android 5.0, Android 5.1,...



Puertos e Interfaces		Software
Tecnología de conectividad *	Alámbrico	Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 IoT Enterprise, Windows 10 Pro, Windows 10 Pro x64, Windows 10 x64, Windows 11, Windows 11 Enterprise, Windows 11 Enterprise x64, Windows 11 Home, Windows 11 Pro, Windows 11 x64, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64, Windows Vista, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows XP, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64
Interfaz de host *	USB 3.2 Gen 2 (3.1 Gen 2) Type-C	
Cantidad de puertos tipo A USB 3.2 Gen 2 (3.1 Gen 2)	2	
Cantidad de puertos tipo C USB 3.2 Gen 2 (3.1 Gen 2)	2	
Suministro de potencia USB	✓	
Revisión de entrega de energía USB (USB Power Delivery)	3.1	
Entrega de energía USB (USB Power Delivery) de hasta	140 W	
Número de puertos HDMI *	1	
Versión HDMI	2.0	
Micrófono, jack de entrada *	✗	
Enchufe de entrada de CC	✗	
Conexión		Sistema operativo Windows soportado
Ethernet *	✓	
Ethernet LAN (RJ-45) cantidad de puertos	1	
Ethernet LAN, velocidad de transferencia de datos	10,100,1000 Mbit/s	
Conexión de redes	✓	
Estándares de red	IEEE 802.3ab	
Desempeño		
Tarjeta de lectura integrada *	✗	
Velocidad de transferencia de datos	10 Gbit/s	
Color del producto *	Gris	
Conectar y usar (Plug and Play)	✓	
Material de la carcasa	Aluminio	
País de origen	China	
Control de energía		
Alimentación	USB	
Longitud del cable USB	0,25 m	

Control de energía		Software	
Cargador inalámbrico	✗		Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.7.5 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura, Mac OS X 14.0 Sonoma
		Sistema operativo MAC soportado	
		Sistemas operativos móviles soportados	Android 10.0, Android 11.0, Android 12.0, Android 13.0, Android 14.0, Android 5.0, Android 5.1, Android 6.0, Android 7.0, Android 7.1, Android 7.1.2, Android 8.0, Android 8.1, Android 9.0
Condiciones ambientales			
Intervalo de temperatura operativa		0 - 45 °C	
Peso y dimensiones			
Ancho		131,5 mm	
Profundidad		32,5 mm	
Altura		14 mm	
Peso		60 g	
Empaquetado			
Ancho del paquete		173 mm	
Profundidad del paquete		23 mm	
Altura del paquete		75 mm	
Peso del paquete		80 g	
Contenido del embalaje			
Guía de configuración rápida		✓	
Detalles técnicos			
Certificados de conformidad		CE, RoHS	
Datos logísticos			
Cantidad por caja		100 pieza(s)	
Ancho de la caja principal		460 mm	
Longitud de la caja		395 mm	
Alto de la caja principal		195 mm	
Peso del envase completo		8,8 kg	
Código de Sistema de Armomización (SA)		8471800000	
Anchura del palé		120 cm	
Longitud del palé		80 cm	
Altura del palé		171,2 cm	
Otras características			
Número de cajas de cartón por palé		32 pieza(s)	



4015867239629

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.