DELL 12K3X adaptador e inversor de corriente Interior 130 W Negro



Marca : DELL

Código del producto: DELL-12K3X

Nombre del producto : 12K3X

130W USB-C AC Adapter with PowerCord- EURO
DELL 12K3X. Utilizar con: Portátil, Tipo de fuente de alimentación: Interior, Voltaje de entrada: 120 - 230 V. Color del producto: Negro. Ancho: 59,9 mm, Profundidad: 26,4 mm, Altura: 132,1 mm. Cantidad por paquete: 1 pieza(s). País de origen: China

Características	
Utilizar con *	Portátil
Tipo de fuente de alimentación *	Interior
Voltaje de entrada *	120 - 230 V
Frecuencia de entrada *	50 - 60 Hz
Corriente de entrada	1.8 A
Potencia de salida *	130 W
Voltaje de salida *	20 V
Corriente de salida	10,5 A
Funciones de protección de poder	Sobrecarga

Características	
Compatibilidad	Alienware m17 R3 Alienware x14 R1 Alienware x14 R2 (Intel) Dell 16 Premium DA16250 Dell Pro Max 14 MC14250 Dell Pro Max 14 Premium MA14250 Dell Pro Max 16 MC16250 Dell Pro Max 16 MC16255 Inspiron 16 7000 (7620) Inspiron 16 7000 (7630) Inspiron 16 7000 (7640) Latitude 5401 Latitude 5411 Latitude 5421 Latitude 5431 Latitude 5501 Latitude 5511 Latitude 5520 Latitude 5521 Latitude 5531 Precision 3470 Precision 3480 Precision 3490 Precision 3541 Precision 3551 Precision 3560 Precision 3561 Precision 3570 Precision 3571 Precision 3580 Precision 3581 Precision 3590 Precision 3591 Precision 5470 Precision 5480 Precision 5490 Precision 5530 2-in-1 Precision 5550 Precision 5560 Precision 5570 Precision 5750 Precision 5760 Precision 5770 Vostro 16 7000 (7620) XPS 15 (9500) XPS 15 (9510) XPS 15 (9520) XPS 15 (9530) (Launched in 2023) XPS 15 (9575) 2-in-1 XPS 16 (9640) XPS 17 (9700) XPS 17 (9710) XPS 17 (9720) XPS 17 (9730)
Diseño	
Color del producto *	Negro
Condiciones ambientales	
Intervalo de temperatura operativa	0 - 35 °C
Intervalo de temperatura de almacenaje	-40 - 70 °C
Intervalo de humedad relativa para funcionamiento	0 - 95%
Intervalo de humedad relativa durante almacenaje	0 - 95%

Peso y dimensiones	
Ancho	59,9 mm
Profundidad	26,4 mm
Altura	132,1 mm
Peso	331,1 g
Contenido del embalaje	
Cantidad por paquete *	1 pieza(s)
Datos logísticos	
País de origen	China

5397321043102

5715328303171

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 10-NOV-2026. Prints or copies of Information are only valid on the printed Publication date