




### Material


1mm Steel  
Powder Coating  
RAL9005

### Features

19" Device Compatibility  
Sliding Cable Entry




**Front View**




**Side View**




**Rear View**




**Top View**



**Side View Detail**




**Bottom View**




DIMENSIONS(mm)					
SIZE	7U	9U	12U	16U	20U
<b>W</b>	600	600	600	600	600
<b>H</b>	417	506	639	817	995
<b>D</b>	450	450	450	450	450
<b>X</b>	276	365	498	676	854


**Front View**




**Side View**




**Rear View**




**Top View**




**Bottom View**



**Side View Detail**




DIMENSIONS(mm)					
SIZE	7U	9U	12U	16U	20U
<b>W</b>	600	600	600	600	600
<b>H</b>	417	506	639	817	995
<b>D</b>	560	560	560	560	560
<b>X</b>	276	365	498	676	854



DIMENSIONS(mm)					
SIZE	7U	9U	12U	16U	20U
<b>W</b>	600	600	600	600	600
<b>H</b>	417	506	639	817	995
<b>D</b>	600	600	600	600	600
<b>X</b>	276	365	498	676	854

**FRONT DOOR OPENING ANGLE: 105°**



**Compliance with Standards: TS EN 61587-1 / TS EN IEC 62208 / IEC 60917 / IEC 60297**