



ARCTIC Liquid Freezer III Pro 280 A-RGB Procesador Sistema de refrigeración líquida todo en uno 14 cm Negro 1 pieza(s)



Marca : ARCTIC

Familia de productos: Liquid Freezer

Código del producto: ACFRE00183A

Nombre del producto : Liquid Freezer III Pro 280 A-RGB

ARCTIC Liquid Freezer III Pro 280 A-RGB. Tipo: Sistema de refrigeración líquida todo en uno, Diámetro de ventilador: 14 cm, flujo de aire: 186 m³/h, Tipo de soporte: Rodamiento dinámico fluido (FDB). Color del producto: Negro

Desempeño		Diseño	
Localización adecuada *	Procesador	Número de ventiladores	2 Ventilador(es)
Tipo *	Sistema de refrigeración líquida todo en uno	Iluminación LED	✓
Diámetro de ventilador	14 cm	Iluminación de color	Multi
Sockets de procesador soportados	LGA 1851, LGA 1700, Zócalo AM4, Zócalo AM5	Tipo de conector LED	3 pines
Máximo flujo de aire	110 cfm	Conector de ventilador	4 pines
flujo de aire	186 m³/h	Tipo de visualizador	No aplicable
Compatible con modulación por ancho de pulsos (PWM)	✓	Control de energía	
Tipo de soporte	Rodamiento dinámico fluido (FDB)	Voltaje LED	5 V
Conector de bomba	4 pines	Voltaje de bomba	12 V
Cantidad por paquete	1 pieza(s)	Corriente de bomba	350 mA
Velocidad de motor de bomba (min)	800 RPM	Voltaje del ventilador	12 V
Velocidad de motor de bomba (max)	2800 RPM	Corriente del ventilador	0,35 A
Velocidad del ventilador (min)	400 RPM	Peso y dimensiones	
Velocidad de ventilador (max)	2500 RPM	Ancho de radiador	13,8 cm
Presión estática del ventilador	5,2 mmH2O	Profundidad de radiador	31,7 cm
Velocidad del ventilador para VRM (mín.)	400 RPM	Altura de radiador	3,8 cm
Velocidad del ventilador para VRM (máx.)	2500 RPM	Longitud del tubo	45 cm
Intervalo de temperatura operativa	0 - 40 °C	Diámetro del tubo	1,24 cm
Diseño		Diámetro interno del tubo	6 mm
Color del producto *	Negro	Anchura de la bomba	9,1 cm
Material de radiador	Aluminio	Largura de la bomba	10,8 cm
Base material de la placa	Cobre	Altura de la bomba	6,85 cm
		Peso	1,91 kg
		Dimensiones del ventilador (A x A x P)	140 x 140 x 27 mm
		Ancho del paquete	170 mm
		Profundidad del paquete	335 mm
		Altura del paquete	155 mm
		Peso del paquete	2,31 kg
		Contenido del embalaje	
		Tipo de embalaje	Caja

Otras características

País de origen

Hong Kong



4895265000324

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.