



AISENS A153-0937 cable HDMI 30 m HDMI tipo A (Estándar) Negro

Marca : AISENS

Código del producto: A153-0937

Nombre del producto : A153-0937

Cable HDMI v2.1 AOC Ultra Alta Velocidad / HEC 8K@60HZ 4K@120HZ 4:4:4 48Gbps, A/M-A/M, Negro, 30M
AISENS A153-0937. Longitud de cable: 30 m, Conector 1: HDMI tipo A (Estándar), Género del conector 1: Macho, Conector 2: HDMI tipo A (Estándar), Género del conector 2: Macho, Contactos del conector chapado: Oro, Versión HDMI: 2.1, 3D, Velocidad de transferencia de datos: 48 Gbit/s, Canal de retorno de audio (ARC), Color del producto: Negro



Características		Características	
Longitud de cable *	30 m	Material del cable	Fibra óptica/Cobre
Conector 1 *	HDMI tipo A (Estándar)	Tipo de cable	Cable redondo
Conector 2 *	HDMI tipo A (Estándar)	Resistencia a la tracción	100 N
Género del conector 1 *	Macho	Magnéticamente protegida	✓
Género del conector 2 *	Macho	Radio de doblado (mín.)	2 cm
Factor de forma de conector 1	Derecho	Profundidad de color	48 bit
Factor de forma de conector 2	Derecho	Conectar y usar (Plug and Play)	✓
Color del producto *	Negro	Muestreo del color	4:4:4
Versión HDMI	2.1	Datos de identificación en pantalla completa (EDID)	✓
3D	✓		
Formatos gráficos soportados	3840 x 2160, 7680 x 4320	Condiciones ambientales	
Formato de vídeo soportado	2160p, 4320p	Intervalo de temperatura operativa	
Canal de retorno de audio (ARC)	✓	-40 - 70 °C	
Canal HDMI Ethernet	✓	Aprobaciones regulatoras	
HDCP	✓	Certificados de conformidad	
HDCP versión	2.2	RoHS	
Compatibilidad con RGB	4:4:4	Peso y dimensiones	
Velocidad de transferencia de datos	48 Gbit/s	Volumen del paquete	
Alto Rango Dinámico (HDR)	✓	3929 cm³	
Unidireccional	✓	Empaquetado	
Máxima velocidad de actualización	120 Hz	Ancho del paquete	
Contactos del conector chapado *	Oro	215 mm	
Material del revestimiento del conector	Plástico	Profundidad del paquete	
		215 mm	
		Altura del paquete	
		85 mm	
		Peso del paquete	
		859 g	
		Cantidad por paquete *	
		1 pieza(s)	
		Datos logísticos	
		Peso neto de caja	
		8,59 kg	
		Ancho de la caja principal	
		460 mm	
		Longitud de la caja	
		450 mm	
		Alto de la caja principal	
		250 mm	

Datos logísticos

Volumen de caja	51750 cm ³
Cantidad por caja	10 pieza(s)



8435739902813

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.