

StarTech.com Mini Adaptador de Red USB 2.0 Inalámbrico Wireless-AC de Banda Doble AC600 - Wifi 802.11ac 1T1R

Marca : StarTech.com

Código del producto: USB433WACDB

Nombre del producto : Mini Adaptador de Red USB 2.0 Inalámbrico Wireless-AC de Banda Doble AC600 - Wifi 802.11ac 1T1R

- Compatible con Wireless AC600 (433 Mbps + 150 Mbps)
- Conforme a las normas 802.11 a/b/g/n/ac
- Interfaz host USB 2.0
- Soporte para doble banda, 2,4 y 5 GHz (802.11ac es de 5 GHz solamente)
- Configuración de antena: 1 transmisor/1 receptor (1x1:1)
- Soporte para seguridad inalámbrica WEP (64 y 128 bits), WPA y WPA2
- Botón WPS de hardware
- Soporte de calidad de servicio WMM
- Diseño compacto

StarTech Mini Adaptador de Red USB 2.0 Inalámbrico Wireless-AC de Banda Doble AC600 - Wifi 802.11ac 1T1R de 2,4GHz y 5GHz

StarTech.com Mini Adaptador de Red USB 2.0 Inalámbrico Wireless-AC de Banda Doble AC600 - Wifi 802.11ac 1T1R. Tecnología de conectividad: Inalámbrico, Interfaz de host: USB, Interfaz: WLAN. Rango máximo de transferencia de datos: 433 Mbit/s, Estándar Wi-Fi: Wi-Fi 5 (802.11ac). Color del producto: Negro



Puertos e Interfaces		Condiciones ambientales	
Tecnología de conectividad *	Inalámbrico	Intervalo de temperatura operativa	0 - 40 °C
Interfaz de host *	USB	Intervalo de temperatura de almacenaje	-20 - 60 °C
Interfaz *	WLAN	Peso y dimensiones	
Cantidad de puertos USB	1	Ancho	15 mm
Conexión		Profundidad	35 mm
Rango máximo de transferencia de datos *	433 Mbit/s	Altura	7 mm
Estándares de red *	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n	Peso	4 g
Wifi	✓	Empaquetado	
Estándar Wi-Fi	Wi-Fi 5 (802.11ac)	Controladores incluidos	✓
Wi-Fi estándares	Wi-Fi 5 (802.11ac)	Ancho del paquete	174 mm
Modulación	16-QAM, 256-QAM, 64-QAM, BPSK, CCK, DBPSK, DQPSK, DSSS, OFDM, QPSK	Profundidad del paquete	143 mm
Algoritmos de seguridad soportados	TKIP, WEP, WPA	Altura del paquete	34 mm
Diseño		Peso del paquete	95 g
Color del producto	Negro	Contenido del embalaje	
Interno *	✗	Manual de usuario	✓
Circuito integrado	Realtek - RTL8811AU	Detalles técnicos	
Indicadores LED	Actividad, Enlace	Certificados de conformidad	RoHS
Certificación	CE, FCC, REACH	Datos logísticos	
		Código de Sistema de Armomización (SA)	85176990
		Ancho de la caja principal	504 mm
		Longitud de la caja	370 mm
		Alto de la caja principal	317 mm
		Cantidad por caja	60 pieza(s)

Requisitos del sistema

Sistema operativo Windows soportado	Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 Pro, Windows 10 Pro x64, Windows 10 x64, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64, Windows Vista, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows Vista x64, Windows XP, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64
Sistema operativo MAC soportado	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks
Sistema operativo de servidor soportado	Windows Server 2003, Windows Server 2008 R2, Windows Server 2012, Windows Server 2016, Windows Server 2019



0065030858212




065030858212



0650308582120



650308582120



0789468678418



789468678418

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.