

ZYXEL

Zyxel GS1900-8 Gestionado L2 Gigabit Ethernet (10/100/1000) Negro

Marca : Zyxel

Código del producto: GS1900-8-EU0102F

Nombre del producto : GS1900-8



Zyxel GS1900-8. Tipo de interruptor: Gestionado, Capa del interruptor: L2. Puertos tipo básico de conmutación RJ-45 Ethernet: Gigabit Ethernet (10/100/1000), Cantidad de puertos básicos de conmutación RJ-45 Ethernet: 8. Bidireccional completo (Full duplex). Tabla de direcciones MAC: 8000 entradas, Capacidad de conmutación: 16 Gbit/s. Estándares de red: IEEE 802.1Q, IEEE 802.1p, IEEE 802.1x, IEEE 802.3, IEEE 802.3ab, IEEE 802.3ad, IEEE 802.3af, IEEE.... Conector eléctrico: Toma de entrada de CC. Montaje en rack

Características de administración		Seguridad	
Tipo de interruptor *	Gestionado	Características de DHCP	DHCP client
Capa del interruptor	L2	IGMP	✓
Calidad de servicio (QoS) soporte	✓	Algoritmos de seguridad soportados	802.1x RADIUS
Administación basada en web	✓	MAC, filtro de direcciones	✓
Puertos e Interfaces		Funciones de multidifusión	
Cantidad de puertos básicos de conmutación RJ-45 Ethernet *	8	Multidifusión, soporte	✓
Puertos tipo básico de conmutación RJ-45 Ethernet *	Gigabit Ethernet (10/100/1000)	Diseño	
Conector eléctrico	Toma de entrada de CC	Montaje en rack *	✓
Conexión		Apilable *	✓
Estándares de red *	IEEE 802.1Q, IEEE 802.1p, IEEE 802.1x, IEEE 802.3, IEEE 802.3ab, IEEE 802.3ad, IEEE 802.3af, IEEE 802.3at, IEEE 802.3az, IEEE 802.3u, IEEE 802.3x	Color del producto	Negro
		Botón de restaurar	✓
Soporte 10G *	✗	Control de energía	
Bidireccional completo (Full duplex)	✓	Fuente de energía *	Corriente alterna
Soporte de control de flujo	✓	Fuente de alimentación incluida *	✓
Control de transmisión de tormentas	✓	Voltaje de entrada AC	100 - 240 V
Limitar tasa	✓	Frecuencia de entrada AC	50 - 60 Hz
Soporte VLAN	✓	Consumo de energía (max)	5 W
Transmisión de datos		Alimentación a través de Ethernet (PoE)	
Capacidad de conmutación *	16 Gbit/s	Energía sobre Ethernet (PoE) *	✗
Tabla de direcciones MAC *	8000 entradas	Peso y dimensiones	
Número de colas	8	Ancho	250 mm
Jumbo Frames, soporte	✓	Profundidad	104 mm
		Altura	27 mm
		Peso	650 g

Transmisión de datos

Tramas Jumbo 9000



4718937621163

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.