



ASUS ZenScreen MB14AC - LED monitor

14" - portable - 1920 x 1080 Full HD (1080p) - IPS - 220 cd/m² - 700:1 - 5 ms - USB-C - dark grey

Group	Flat Screens
Manufacturer	ASUS
Manufacturer item no.	90LM0631-B01170
EAN/UPC	4718017690607

Description

ASUS ZenScreen MB14AC is designed to keep you productive, wherever you are. It's the portable monitor with a hybrid USB-C signal solution (DP Alt mode + USB 3.0), which means that it only needs a single USB-C cable for both power and video transmission. With a slim 9mm profile, and weighing just 0.59kg, ZenScreen MB14AC is also a compact 14-inch companion monitor to meet different needs for laptop users.

Main features

Product Description	ASUS ZenScreen MB14AC - LED monitor - Full HD (1080p) - 14"
Device Type	LED-backlit LCD monitor - 14"
Energy Class	Class F
Power Consumption (On mode)	11.4 W
Panel Type	IPS
Aspect Ratio	16:9
Native Resolution	Full HD (1080p) 1920 x 1080
Pixel Pitch	0.16 mm
Brightness	220 cd/m ²
Contrast Ratio	700:1
Response Time	5 ms (grey-to-grey)
Input Connectors	USB-C
Screen Coating	Anti-glare
Voltage	DC 5 V
Colour	Dark grey
Dimensions (WxDxH)	32.494 cm x 1.12 cm x 20.803 cm
Weight	590 g
Environmental Standards	ENERGY STAR Qualified
Compliant Standards	UL, VCCI, BSMI, cUL, WHQL, CB, CCC, FCC, RoHS, KCC, WEEE, UkrSEPRO, RCM, CU-EAC, TUV Rheinland Low Blue Light Certification, TUV Rheinland Flicker Free Certification

General

Display Type	LED-backlit LCD monitor
Energy Class	Class F
Diagonal Size	14"
Panel Type	IPS
Aspect Ratio	16:9
Native Resolution	Full HD (1080p) 1920 x 1080
Pixel Pitch	0.16 mm
Brightness	220 cd/m ²
Contrast Ratio	700:1
Response Time	5 ms (grey-to-grey)
Horizontal Viewing Angle	178
Vertical Viewing Angle	178
Screen Coating	Anti-glare
Backlight Technology	WLED
Features	HDCP, Skin-Tone Selection, ASUS Splendid Video Preset Mode, ASUS QuickFit Virtual Scale, ASUS GamePlus, Flicker Free technology, auto-rotation, Colour Temperature Selection, Low Blue Light technology
Colour	Dark grey
Dimensions (WxDxH)	32.494 cm x 1.12 cm x 20.803 cm
Weight	590 g

Connectivity

Interfaces	USB-C
------------	-------

Miscellaneous

Included Accessories	Carrying case with display stand
Cables Included	1 x USB-C cable
Compliant Standards	UL, VCCI, BSMI, cUL, WHQL, CB, CCC, FCC, RoHS, KCC, WEEE, UkrSEPRO, RCM, CU-EAC, TUV Rheinland Low Blue Light Certification, TUV Rheinland Flicker Free Certification

Power

Input Voltage	DC 5 V
Power Consumption (On mode)	11.4 W
Power Consumption SDR (On mode)	11.4 kWh/1000h
Power Consumption (Typical)	7 Watt
Power Consumption Stand by	0 Watt
Power Consumption (Off Mode)	0 Watt

Dimensions & Weight (Shipping)

Shipping Width	39.2 cm
Shipping Depth	7.7 cm
Shipping Height	25.7 cm
Shipping Weight	1.3 kg

Environmental Standards

ENERGY STAR Certified	Yes
-----------------------	-----

