MPN: FO-SCSCOM2D-003

SC-SC UPC OM2 Duplex MM Fibre Cable 3M

When engineering a high speed and bandwidth heavy network over long distances, there is no doubt that a fiber optic cable network is the most efficient and cost-effective choice.

The ProXtend fiber optic patch cable range supports full duplex singlemode and multimode communication through cables with a transparent glass core, that are coated in a LSZH jacket and able to withstand temperatures from -20 up to 70 degrees Celsius.



Caractéristiques

Caractéristiques	**Connecteur 1**	SC
	Connecteur 2	SC
	Couleur du produit	Orange
	Diamètre du revêtement	125 µm
	Diamètre principal	50 µm
	Full duplex	Oui
	Genre de connecteur 1	Mâle
	Genre de connecteur 2	Mâle
	Genre du connecteur	Mâle
	Longueur de câble	3 m
	Matériau du manteau	LSZH (Low smoke zero halogen)
	Perte d'insertion	30 dB
	Perte en retour	55 dB
	Plug and Play	Oui
	Structure du mode de fibre	Multimode
	Taux de transfert des données	2 Gbit/s
	Type de fibre optique	OM2
	Type de polisseur de connecteur	UPC
Conditions environnementales	**Température d'opération**	-20 - 70 °C
Détails techniques	**Certificats de conformité**	RoHS
	Certificats de durabilité	RoHS
Informations sur l'emballage	**Quantité**	1 pièce(s)
Poids et dimensions	**Diamètre du câble**	2 mm
	Rayon de courbe	5 cm

Vendor information	**Brand Name**	ProXtend
	Warranty	30 Année (s)

Autres photos