

MPN: FO-LCLCOM3D-010

LC-LC UPC OM3 Duplex MM Fiber Cable 10M

When engineering a high speed and bandwidth heavy network over long distances, there is no doubt that a fiber optic cable network is the most efficient and cost-effective choice.
The ProXtend fiber optic patch cable range supports full duplex singlemode and multimode communication through cables with a transparent glass core, that are coated in a LSZH jacket and able to withstand temperatures from -20 up to 70 degrees Celsius.



Caractéristiques

Caractéristiques	Connecteur 1	LC	
	Connecteur 2	LC	
	Couleur du produit	Couleur aqua	
	Diamètre du revêtement	125 µm	
	Diamètre principal	50 µm	
	Full duplex	Oui	
	Genre de connecteur 1	Mâle	
	Genre de connecteur 2	Mâle	
	Genre du connecteur	Mâle	
	Longueur de câble	10 m	
	Matériau du manteau	LSZH (Low smoke zero halogen)	
	Perte d'insertion	0,3 dB	
	Perte en retour	55 dB	
	Plug and Play	Oui	
	Structure du mode de fibre	Multimode	
	Taux de transfert des données	2 Gbit/s	
	Type de fibre optique	OM3	
	Type de polisseur de connecteur	UPC	
	Conditions environnementales	Température d'opération	-20 - 70 °C
Détails techniques	Certificats de conformité	RoHS	
	Certificats de durabilité	RoHS	
Informations sur l'emballage	Quantité	1 pièce(s)	
Poids et dimensions	Diamètre du câble	2 mm	
	Rayon de courbe	5 cm	

Vendor information

Brand Name	ProXtend
Warranty	30 Année (s)

Autres photos

