

HP LaserJet M110w - Printer - B/W

laser - A4/Letter - 600 x 600 dpi - up to 20 ppm - capacity: 150 sheets - USB 2.0 - Wi-Fi(n) - Bluetooth LE

Group	Printers
Manufacturer	HP
Manufacturer item no.	7MD66F#B19
EAN/UPC	0194850676970



Description

HP LaserJet M110w - Printer - B/W - laser - A4/Letter - 600 x 600 dpi - up to 20 ppm - capacity: 150 sheets - USB 2.0, Wi-Fi(n), Bluetooth LE

Main features

Product Description	HP LaserJet M110w - printer - B/W - laser
Printer Type	Workgroup printer - laser - B/W
Number of Users	1-3 users
Weight	3.8 kg
Localisation	English, German, French, Italian, Spanish / Europe
Media Size Class	A4/Letter
Max Media Size	A4 (210 x 297 mm)
Min Media Size (Custom)	105 mm x 148 mm
Max Media Size (Custom)	216 mm x 355.6 mm
Print Speed	Up to 20 ppm - B/W (ISO/IEC 24734) - A4 (210 x 297 mm) Up to 21 ppm - B/W (ISO/IEC 24734) - ANSI A (Letter) (216 x 279 mm)
Max Resolution (B&W)	600 x 600 dpi
Image Enhancement Technology	HP FastRes 600
Interface	USB 2.0, Wi-Fi(n), Bluetooth LE
AirPrint Enabled	Yes
Processor	500 MHz
RAM Installed (Max)	32 MB
Flash Memory Installed (Max)	16 MB
Language Simulation	PCLm, URF, PWG, PCLmS
Media Type	Envelopes, labels, plain paper, postcards
Total Media Capacity	150 sheets
Monthly Duty Cycle (max)	8000 pages
Recommended Monthly Volume	100 - 1000 pages

Networking	Print server
Power	AC 100-240 V
System Requirements	Linux, Microsoft Windows 7 (32/64 bits), Microsoft Windows Server 2012 x64 Edition, Microsoft Windows Server 2008 R2 SP1 (64-bits), Windows 10 (32/64 bits), Microsoft Windows Server 2016 (64-bit), Apple macOS 10.13, Apple macOS 10.14, Apple macOS 10.15
Dimensions (WxDxH)	34.6 cm x 18.9 cm x 15.9 cm

Extended details

	General
Printer Type	Workgroup printer - laser - monochrome
Number of Users	1-3 users
Localisation	English, German, French, Italian, Spanish / Europe
	Printer
Print Speed	Up to 20 ppm - B/W (ISO/IEC 24734) - A4 (210 x 297 mm) Up to 21 ppm - B/W (ISO/IEC 24734) - ANSI A (Letter) (216 x 279 mm)
Connectivity Technology	Wireless
Interface	USB 2.0, Wi-Fi(n), Bluetooth LE
AirPrint Enabled	Yes
Max Resolution (B&W)	600 x 600 dpi
Image Enhancement Technology	HP FastRes 600
Language Simulation	PCLm, URF, PWG, PCLmS
	Processor
Processor	500 MHz
	RAM
RAM Installed (Max)	32 MB
	Flash Memory
Flash Memory	16 MB
	Media Handling
Media Type	Envelopes, labels, plain paper, postcards
Media Size Class	A4/Letter
Max Media Size	A4 (210 x 297 mm)
Min Media Size (Custom)	105 mm x 148 mm
Max Media Size (Custom)	216 mm x 355.6 mm
Media Sizes	A4 (210 x 297 mm), A5 (148 x 210 mm), A6 (105 x 148 mm)
Envelope Sizes	International DL (110 x 220 mm), International C5 (162 x 229 mm)
Media Weight	65 g/m ² - 120 g/m ²
Media Weight (lbs)	17 lbs - 32 lbs
Total Media Capacity	150 sheets
Media Feeders	Input tray: 1 - 150 sheets - 216 x 297 mm Output tray: 1 - 100 sheets

Output Trays Capacity	100 sheets
Duty Cycle	
Monthly Duty Cycle (max)	8000 pages
Recommended Monthly Volume	100 - 1000 pages
Networking	
Networking	Print server
Remote Management Protocol	SNMP 1, SNMP 2, SNMP 3, HTTP, HTTPS, SLP, DHCP
Security Protocols & Features	Apple Bonjour
Expansion / Connectivity	
Connections	1 x USB 2.0 - 4 pin USB Type B
Miscellaneous	
Included Accessories	Setup poster
Consumables Included	1 x toner cartridge (black) - up to 300 pages ISO/IEC 19752
Compliant Standards	UL, TUV GS, BSMI, CCC, FCC, IEC 60825-1, FCC CFR47 Part 15 C, EN 60825-1, KC, EAC, EN 62479:2010, RCM, BIS, EN 61000-3-3:2013, EN 62311:2008, EN 61000-3-2:2014, IEC 62479:2010, IEC 62311:2007, FCC CFR47 Part 15 B Class B, EN 55032:2012, RSS-102 Issue 5, SIRIM, RSS-247 Issue 1, FCC CFR47 Part 15 E, ICES-003 issue 6, EN 62368-1:2014, CAN/CSA-C22.2 No. 62368-1, CISPR 32:2012, EN 300 328 V2.1.1, UL 62368-1, IEC 60950-1:2005 (ed.2)+A1:2009+A2:2013, CISPR 32:2015, EN 55032:2015+AC:2016 Class B, RED 2014/53/EU, EN 55035:2017, Mercury-free, EN 301 893 V2.1.1, DE-UZ 205, EN 301 489-17 V3.2.0, IEC 62368-1: 2014, EN 60950-1:2006+A11:2009+A1:2010+A12:2011+A2:2013, EN 300 440-1 V2.1.1, EN 301 489-1 V2.2.3
Power	
Power Device	Power supply - internal
Voltage Required	AC 100-240 V
Frequency Required	50/60 Hz
Power Consumption Operational	361 Watt
Power Consumption Stand by	2.3 Watt
Power Consumption Sleep	1 Watt
Software / System Requirements	
OS Required	Linux, Microsoft Windows 7 (32/64 bits), Microsoft Windows Server 2012 x64 Edition, Microsoft Windows Server 2008 R2 SP1 (64-bits), Windows 10 (32/64 bits), Microsoft Windows Server 2016 (64-bit), Apple macOS 10.13, Apple macOS 10.14, Apple macOS 10.15
Environmental Standards	
Blue Angel	Yes
ENERGY STAR	Yes
ENERGY STAR Version	3.0
Manufacturer Warranty	
Service & Support	Limited warranty - 1 year
Environmental Parameters	

Min Operating Temperature	15 °C
Max Operating Temperature	32.5 °C
Humidity Range Operating	10 - 80%
Sound Emission (Idle)	16 dBA
Sound Emission (Operating)	48 dBA

Dimensions & Weight

Width	34.6 cm
Depth	18.9 cm
Height	15.9 cm
Weight	3.8 kg

Dimensions & Weight (Shipping)

Width (Shipping)	37.8 cm
Depth (Shipping)	19.8 cm
Height (Shipping)	22.2 cm
Weight (Shipping)	4.8 kg

Technical data © 1WorldSync. Subject to technical modifications and errors.