

Philips V-line 271V8LAB - LED monitor

27" - 1920 x 1080 Full HD (1080p) @ 100 Hz - VA - 250 cd/m² - 4000:1
- 4 ms - HDMI - VGA - speakers - textured black

Group	Flat Screens
Manufacturer	Philips
Manufacturer item no.	271V8LAB/00
EAN/UPC	8712581804374



Description

Philips V line wide-view monitor gives viewing beyond boundaries. Adaptive-Sync, 1 ms MPRT response rate, and 100 Hz refresh rate deliver smooth video display. Features like anti-glare, LowBlue Mode, and Flicker-free for easy on the eyes.

Main features

Product Description	Philips V-line 271V8LAB - LED monitor - Full HD (1080p) - 27"
Device Type	LED-backlit LCD monitor - 27"
Adaptive-Sync Technology	AMD Adaptive-Sync
Panel Type	VA
Aspect Ratio	16:9
Native Resolution	Full HD (1080p) 1920 x 1080 at 100 Hz
Pixel Pitch	0.3114 mm
Brightness	250 cd/m²
Contrast Ratio	4000:1
Response Time	4 ms (grey-to-grey), 1 ms (MPRT)
Colour Support	16.7 million colours
Input Connectors	HDMI, VGA
Display Position Adjustments	Tilt
Screen Coating	Anti-glare, 3H Hard Coating, Haze 25%
Voltage	AC 100-240 V (50/60 Hz)
Colour	Textured black
Dimensions (WxDxH) - with stand (highest position)	61.4 cm x 23.1 cm x 45.7 cm
Weight	3.76 kg
Compliant Standards	Plug and Play, DDC/CI, RoHS, BFR-free, PVC-free, Mercury-free

Extended details

General	
Display Type	LED-backlit LCD monitor / TFT active matrix

Diagonal Size	27"
Adaptive-Sync Technology	AMD Adaptive-Sync
Panel Type	VA
Aspect Ratio	16:9
Native Resolution	Full HD (1080p) 1920 x 1080 at 100 Hz
Pixel Pitch	0.3114 mm
Pixel Per Inch	82
Brightness	250 cd/m ²
Contrast Ratio	4000:1
Colour Support	16.7 million colours
Response Time	4 ms (grey-to-grey), 1 ms (MPRT)
Vertical Refresh Rate	48 - 100 Hz
Horizontal Refresh Rate	30 - 115 kHz
Horizontal Viewing Angle	178
Vertical Viewing Angle	178
Screen Coating	Anti-glare, 3H Hard Coating, Haze 25%
Backlight Technology	WLED
OSD Languages	Hungarian, Czech, Chinese (traditional), Chinese (simplified), Ukrainian, Brazilian Portuguese, English, German, French, Italian, Portuguese, Polish, Finnish, Swedish, Russian, Spanish, Dutch, Greek, Turkish, Japanese, Korean
Features	Sync on Green, SmartContrast, SmartImage, Mega Infinity Dynamic Contrast Ratio, Flicker Free technology, Wide Viewing Angle, EasyRead, sRGB Mode, 8-bit Colour Depth, LowBlue Mode
Colour	Textured black
Dimensions (WxDxH)	61.4 cm x 23.1 cm x 45.7 cm - with stand (highest position)
Weight	3.76 kg
	Audio
Type	Speakers - stereo
Output Power / Channel	2 Watt
	Connectivity
Interfaces	VGA ¦ HDMI (HDCP 1.4) ¦ Audio line-in/out
	Mechanical
Display Position Adjustments	Tilt
Tilt Angle	-5/+20
VESA Mounting Interface	100 x 100 mm
	Miscellaneous
Features	Security lock slot (cable lock sold separately), 100% recyclable packaging
MTBF	30,000 hour(s)
Compliant Standards	Plug and Play, DDC/CI, RoHS, BFR-free, PVC-free, Mercury-free

Security Slot Type	Kensington security slot
	Power
Input Voltage	AC 100-240 V (50/60 Hz)
Power Consumption (Typical)	32.89 Watt
Power Consumption Stand by	0.5 Watt
Power Consumption (Off Mode)	0.3 Watt
	Dimensions & Weight
Dimensions & Weight Details	With stand (highest position) - width: 61.4 cm - depth: 23.1 cm - height: 45.7 cm - weight: 3.76 kg Without stand - width: 61.4 cm - depth: 5.3 cm - height: 36.7 cm - weight: 3.31 kg
	Dimensions & Weight (Shipping)
Shipping Width	73 cm
Shipping Depth	12.3 cm
Shipping Height	44.6 cm
Shipping Weight	6.14 kg
	Manufacturer Warranty
Service & Support	3-year warranty
	Environmental Parameters
Min Operating Temperature	0 °C
Max Operating Temperature	40 °C
Humidity Range Operating	20 - 80%

Technical data © 1WorldSync. Subject to technical modifications and errors.