


MPN: FO-SCSCOM1D-003

## SC-SC UPC OM1 Duplex MM Fibre Cable 3M

When engineering a high speed and bandwidth heavy network over long distances, there is no doubt that a fiber optic cable network is the most efficient and cost-effective choice.  
The ProXtend fiber optic patch cable range supports full duplex singlemode and multimode communication through cables with a transparent glass core, that are coated in a LSZH jacket and able to withstand temperatures from -20 up to 70 degrees Celsius.



### Caractéristiques

Caractéristiques	Connecteur 1	SC	
	Connecteur 2	SC	
	Couleur du produit	Orange	
	Diamètre du revêtement	125 µm	
	Diamètre principal	62,5 µm	
	Full duplex	Oui	
	Genre de connecteur 1	Mâle	
	Genre de connecteur 2	Mâle	
	Genre du connecteur	Mâle	
	Longueur de câble	3 m	
	Matériau du manteau	LSZH (Low smoke zero halogen )	
	Perte d'insertion	30 dB	
	Perte en retour	55 dB	
	Plug and Play	Oui	
	Structure du mode de fibre	Multimode	
	Taux de transfert des données	2 Gbit/s	
	Type de fibre optique	OM1	
	Type de polisseur de connecteur	UPC	
	Conditions environnementales	Température d'opération	-20 - 70 °C
	Détails techniques	Certificats de conformité	RoHS
Certificats de durabilité		RoHS	
Informations sur l'emballage	Quantité	1 pièce(s)	
Poids et dimensions	Diamètre du câble	2 mm	
	Rayon de courbe	5 cm	

**Vendor information**

<b>Brand Name</b>	ProXtend
<b>Warranty</b>	30 Année (s)

Autres photos

