

MPN: FO-STSTOS2D-010

ST-ST UPC OS2 Duplex SM Fiber Cable 10M

When engineering a high speed and bandwidth heavy network over long distances, there is no doubt that a fiber optic cable network is the most efficient and cost-effective choice. The ProXtend fiber optic patch cable range supports full duplex singlemode and multimode communication through cables with a transparent glass core, that are coated in a LSZH jacket and able to withstand temperatures from -20 up to 70 degrees Celsius.



Caractéristiques

Caractéristiques	Connecteur 1	ST	
	Connecteur 2	ST	
	Couleur du produit	Jaune	
	Diamètre du revêtement	125 µm	
	Diamètre principal	9 µm	
	Full duplex	Oui	
	Genre de connecteur 2	Mâle	
	Genre du connecteur	Mâle	
	Longueur de câble	10 m	
	Matériau du manteau	LSZH (Low smoke zero halogen)	
	Perte d'insertion	30 dB	
	Perte en retour	55 dB	
	Plug and Play	Oui	
	Structure du mode de fibre	Monomode	
	Taux de transfert des données	2 Gbit/s	
	Type de fibre optique	OS2	
	Type de polisseur de connecteur	UPC	
	Conditions environnementales	Température d'opération	-20 - 70 °C
Détails techniques	Certificats de conformité	RoHS	
	Certificats de durabilité	RoHS	
Informations sur l'emballage	Quantité	1 pièce(s)	
Poids et dimensions	Diamètre du câble	2 mm	
	Rayon de courbe	5 cm	
Vendor information	Brand Name	ProXtend	

Vendor information

Warranty

30 Année (s)

Autres photos

