


ASUS ZenScreen MB166CR - LED monitor

16" (15.6" viewable) - portable - 1920 x 1080 Full HD (1080p) @ 60 Hz - IPS - 250 cd/m² - 1000:1 - 5 ms - USB - black

Group	Flat Screens
Manufacturer	ASUS
Manufacturer item no.	90LM07D3-B03170
EAN/UPC	4711387387702



Description

ASUS ZenScreen MB166CR - LED monitor - 16" (15.6" viewable) - portable - 1920 x 1080 Full HD (1080p) @ 60 Hz - IPS - 250 cd/m² - 1000:1 - 5 ms - USB - black

Main features

Product Description	ASUS ZenScreen MB166CR - LED monitor - Full HD (1080p) - 16"
Device Type	LED-backlit LCD monitor - 16"
Energy Class	Class B
Panel Type	IPS
Aspect Ratio	16:9
Native Resolution	Full HD (1080p) 1920 x 1080 at 60 Hz
Pixel Pitch	0.179 mm
Brightness	250 cd/m²
Contrast Ratio	1000:1
Response Time	5 ms (grey-to-grey)
Colour Support	262,000 colours
Input Connectors	USB
Screen Coating	Anti-glare
Voltage	AC 100-240 V (50/60 Hz)
Colour	Black
Dimensions (WxDxH) - without stand	36.01 cm x 1.18 cm x 22.56 cm
Weight	780 g
Environmental Standards	ENERGY STAR Qualified
Compliant Standards	TUV Rheinland Flicker Free Certification, TUV Rheinland Low Blue Light (Software Solution)

Extended details

	General
Display Type	LED-backlit LCD monitor / TFT active matrix
Energy Class	Class B
Diagonal Size	16"
Viewable Size	15.6"
Panel Type	IPS
Aspect Ratio	16:9
Native Resolution	Full HD (1080p) 1920 x 1080 at 60 Hz
Pixel Pitch	0.179 mm
Brightness	250 cd/m²
Contrast Ratio	1000:1
Colour Support	262,000 colours
Response Time	5 ms (grey-to-grey)
Vertical Refresh Rate	60 Hz
Horizontal Refresh Rate	24 - 83 kHz
Horizontal Viewing Angle	178
Vertical Viewing Angle	178
Screen Coating	Anti-glare
Backlight Technology	LED backlight
Features	HDCP, ASUS Splendid Video Intelligence Technology, Trace Free Technology, ASUS QuickFit Virtual Scale, ASUS GamePlus, Flicker Free technology, ASUS EyeCare Technology, auto-rotation, Colour Temperature Selection, landscape mode, portrait mode, Low Blue Light technology, Display Widget, tripod socket, swivel stand (0°- 360°)
Colour	Black
Dimensions (WxDxH)	36.01 cm x 1.18 cm x 22.56 cm - without stand
Weight	780 g
	Connectivity
Interfaces	USB-C/DisplayPort Alt Mode
	Mechanical
VESA Mounting Interface	Yes
	Miscellaneous
Features	G1/4" thread, tripod mountable
Included Accessories	ZenScreen sleeve, 360° kickstand
Cables Included	1 x USB-C cable
Compliant Standards	TUV Rheinland Flicker Free Certification, TUV Rheinland Low Blue Light (Software Solution)
	Power
Input Voltage	AC 100-240 V (50/60 Hz)

Power Consumption SDR (On mode)	6 kWh/1000h
Power Consumption (Typical)	5.24 Wh
Power Consumption Stand by	0.3 Watt
Power Consumption (Off Mode)	0.3 Watt
Dimensions & Weight (Shipping)	
Shipping Width	43.4 cm
Shipping Depth	7.6 cm
Shipping Height	29 cm
Shipping Weight	1.7 kg
Sustainability Information	
ENERGY STAR Certified	Yes
ENERGY STAR Version	8.0
Environmental Parameters	
Min Operating Temperature	0 °C
Max Operating Temperature	40 °C

Technical data © 1WorldSync. Subject to technical modifications and errors.